



**CATALOG #340**

STOCK ABRASIVE PRODUCTS  
**DO-IT-YOURSELF  
& CONTRACTOR  
MARKET**



SANDING MADE **EASIER**™



**Hand Sanding**

Abrasive Sheets . . . . . 4  
Abrasive Sponges . . . . . 11  
Abrasive Rolls . . . . . 14



**Drywall Sanding**

Abrasives . . . . . 15  
Tools . . . . . 18



**Power Sanding**

Discs . . . . . 20  
Detail . . . . . 28  
Belts . . . . . 29



**Cutting & Grinding**

Diamond Products . . . . . 33  
Grinding Wheels / Blades . . . . . 34  
Wire Products . . . . . 41



**Surface Prep & Clean**

Plastic Coverings . . . . . 44  
Masking Tape . . . . . 45  
Pads & Rolls . . . . . 46  
Cloths . . . . . 48  
Safety Accessories . . . . . 49



**Woodworking**

Discs . . . . . 50  
Belts . . . . . 61  
Sharpening Stones . . . . . 64



**Merchandising**

Racking . . . . . 65  
Signage . . . . . 67

**Norton Trademarks**

All trademarks used in these pages are trademarks of Saint-Gobain Abrasives, unless otherwise indicated.

- |                    |                     |              |               |
|--------------------|---------------------|--------------|---------------|
| Adalox®            | Clamp & Sand™       | No-Fil®      | Slicer™       |
| Black Ice™         | Handy Pack™         | Norax®       | Soft Touch®   |
| BlueFire®          | Hook & Sand™        | Norton®      | Speed-Lok®    |
| Charger™           | Job Pack™           | Norton SG®   | Spiraband®    |
| Classic™           | 4x4 MaxCut™         | NorZon®      | Stick & Sand® |
| DrillSand™         | Merit®              | NorZon® Plus | TufBak®       |
| DryIce®            | Metalite®           | PowerFlex™   | ValuPlus™     |
| DUO®               | MetalSand™          | ProSand®     | WallSand™     |
| Durite®            | MultiSand™          | Rapid Strip™ | WoodSand™     |
| Gemini®            | Multi-Air®          | Red Heat®    |               |
| Get It. Finished.™ | Multi-Air Cyclonic® | SandWet™     |               |

**NORTON**

SAINT-GOBAIN

# ProSand®

## OUR PRODUCT EVOLUTION IS YOUR CUSTOMER'S **EASIEST SANDING SOLUTION**



## GET IT. **FINISHED.**™

With Norton ProSand, we've packaged the best sanding sheets and sponges into a new look while raising the performance and durability level in order to deliver a new industry standard for sanding made easier.

[nortonabrasives.com](http://nortonabrasives.com)



What material are you hand sanding?

<b>GENERAL WOOD, PAINT, PLASTIC, ETC.</b>	<b>DRYWALL &amp; PLASTER</b>	<b>METAL &amp; RUST</b>	<b>PRIMER, SEALER, TOP COATS</b>
-----------------------------------------------	------------------------------	-------------------------	----------------------------------

What level of smoothness do you need?

GRIT	APPLICATION	GRIT	APPLICATION	GRIT	APPLICATION	GRIT	APPLICATION
Coarse	Stripping	Coarse	First Coat	Coarse	Stripping	Fine	Initial Coats
Medium	Smoothing	Medium	Second Coat	Medium	Smoothing	Super Fine	Between Coats
Fine	Finishing	Fine	Final Coat	Fine	Polishing	Ultra Fine	Final Finish

How large is the project?

<b>Small to Medium Jobs with One Sanding Step:</b> Sanding Sponge	<b>Small Touch-Up Jobs:</b> Sanding Sponge	<b>Small to General Purpose Jobs:</b> Sanding Sponge	<b>Small to General Purpose Jobs:</b> Sanding Sponge
<b>Medium to Larger Jobs with Multiple Sanding Steps:</b> Sandpaper	<b>Small to Medium DIY Jobs:</b> Sanding Screen	<b>Light Deburring and Cleaning:</b> Non-Woven Pad	<b>Large Jobs With Focus on High-End Finish:</b> (i.e. Automotive Refinishing) Sandpaper

Do you want high performance and productivity or lowest initial cost?

<b>Performance:</b> Norton ProSand Sheets & Sponges	<b>Performance:</b> WallSand Screen	<b>Performance:</b> MetalSand Cloth Sheets, Metal Finishing Non-Woven	<b>Performance:</b> SandWet Sheets
<b>Opening Price Point:</b> MultiSand Sheets & Sponges	<b>Opening Price Point:</b> WallSand Paper, WallSand Sponges	<b>Opening Price Point:</b> MultiSand Sponges	<b>Opening Price Point:</b> SandWet Sponges



## ProSand

Premium abrasive provides superior cut on all surfaces, lasts substantially longer and cuts faster than conventional abrasives and has been open abrasive grain coated to resist clogging and loading during sanding. Available in a wide range of grits to tackle any job, ProSand Sheets are perfect for sanding paint, drywall, and wood.



### Application/Grit Recommendation Guide

Finer									Coarser
<b>400</b> Final Finish	<b>320</b> Between Coats Sanding	<b>220</b> Sanding Initial Coats	<b>180</b> Final Surface Smoothing	<b>150</b> Fine Surface Preparation	<b>120</b> Surface Leveling	<b>100</b> Moderate To Light Removal	<b>80</b> Moderate Removal	<b>60</b> Heavy Removal	

### FEATURES & BENEFITS


- Premium heat-treated abrasive offers faster cut and longer sanding life than 3X technology. Heat treating toughens the grain allowing it to stay sharp and last longer under extreme pressure, making it the most durable abrasive on the market. Super sharp edges allow grain to remove material faster.
- Increased backing weight. Fiber reinforcement and latex saturation offer better grain retention with higher flexibility for easy folding and unfolding without tearing.
- Non-pigmented, waterbased stearate, anti-clog (No-Fil) open coat design. Anti-clog provides best resistance to premature loading during sanding.
- No color dye in coating process so there is no chance of color transfer to work piece.

## Testimonial

I shall continue to only have Norton abrasives in my shop. I've only come across one other brand that could compete in the past, but your ProSand is like a quantum leap above the rest.

- Jim Attwooll

### PERCENTAGE STOCK REMOVAL 80, 150, & 200 GRIT SEQUENCE



\* PERCENTAGE BASED ON TOTAL GRAMS CUT OVER 12 MINUTES OF SANDING ON RED OAK WITH VIBRATING SHEET SANDER

\* Results based on internal testing performed using a vibrating sheet sander. Performance data reflects cumulative stock removal of red oak panels over the course of an 80, 150, 220 grit sanding sequence.

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Handy Packs</b>					
<b>9" x 11"</b>					
07660768156	07660702612	5	400 Super Fine	3	25**
07660768157	07660702613	2	320 Extra Fine	3	25**
07660768158	07660702616	3	220 Very Fine	3	25**
07660768159	07660702617	0	180 Fine	3	25**
07660768160	07660702618	7	150 Medium	3	25**
07660768161	07660702619	4	120 Medium	3	25**
07660768162	07660702620	0	100 Medium	3	25**
07660768163	07660702621	7	80 Coarse	3	25**
07660768164	07660702622	4	60 Coarse	3	25**
07660768182	07660705386	2	Asst. 1 each of 60, 100, 150 & 220	4	25**
<b>4-1/2" x 4-1/2" - Stick &amp; Sand</b>					
07660768177	07660705311	4	220 Very Fine	4	20**
07660768183	07660705312	1	150 Medium	4	10**
07660768184	07660705313	8	100 Medium	4	10**
07660768185	07660705314	5	60 Coarse	4	10**
<b>Job Packs</b>					
<b>9" x 11"</b>					
07660768165	07660702632	3	400 Super Fine	20	10**
07660768166	07660702633	0	320 Extra Fine	20	10**
07660768167	07660702636	1	220 Very Fine	20	10**
07660768168	07660702637	8	180 Fine	20	10**
07660768171	07660702638	5	150 Medium	20	10**
07660768172	07660702639	2	120 Medium	20	10**
07660768173	07660702640	8	100 Medium	20	10**
07660768174	07660702641	5	80 Coarse	20	10**
07660768175	07660702642	2	60 Coarse	20	10**

## MultiSand

For general purpose hand or machine sanding wood, metal, plastic and fiberglass, as well as removing old paint.

Finer									Coarser	
<b>220</b>	<b>150</b>	<b>180</b>	<b>120</b>	<b>100</b>	<b>80</b>	<b>60</b>	<b>50</b>	<b>36</b>		
Sanding Initial Coats	Fine Surface Preparation	Final Surface Preparation	Surface Leveling	Moderate To Light Removal	Moderate Removal	Heavy Removal	Heavy Removal	Very Heavy Removal		



PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Handy Packs</b>					
<b>9" x 11" (A215, A213, A211)</b>					
07660747710	07660747710	1	220	Very Fine	5 10
07660702769	07660747710	1	220	Very Fine	5 25**
07660747720	07660747720	0	150	Fine	5 10
07660702770	07660747720	0	150	Fine	5 25**
07660704154	07660747725	5	120	Medium	5 25**
07660747735	07660747735	4	100	Medium	5 10
07660702771	07660747735	4	100	Medium	5 25**
07660704153	07660747740	8	80	Coarse	5 25**
07660747750	07660747750	7	60	Coarse	3 10
07660702772	07660747750	7	60	Coarse	3 25**
07660702275	07660702275	2	36	Ex. Coarse	3 50
07660747765	07660747765	1	Asst.	2 VF, 2F, 1M	5 10
07660704155	07660747765	1	Asst.	2 VF, 2F, 1M	5 25**
<b>4-1/2" x 11" (A215, A213, A211)</b>					
07660702050	07660748353	9	150	Fine	6 10**
07660702051	07660748354	6	100	Medium	6 10**
07660702052	07660748355	3	60	Coarse	4 10**
<b>4-1/2" x 5-1/2" (A215, A213, A211)</b>					
07660705441	07660748132	0	220	Very Fine	6 10**
07660705442	07660748300	3	150	Fine	6 10**
07660705444	07660748301	0	100	Medium	6 10**
07660705445	07660748302	7	60	Coarse	6 10**
07660702057	07660748130	6	Asst.	2VF, 2F, 2M	6 10**
<b>4-1/2" x 4-1/2" (A413, A213)</b>					
07660705447	07660749126	8	220	Very Fine	5 10**
07660705446	07660749127	5	150	Fine	5 10**
07660705452	07660749128	2	100	Medium	5 10**
07660705453	07660749129	9	60	Coarse	5 10**
<b>3-2/3" x 9" (A215, A213, A211)</b>					
07660748295	07660748295	2	150	Fine	6 20**
07660748310	07660748310	2	100	Medium	6 20**
07660748325	07660748325	6	60	Coarse	6 20**
07660748335	07660748335	5	Asst.	3F, 2M, 1C	6 20**
07660702061	07660748335	5	Asst.	3F, 2M, 1C	6 10
<b>3-2/3" x 25' Sheet Roll (A213)</b>					
07660784250	07660784250	3	150	Fine	1 9**
07660784251	07660784251	0	100	Medium	1 9**
07660784252	07660784252	7	60	Coarse	1 9**

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Job Packs</b>					
<b>9" x 11" (A215, A213, A211)</b>					
07660700354	07660700354	6	220A	Very Fine	25 10**
07660700355	07660700355	3	180A	Fine	25 10**
07660700356	07660700356	0	150C	Fine	25 10**
07660700357	07660700357	7	120C	Medium	25 10**
07660700358	07660700358	4	100C	Medium	25 10**
07660768109	07660768109	6	80D	Coarse	25 5
07660768108	07660768108	9	60D	Coarse	25 5
07660768111	07660768111	9	50D	Coarse	25 5
07660768110	07660768110	2	36D	Ex. Coarse	25 5
07660700365	07660700365	2	Asst.	Asst.	25 10**
<b>Rolls</b>					
<b>2-3/4" x 30/45 yds. Stick &amp; Sand Sheet Roll (A275)</b>					
66261131681	66261131681	1	P400B	Very Fine	1 -
66261131683	66261131683	5	P320B	Very Fine	1 -
66261131685	66261131685	9	P240B	Very Fine	1 -
66261131686	66261131686	6	P220B	Very Fine	1 -
66261131687	66261131687	3	P180B	Fine	1 -
66261131688	66261131688	0	P150B	Fine	1 -
66261131689	66261131689	7	P120B	Medium	1 -
66261131690	66261131690	1	P100B	Medium	1 -
<b>4-1/2" x 10 yds. (30') Stick &amp; Sand Sheet Roll (A290)</b>					
07660749247	07660749247	0	P320C	Very Fine	1 10**
07660749248	07660749248	7	P220C	Very Fine	1 10**
07660749249	07660749249	4	P180C	Fine	1 10**
07660749250	07660749250	0	P150C	Fine	1 10**
07660749251	07660749251	7	P120C	Fine	1 10**
07660749252	07660749252	4	P100C	Medium	1 10**
07660749254	07660749254	8	P80C	Coarse	1 10**
<b>3-1/2" x 25 yds. (A211, A213)</b>					
07660704148	07660704148	7	150	Fine	1 5
07660704147	07660704147	0	120	Medium	1 5
07660704146	07660704146	3	100	Medium	1 5
07660704145	07660704145	6	80	Coarse	1 5
<b>3-1/2" x 50 yds. (A213, A211)</b>					
07660784042	07660784042	4	150	Fine	1 5
07660784024	07660784024	0	120	Medium	1 5
07660784025	07660784025	7	100	Medium	1 5
07660784002	07660784002	8	80	Coarse	1 5

### Accessories

	<b>Rubber Hand Sanding Block</b>	07660701889	07660743140	0	1	5
	<b>Hook and Loop Finishing Sander - Handy Packs</b>	07660768239	07660768239	0	1	5

	<b>Hook and Loop Detail Sander - Handy Packs</b>	07660768240	07660768240	6	1	5
	<b>Hook and Loop Detail Sander - Handy Packs</b>	07660768275	07660768275	8	1	10



## WoodSand

For preparation of bare wood surfaces where stain or finishes are to be applied. The natural garnet abrasive imparts a fine, smooth finish on wood.

Finer								Coarser
<b>220</b>	<b>180</b>	<b>150</b>	<b>120</b>	<b>100</b>	<b>80</b>	<b>60</b>		
Sanding Initial Coats	Final Surface Smoothing	Fine Surface Preparation	Surface Leveling	Moderate To Light Removal	Moderate Removal	Heavy Removal		

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Handy Packs</b>					
<b>9" x 11"</b>					
07660747965	07660747965 5	220	Very Fine	5	10
07660747980	07660747980 8	150	Fine	5	10
07660747990	07660747990 7	100	Medium	5	10
07660748010	07660748010 1	60	Coarse	3	10
07660748025	07660748025 5	Asst.	2VF, 2F, 1M	5	10
<b>Job Packs</b>					
<b>9" x 11"</b>					
07660701579	07660701579 2	220A	Very Fine	25	10**
07660701580	07660701580 8	180A	Fine	25	10**
07660705507	07660705507 1	150A	Fine	25	10**
07660705506	07660705506 4	120A	Medium	25	10**
07660705505	07660705505 7	100A	Medium	25	10**
07660705504	07660705504 0	80A	Coarse	25	10**

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Job Packs - UPC Bar Coded</b>					
<b>9" x 11"</b>					
07660701581	07660701581 5	150C	Fine	25	10**
07660701582	07660701582 2	120C	Medium	25	10**
07660701583	07660701583 9	100C	Medium	25	10**
07660701584	07660701584 6	80C	Coarse	25	10**



## MetalSand

For removing rust, paint and scale from metal surfaces. Also used for light deburring and cleaning. The natural emery abrasive is coated onto a flexible cloth backing for increased durability.

Finer				Coarser
<b>Fine</b>		<b>Medium</b>		<b>Coarse</b>
Polishing		Moderate Removal		Heavy Removal

PART #	UPC-A	GRIT	GRADING	QTY/PACK	PACKS/CASE
<b>Handy Packs</b>					
<b>9" x 11"</b>					
07660747805	07660747805 4	Fine	Fine	3	25**
07660747820	07660747820 7	Medium	Medium	3	25**
07660747835	07660747835 1	Coarse	Coarse	3	25**
07660747855	07660747855 9	Asst.	1F, 1M, 1C	3	25**



## SandWet

For wet, oil or dry sanding primer, sealer, varnish, lacquer, enamel and other top coats.

Finer								Coarser
<b>2000</b>	<b>1500</b>	<b>1200</b>	<b>800</b>	<b>600</b>	<b>400</b>	<b>320</b>	<b>220</b>	
Touch-Up Repairs	For High Gloss	For Satin Finish	For Matte Finish	Sanding Final Lacquer Coats	Sanding Prior To Final Coat	Between Coats Sanding	Sanding Initial Coats	

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Handy Packs</b>					
<b>9" x 11"</b>					
07660748052	07660748052 1	2000		5	10
07660748053	07660748053 8	1500		5	10
07660748054	07660748054 5	1200		5	10
07660748055	07660748055 2	800		5	10
07660748058	07660748058 3	600	Ultra Fine	5	10
07660702343	07660748058 3	600	Ultra Fine	5	25**
07660748060	07660748060 6	400	Super Fine	5	10
07660702344	07660748060 6	400	Super Fine	5	25**
07660748080	07660748080 4	320	Extra Fine	5	10
07660702345	07660748080 4	320	Extra Fine	5	25**
07660748090	07660748090 3	220	Very Fine	5	10
07660748110	07660748110 8	Asst.	2 SF, 2EF, 1VF	5	10


PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Job Packs</b>					
<b>9" x 11"</b>					
07660701223	07660701223 4	600A		25	10**
07660701224	07660701224 1	400A		25	10**
07660701225	07660701225 8	320A		25	10**
07660701226	07660701226 5	220A		25	10**






**TIP**

How to Cut a 9" x 11" Full Sheet to Fit Your Sander



**1/2 sheet**



**1/4 sheet**



**1/3 sheet**



**Block**

**Bulk Full Sheets**

**ProSand No-Fil Adalox A259PS**

Premium, P-graded aluminum oxide abrasive with fiber-reinforced backing. Specially coated to resist loading and tearing for three times the life over conventional aluminum oxide products. First choice when performance counts on sanding tough finishes or looking for exceptional finish. High flexibility.

**Premium No-Fil Adalox A275 (B-wt)**

Premium, P-graded aluminum oxide abrasive resin bonded to a B-weight backing. Specially coated to resist loading and tearing over conventional aluminum oxide products.

**No-Fil Merit PB273 (B-wt)**

P-graded aluminum oxide abrasive for fast cutting action and extended life with consistent finish. Flexible latex B-wt backing with a full resin bond and open coat allows for improved resistance to delamination. The water-based steared, non-pigmented No-Fil coating provides improved load resistance and no color transfer to the work piece.

**Adalox A211 (D-wt), A212 (A-wt), A213 (C-wt)**

For dry sanding hardwood, metal and composites by hand or machine. Long lasting, aluminum oxide abrasive is open coated on high tensile paper. A, C, D weight paper.

**E-Z Flex Metalite K225 (J-wt)**

For deburring, cleaning and polishing of metal. Rugged aluminum oxide abrasive is electro-coated onto a flexible cloth backing. Outperforms natural grains, like emery.

**Garnet A511 (A-wt), A513 (C-wt), A514 (D-wt)**

For rough through finish hand sanding of softer woods and cabinet work. Use dry on bare wood prior to coating. Natural garnet abrasive is electrocoated on high tensile paper. A, C, D weight paper.

**Tufbak Durite Waterproof T461 (C-wt)**

For sanding between coats of primers and other finishes on wood or metal with water or other lubricants. Diamond-like silicon carbide abrasive is electro-coated to a tough, waterproof paper backing.

**Tufbak Durite Waterproof T401 (A-wt), T414 (A-wt)**

For generating the ultimate finish in wet sanding applications. The premium ultra fine silicon carbide abrasive combined with a unique A-weight paper and strong resin bond system provides ultimate flexibility, long life and wet curl resistance.

**Tufbak Waterproof T280 (A-wt)**

For wet or dry sanding between coats as well as final sanding. The premium ultra fine P-graded aluminum oxide abrasive is coated on a durable waterproof paper providing an ultra fine finish with improved tear resistance.

**No-Fil Durite A475 (B-wt)**

For sanding between coats of primers and other finishes. The combination of sharp silicon carbide abrasive, a strong resin bond and special anti-clog coating gives it increased sanding life in dry applications.

**Emery K622**

For scouring and polishing non-rated metals and utensils. Emery abrasive is durabonded onto a flexible cloth backing.

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	QTY/ CASE
<b>9" x 11" Bulk - UPC Bar Coded</b>					
<b>ProSand A259PS (Aluminum Oxide) Paper - Open Coat</b>					
07660702623	07660702623	P400B		100	500
07660702624	07660702624	P320B		100	500
07660702625	07660702625	P220B		100	500
07660702626	07660702626	P180B		100	500
07660702627	07660702627	P150B		100	500
07660702628	07660702628	P120B		100	500
07660702629	07660702629	P100B		50	250
07660702630	07660702630	P80C		50	250
07660702631	07660702631	P60C		50	250
<b>Adalox (A212, A213) (Aluminum Oxide) Paper - Open Coat</b>					
07660700156	07660700156	P220A		100	500
07660700157	07660700157	P180A		100	500
07660700158	07660700158	P150C		100	500
07660700159	07660700159	P120C		100	500
07660700160	07660700160	P100C		100	500
07660700151	07660700151	P80C		50	250
07660700152	07660700152	P60D		50	250
07660700153	07660700153	P50D		50	250
07660700154	07660700154	P40D		25	125
07660700155	07660700155	P36D		25	125
<b>Garnet (A511, A513, A514) Paper - Open Coat</b>					
07660701511	07660701511	220A		100	500
07660701512	07660701512	180A		100	500
07660701513	07660701513	150C		100	500
07660701514	07660701514	120C		100	500
07660701515	07660701515	100C		100	500
07660701516	07660701516	80C		50	250
07660701517	07660701517	60C		50	250
07660701518	07660701518	50D		50	250
<b>Tufbak Waterproof T280 Paper - Close Coat</b>					
07660701293	07660701293	600C		50	250
07660701294	07660701294	400C		50	250
07660701295	07660701295	320C		50	250
07660701296	07660701296	220C		50	250

## Bulk Full Sheets

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	QTY/ CASE
<b>9" x 11" - UPC Bar Coded (continued)</b>					
<b>Emery K622 Cloth Close Coat</b>					
07660701308	07660701308 8	Fine		50	250
07660701309	07660701309 5	Medium		50	250
07660701307	07660701307 1	Coarse		25	125
66261101255	66261101255 3	Ex. Coarse		25	125
<b>9" x 11" Bulk - NON UPC</b>					
<b>Premium No-Fil Adalox A275 (Aluminum Oxide) Paper - Open Coat</b>					
66261131618	66261131618 7	P1500B		100	500
66261131619	66261131619 3	P1200B		100	500
66261131620	66261131620 0	P1000B		100	500
66261131621	66261131621 7	P800B		100	500
66261131622	66261131622 4	P600B		100	500
66261131624	66261131624 8	P400B		100	500
66261131626	66261131626 2	P320B		100	500
66261131627	66261131627 9	P280B		100	500
66261131628	66261131628 6	P240B		100	500
66261131629	66261131629 3	P220B		100	500
66261131630	66261131630 9	P180B		100	500
66261131631	66261131631 6	P150B		100	500
66261131632	66261131632 3	P120B		100	500
66261131633	66261131633 0	P100B		100	500
66261131634	66261131634 7	P80B		50	250
<b>No-Fil Merit PB273 (Aluminum Oxide) Paper - Open Coat</b>					
66623311870	66623311870 2	P400B		100	500
66623311871	66623311871 9	P320B		100	500
66623311879	66623311879 5	P240B		100	500
66623311873	66623311873 6	P220B		100	500
66623311874	66623311874 0	P180B		100	500
66623311875	66623311875 7	P150B		100	500
66623311876	66623311876 4	P120B		100	500
66623311877	66623311877 1	P100B		100	500
66623311878	66623311878 8	P80B		50	250
<b>Adalox A211, A212, A213 (Aluminum Oxide) Paper - Open Coat</b>					
66261100245	66261100245 5	P180A		100	500
66261100285	66261100285 1	P150C		100	500
66261100290	66261100290 5	P120C		100	500
66261100295	66261100295 0	P100C		100	500
66261100315	66261100315 5	P80C		50	250
66261100320	66261100320 9	P60D		50	250
66261100325	66261100325 4	P50D		50	250
66261100330	66261100330 8	P40D		25	125
66261100335	66261100335 3	P36D		25	125
<b>Garnet A511, A513, A514 Paper - Open Coat</b>					
66261101488	66261101488 5	220A		100	500
66261101489	66261101489 2	180A		100	500
66261101490	66261101490 8	150A		100	500
66261101495	66261101495 3	120A		100	500
66261101500	66261101500 4	100A		100	500
66261101505	66261101505 9	80A		50	250
66261101525	66261101525 7	150C		100	500
66261101530	66261101530 1	120C		100	500
66261101535	66261101535 6	100C		100	500
66261101555	66261101555 4	80C		50	250
66261101560	66261101560 8	60C		50	250
66261101570	66261101570 7	40D		25	125
<b>No-Fil Durite A475 (Silicon Carbide) Paper - Open Coat</b>					
66254487400	66254487400 6	P320B		100	500
66254487399	66254487399 3	P240B		100	500
66254487398	66254487398 6	P220B		100	500
66254487397	66254487397 9	P180B		100	500
66254487396	66254487396 2	P150B		100	500
66254487395	66254487395 5	P120B		100	500
66254487394	66254487394 8	P100B		100	500
66254487393	66254487393 1	P80B		50	250

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	QTY/ CASE
<b>9" x 11" Bulk - NON UPC (continued)</b>					
<b>Tufbak Durite T401/T414 (Silicon Carbide) Waterproof Paper - Close Coat</b>					
66261139377	66261139377 5	P2500A		50	250
66261139378	66261139378 2	P2000A		50	250
66261139379	66261139379 9	P1500A		50	250
66261139380	66261139380 5	P1200A		50	250
66261139381	66261139381 2	P1000A		50	250
66261139382	66261139382 9	800A		50	250
66261139360	66261139360 7	600A		50	250
66261139361	66261139361 4	500A		50	250
66261139362	66261139362 1	400A		50	250
66261139363	66261139363 8	360A		50	250
66261139364	66261139364 5	320A		50	250
66261139365	66261139365 2	280A		50	250
66261139366	66261139366 9	240A		50	250
66261139367	66261139367 6	220A		50	250
<b>Tufbak Durite T461 (Silicon Carbide) Waterproof Paper - Close Coat</b>					
66261130334	66261130334 7	600C		50	250
66261130333	66261130333 0	400C		50	250
66261130332	66261130332 3	320C		50	250
66261130331	66261130331 6	240C		50	250
66261101150	66261101150 1	180C		50	250
66261101155	66261101155 6	150C		50	250
66261101160	66261101160 0	120C		50	250
66261101165	66261101165 5	100C		50	250
66261101170	66261101170 9	80C		50	250
66261101175	66261101175 4	60C		50	250
<b>Metalite K225 (Aluminum Oxide) Cloth - Close Coat</b>					
66261126330	66261126330 6	P600J		50	250
66261126331	66261126331 3	P400J		50	250
66261126332	66261126332 0	P320J		50	250
66261126333	66261126333 7	P280J		50	250
66261126334	66261126334 4	P240J		50	250
66261126335	66261126335 1	P220J		50	250
66261126336	66261126336 8	P180J		50	250
66261126337	66261126337 5	P150J		50	250
66261126338	66261126338 2	P120J		50	250
66261126339	66261126339 9	P100J		50	250
66261126340	66261126340 5	P80J		25	125
66261101861	66261101861 6	60X		25	125
66261101862	66261101862 3	50X		25	125
<b>9" x 10" Bulk - Non UPC</b>					
<b>Adalox A215 (Aluminum Oxide)</b>					
66261101380	66261101380 2	150	Fine	50	250
66261101385	66261101385 7	100	Medium	50	250
66261101390	66261101390 1	60	Coarse	50	250



## ProSand

Our super-sharp abrasive and new coating method make these sponges resist clogging, cut faster and last longer than general sanding sponges and up to 5X longer than conventional sandpaper. The various sizes and grit combinations offer maximum versatility and flexibility for sanding curved, contoured or flat surfaces of wood, metal, paint, plastic, and drywall.



## Testimonial

The corner sponge rides with the irregularities and leaves no marks, while also making a great looking sharp inside corner.

- Jack Faville

### FEATURES & BENEFITS

- Durable, abrasive-coated foam lasts up to 5X longer than sandpaper with resistance to tearing
- High-performance, open-coat aluminum oxide grain cuts faster, lasts longer and resists clogging
- Flexible and conformable to shapes and contours making sanding of various surfaces and hard-to-reach areas easier
- Washable for extended life; rinse and reuse

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>ProSand 5X Small Area - 2PK</b>					
Ideal for small area paint and drywall repair. Firm sponge material and new ultra sharp grain offers faster cut and longer life.					
<b>4-1/2" x 2-11/16" x 1"</b>					
07660782063	07660782063	1	60	Coarse	2 8**
07660782064	07660782064	8	120	Medium	2 8**
07660782065	07660782065	5	180	Fine	2 8**
<b>ProSand 5X Small Area - 1PK</b>					
07660782070	07660782070	9	36	Ex. Coarse	1 16**
07660782071	07660782071	6	60	Coarse	1 16**
07660782072	07660782072	3	120	Medium	1 16**
07660782073	07660782073	0	180	Fine	1 16**
07660782074	07660782074	7	220	Very Fine	1 16**
07660782088	07660782088	4	Kit & Handle	120/Medium	1 4**
<b>ProSand 5X Small Area - Job Packs</b>					
07660782086	07660782086	0	60	Coarse	6 4**
07660782084	07660782084	6	120	Medium	6 4**
07660782085	07660782085	3	180	Fine	6 4**
<b>ProSand 5X Single Angle</b>					
Excellent for sanding into tight areas and corners when doing paint and drywall repair.					
<b>4-1/2" x 3-1/2" x 1"</b>					
07660782066	07660782066	2	80	Coarse	1 16**
07660782067	07660782067	9	120	Medium	1 16**
<b>ProSand 5X Multi Angle</b>					
Allows you to sand detailed surfaces such as crown molding and millwork that have unique profiles.					
<b>4-1/2" x 3-11/16" x 1"</b>					
07660782068	07660782068	6	80	Coarse	1 16**
07660782069	07660782069	3	120	Medium	1 16**
<b>ProSand 5X Dual Angle</b>					
Dual angle sponge gives you the versatility to reach difficult areas easily. Perfect for drywall applications where inside corners meet the ceiling.					
<b>4-1/2" x 2-7/8" x 1"</b>					
07660782075	07660782075	4	80	Coarse	1 16**
07660782076	07660782076	1	120	Medium	1 16**

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>ProSand 5X Contour Sanding Pads</b>					
Thin flexible pads allow you to sand areas that are rounded or contoured such as spindles, railings, casing and baseboards.					
<b>4-1/2" x 5-1/2" x 3/16"</b>					
07660782079	07660782079	2	36	Ex. Coarse	2 12**
07660782080	07660782080	8	60	Coarse	2 12**
07660782081	07660782081	5	120	Medium	2 12**
07660782082	07660782082	2	180	Fine	2 12**
07660782083	07660782083	9	220	Very Fine	2 12**
07660782221	07660782221	5	320	Extra fine	2 12**
<b>ProSand 5X Extra Large Single Angle</b>					
Designed for sanding larger areas specifically drywall joints. The easy to grip sponge delivers faster sanding and smoother finish over large areas.					
<b>9" x 3-5/16" x 1"</b>					
07660782077	07660782077	8	120	Medium	1 8**
<b>ProSand 5X Sanding Sticks</b>					
Unique design, this sponge allows you to sand areas where other products cannot. Ideal for sanding between stair spindles or other areas that are tight and close together.					
<b>9" x 1" x 1"</b>					
07660768140	07660782078	5	36/60/100	Asst.	1 8**
07660768139	07660768139	3	120/180/220	Asst.	1 8**
<b>ProSand 5X Corner Sanding Sponge</b>					
<b>4-1/2" x 2-3/4" x 2-3/4"</b>					
07660768141	07660768141	6	120	Medium	1 5**
<b>ProSand 5X Extra Large Drywall Sponge - Handy Packs</b>					
<b>3-5/16" x 9" x 1" Coated 4 Sides</b>					
07660768276	07660768276	5	120	Medium	1 8**
<b>ProSand 5X Extra Large Drywall Sponge - Job Pack</b>					
<b>3-5/16" x 9" x 1" Coated 4 Sides</b>					
07660768277	07660768277	2	120	Medium	3 5**



## MultiSand

Offered in various styles and grits for general purpose sanding on a variety of materials.

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>MultiSand Small Area</b>					
Small, flexible sponge for general purpose sanding of a variety of materials. Coated 4 sides.					
<b>4" x 2-3/4" x 1"</b>					
07660702081	07660702081 9	F/M	F/M Bonus Pack 6	6	10**
07660702670	07660702081 9	F/M	F/M	1	75 OS*
07660721775	07660721741 7	F/VF	F/VF	1	16**
07660749502	07660749502 0	F/M	F/M	1	16**
07660749503	07660749503 7	M/C	M/C	1	16**
<b>Bulk</b>			<b>Sponges/Case</b>		
07660749504	07660749504 4	F/M	F/M Bar Coded	-	24
07660749505	07660749505 1	M/C	M/C Bar Coded	-	24
07660749506	07660749506 8	F/F	F/F Bar Coded	-	24
07660749507	07660749507 5	M/M	M/M Bar Coded	-	24
07660704735	07660704735 9	M/C	M/C	-	250
07660701875	07660701875 2	M/M	M/M	-	250
07660702600	07660702600 2	F/M	F/M	-	250
OS* = Off Shelf Pre-Loaded Display and contains 75 each of 02081					

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>MultiSand Dual Angle</b>					
Firm sponge with angled sides for sanding inside corners and crevices of hard to reach areas on a variety of materials. Coated 4 sides.					
<b>4-7/8" x 2-7/8" x 1"</b>					
07660702082	07660702082 6	F/M	F/M Bonus Pack 6	6	10**
07660700935	07660700935 7	F/M	F/M	1	16**
07660700936	07660700936 4	M/C	M/C	1	16**
<b>MultiSand Contour Sanding Pads</b>					
Thin, flexible, single-sided sponge for sanding small diameters and contours such as ceramics, spindles, turnings and railings. Coated 1 side.					
<b>4-1/2" x 5-1/2" x 3/16"</b>					
07660700937	07660700937 1	Ex. Fine	Ex. Fine	2	12**
07660700938	07660700938 8	Fine	Fine	2	12**
07660700939	07660700939 5	Medium	Medium	2	12**
<b>Bulk</b>			<b>Sponges/Case</b>		
07660702255	07660702255 4	Ex. Fine	Ex. Fine	-	100
07660702256	07660702256 1	Fine	Fine	-	100
07660702257	07660702257 8	Medium	Medium	-	100



## SandWet Sponges

Premium Norton SandWet Waterproof Sponges deliver two-sided sanding that combines the performance of our premium Norton SandWet abrasive sheets with the convenience of a sanding sponge. Ideal for dust control, our sponges offer maximum versatility and flexibility for wet sanding of curved and flat surfaces of wood, metal, fiberglass and painted surfaces.

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>4-3/4" x 2-7/8" x 1"</b>					
07660768288	07660768288 8	2000	Ultra Fine	1	20
07660768289	07660768289 5	1500	Very Fine	1	20
07660768290	07660768290 1	1000	Fine	1	20



## Specialty

Specialty sponges are a cost-effective solution for sanding hard to reach surfaces on a variety of materials.

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Molding and Millwork</b> Angled, flexible sanding abrasive for those hard to reach surfaces. Coated 4 sides.					
<b>4-7/8" x 3-1/2" x 1"</b>					
07660702286	07660702286 8	Medium	Medium	1	16**

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>SoftTouch</b> Coated on one side, these thin flexible sanding sponges are coated on closed cell foam to generate extremely consistent and uniformly fine scratch patterns necessary for applications such as sealer sanding and sanding between coats of primer or top coats.					
<b>4-1/2" x 5-1/2" x 3/16"</b>					
07660703078	07660703078 8		Micro Fine	20	80**
07660703077	07660703077 1		Ultra Fine	20	80**
07660703076	07660703076 4		Super Fine	20	80**
07660703075	07660703075 7		Fine	20	80**
07660703074	07660703074 0		Medium	20	80**

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Profile - Bulk</b> Small, firm edge sponge for general purpose sanding of profiles and radiuses. Coated 3 sides.					
<b>4" x 2-3/4" x 1/2"</b>					
<b>Sponges/Case</b>					
63642536313	63642536313 2	Medium	Medium		500
63642536314	63642536314 9	Coarse	Coarse		500

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Economy - Sander Sealer - Bulk</b> Very flexible sponge coated with premium, silicon carbide abrasive for sanding primers, sealers, and between coats. Coated 2 sides.					
<b>4-3/4" x 3-3/4" x 1/2"</b>					
<b>Sponges/Case</b>					
63642552868	63642552868 5	Fine	Fine		250
63642552869	63642552869 2	Medium	Medium		250
63642552870	63642552870 8	Coarse	Coarse		250
63642502538	63642502538 2	Extra Coarse	Extra Coarse		250

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Economy - Flexible - Handy Packs</b> Economical, fabric-backed foam for sanding a variety of materials. Coated 1 side.					
<b>3" x 4" x 1/2"</b>					
07660700946	07660700946 3	150	Fine	3	24**
07660704030	07660704030 5	150	Medium	3	8**
07660700947	07660700947 0	100	Medium	3	24**
07660704031	07660704031 2	100	Medium	3	8**
07660700948	07660700948 7	60	Coarse	3	24**
07660704032	07660704032 9	60	Coarse	3	8**
07660701885	07660701885 4	Asst.	1F, 1M, 1C	3	10**
<b>Economy - Flexible - Bulk</b>					
<b>3" x 4" x 1/2"</b>					
<b>Sponges/Case</b>					
07660704069	07660704069 5	220	Very Fine		108
07660700949	07660700949 4	150	Medium		108
07660700950	07660700950 0	100	Medium		108
07660704070	07660704070 1	80	Coarse		108
07660701110	07660701110 7	60	Coarse		108
07660704065	07660704065 7	150	Fine		48
07660704066	07660704066 4	100	Medium		48
07660704067	07660704067 1	80	Coarse		48
07660704068	07660704068 8	60	Coarse		48



## Screen

For sanding where life and load resistance are most important. Coated on both sides with silicon carbide abrasive, the open mesh design also allows you to rinse and reuse.

- sanding plastic pipe prior to gluing
- preparing copper pipe and fittings prior to soldering
- sanding softer materials where loading is a major problem such as plaster, wood, drywall, brass, etc.

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Plumbers Waterproof Screen - Bulk</b>					
<b>1-1/2" x 25 yds. (Durite Q421)</b>					
66261107265	66261107265 6	180		10	10
66261107270	66261107270 0	120		10	10
66261107275	66261107275 5	80		10	10

## Paper

For fast, easy sanding when long life and consistent finish are most important. High strength latex backing offers superior strength and reduced edge wear. PSA backing for easy on/off.

- preparing primed and painted surfaces
- bare wood sanding

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Aluminum Oxide PSA Paper Rolls - Bulk</b>					
<b>4-1/2" x 10 yds. (30 ft.) Stick &amp; Sand Sheet Roll (A275)</b>					
66261131692	66261131692 7	P220B		1	5
66261131693	66261131693 4	P180B		1	5
66261131694	66261131694 1	P150B		1	5
66261131695	66261131695 8	P120B		1	5
66261131696	66261131696 5	P100B		1	5
66261131697	66261131697 2	P80B		1	5

MultiSand Stick & Sand Sheet Rolls also available - See page 6

## Cloth

For general purpose sanding where flexibility and tear resistance are most important. Cloth backing provides increased strength and durability.

- hand strapping and light deburring
- blending machine tool marks
- cleaning pipe and tubing

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Cloth Handy Rolls - Handy Packs</b>					
<b>1" x 10 ft. (K225)</b>					
07660748143	07660748143 6	320J	Extra Fine	1	20**
07660748144	07660748144 3	180J	Fine	1	20**
07660748145	07660748145 0	80J	Medium	1	20**
<b>Resin Cloth Rolls For Drum Sanders - Handy Packs</b>					
<b>3" x 35 ft. (R228)</b>					
07660705292	07660705292 6	220X	Extra Fine	1	4
07660706048	07660706048 8	150X	Fine	1	4
07660705291	07660705291 9	120X	Fine	1	4
07660706049	07660706049 5	100X	Medium	1	4
07660705289	07660705289 6	80X	Medium	1	4
<b>Aluminum Oxide Cloth Rolls - Bulk</b>					
<b>1" x 50 yds. (Metalite K225, K224)</b>					
66261126266	66261126266 8	P600J		1	5
66261126267	66261126267 5	P400J		1	5
66261126268	66261126268 2	P320J		1	5
66261126269	66261126269 9	P280J		1	5
66261126270	66261126270 5	P240J		1	5
66261126271	66261126271 2	P220J		1	5
66261126272	66261126272 9	P180J		1	5
66261126273	66261126273 6	P150J		1	5
66261126274	66261126274 3	P120J		1	5
66261126275	66261126275 0	P100J		1	5
66261126276	66261126276 7	P80J		1	5
66261127729	66261127729 7	P60X		1	5
66261127728	66261127728 0	P50X		1	5
<b>1-1/2" x 50 yds. (Metalite K225, K224)</b>					
66261126278	66261126278 1	P600J		1	5
66261126279	66261126279 8	P400J		1	5
66261126280	66261126280 4	P320J		1	5
66261126281	66261126281 1	P280J		1	5
66261126282	66261126282 8	P240J		1	5
66261126283	66261126283 5	P220J		1	5
66261126284	66261126284 2	P180J		1	5
66261126285	66261126285 9	P150J		1	5
66261126286	66261126286 6	P120J		1	5
66261126287	66261126287 3	P100J		1	5
66261126288	66261126288 0	P80J		1	5
66261127731	66261127731 0	P60X		1	5
66261127730	66261127730 3	P50X		1	5
<b>2" x 50 yds. (Metalite K225, K224)</b>					
66261126289	66261126289 7	P600J		1	5
66261126290	66261126290 3	P400J		1	5
66261126291	66261126291 0	P320J		1	5
66261126292	66261126292 7	P280J		1	5
66261126293	66261126293 4	P240J		1	5
66261126294	66261126294 1	P220J		1	5
66261126295	66261126295 8	P180J		1	5
66261126296	66261126296 5	P150J		1	5
66261126297	66261126297 2	P120J		1	5
66261126298	66261126298 9	P100J		1	5
66261126299	66261126299 6	P80J		1	5
66261127733	66261127733 4	P60X		1	5
66261127732	66261127732 7	P50X		1	5

## WallSand Sheet - Paper & Screen

For sanding drywall compound and patching plaster prior to priming. Waterproof screen resists clogging because of its open mesh design. Just rinse and reuse. Paper sheets are the standard economical choice.



### Application/Grit Recommendation Guide

Finer ←				→ Coarser			
<b>400</b>	<b>320</b>	<b>220</b>	<b>180</b>	<b>150</b>	<b>120</b>	<b>100</b>	<b>80</b>
Final Sanding	Final Sanding	Final Sanding	Final Sanding	Light Removal	Light Removal	Moderate Removal	Moderate Removal

## Paper

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>WallSand - Handy Packs</b>					
<b>4-3/16" x 11-1/4" Die-Cut (A412)</b>					
07660702299	07660703251 5	120D	Final Coat	5	10
07660702533	07660703251 5	120D	Final Coat	5	20**
07660701888	07660703252 2	100D	Second Coat	5	10
07660702534	07660703252 2	100D	Second Coat	5	20**
07660701887	07660703253 9	80D	First Coat	5	10
07660702535	07660703253 9	80D	First Coat	5	20**
<b>3-5/16" x 11" Die-Cut (A479)</b>					
07660768243	07660768243 7	150	Fine	5	10**
07660768242	07660768242 0	120	Medium	5	10**
<b>8" x 7" Hook &amp; Loop (A290)</b>					
07660768102	07660768102 7	150	Fine	3	10
07660768103	07660768103 4	100	Medium	3	10
<b>3-2/3" x 9" Hook &amp; Loop (A290)</b>					
07660768100	07660768100 3	150	Fine	3	10
07660768101	07660768101 0	100	Medium	3	10
<b>WallSand Job Packs</b>					
<b>4-3/16" x 11-1/4" Die-Cut (A412)</b>					
07660701209	07660701209 8	150D	Very Fine	25	10**
07660701208	07660701208 1	120D	Fine	25	10**
07660704746	07660704746 5	100D	Medium	25	10**
07660704747	07660704747 2	80D	Coarse	25	10**
<b>4-3/16" x 11-1/4" Die-Cut (A479)</b>					
07660701864	07660701864 9	120	Medium	25	10
07660701863	07660701863 2	100	Medium	25	10
<b>3-5/16" x 11" Die-Cut (A479)</b>					
07660701862	07660701862 5	150	Fine	25	10
07660701861	07660701861 8	120	Medium	25	10
07660701860	07660701860 1	100	Medium	25	10

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>WallSand - Bulk</b>					
<b>3-5/16" x 11" Die-Cut (UPC Bar Coded) (A412)</b>					
07660701302	07660701302 6	150D	Medium	50	5
07660701303	07660701303 3	120D	Medium	50	5
07660701304	07660701304 0	100D	Medium	50	5
07660701305	07660701305 7	80D	Coarse	50	5
<b>4-3/16" x 11-1/4" Die-Cut (Non UPC) (A412)</b>					
66261104716	66261104716 6	150D	Medium	50	10
66261104717	66261104717 3	120D	Medium	50	10
66261104718	66261104718 0	100D	Medium	50	10
66261104719	66261104719 7	80D	Coarse	50	10
<b>3-5/16" x 12" (Non UPC) (A412)</b>					
66261104714	66261104714 2	100D	Medium	50	10
<b>4-3/16" x 11-1/4" Die-Cut (UPC Bar Coded) (A479)</b>					
07660701919	07660701919 6	150	Medium	100	-
07660701920	07660701920 2	120	Medium	100	-
07660701921	07660701921 9	100	Medium	100	-
<b>4-3/16" x 11-1/4" Die-Cut (Non UPC) (C08110B)</b>					
07660768286	07660768286 4	150	Medium	100	
07660768285	07660768285 7	120	Medium	100	
07660768284	07660768284 0	100	Medium	100	
07660768283	07660768283 3	80	Coarse	100	

## Screen

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>WallSand Handy Packs</b>					
<b>4-3/16" x 11-1/4" (Q421)</b>					
07660721766	07660704173 9	220	Final Coat	2	20**
07660768320	07660704171 5	150	Second Coat	2	20**
07660721767	07660704169 2	120	First Coat	2	20**
<b>WallSand Job Packs</b>					
<b>4-3/16" x 11-1/4" (Q421)</b>					
07660721763	07660702049 9	220	Very Fine	10	10**
07660768321	07660768321 2	180	Fine	10	10**
07660721764	07660704748 9	150	Fine	10	10**
07660721765	07660704749 6	120	Medium	10	10**
07660768318	07660768318 2	100	Medium	10	10**
07660768319	07660768319 9	80	Coarse	10	10**

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>WallSand Bulk</b>					
<b>3-5/16" x 11" Die-Cut (UPC Bar Coded) (Q421)</b>					
07660701312	07660701312 5	220		25	-
07660701311	07660701311 8	180		25	-
07660701222	07660701222 7	150		25	-
07660701300	07660701300 2	120		25	-
07660701301	07660701301 9	100		25	-
<b>9" x 11" (Non UPC) (Q421)</b>					
66261100915	66261100915 7	400		25	-
66261100920	66261100920 1	320		25	-
66261100935	66261100935 5	220		25	-
66261100940	66261100940 9	180		25	-
66261100945	66261100945 4	150		25	-
66261100950	66261100950 8	120		25	-
66261100955	66261100955 3	100		25	-
66261100960	66261100960 7	80		25	-




## WallSand Sponges

Offered in various styles and grits for sanding of paint and drywall.

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>WallSand - Small Area</b>					
Small area sanding abrasive for professional paint and drywall surface preparation. Coated 4 sides.					
<b>4" x 2-3/4" x 1" (Bulk) Sponges/Case</b>					
07660702263	07660702263 9	F/M	F/M	-	24
<b>WallSand - Single Angle</b>					
Single angle flexible sanding abrasive is designed for easy gripping to sand hard to reach areas of drywall. Coated 4 sides.					
<b>4-7/8" x 2-7/8" x 1"</b>					
07660702284	07660702284 4	Fine	Fine	1	16**
07660702285	07660702285 1	Medium	Medium	1	16**
<b>WallSand - Dual Angle</b>					
Extra firm sponge with angled sides for sanding inside corners of drywall compound. Coated 4 sides.					
<b>4-7/8" x 2-7/8" x 1"</b>					
07660700941	07660700941 8	F/M	F/M	1	16**
07660701886	07660700941 8	F/M	F/M	1	10**

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>WallSand - Corner Sanding Sponge</b>					
Extra firm sponge with wider faces for dual sanding capabilities. Create near perfect corners of an inside drywall corner. Coated 2 sides.					
<b>3-3/4" x 7" x 4-1/2"</b>					
07660701715	07660701715 4	Medium	Medium	1	8**
<b>WallSand - Extra Large Area</b>					
Oversized extra firm sponge for easier sanding of the entire drywall joint surface. Large size is easy to hold. Coated 4 sides.					
<b>3-5/16" x 9" x 1"</b>					
07660700944	07660700944 9	F/M	F/M	1	24**
07660701845	07660700944 9	F/M	F/M	1	5**
07660702487	07660702487 9	Hand Sander w/Clips, 1 Ex. Lg. Sponge Kit		1	5**





## Discs & Rolls

### Disc Application

Aluminum Oxide abrasive for ultra smooth finish of drywall compound. Anti-clog coating on disc decreases loading and promotes optimal dust collection. The rugged hook & loop fastening system assures quick and easy disc change.

### Roll Application

Paper rolls offer an economical choice over precut sheets and screens. Generally preferred for larger jobs. Cut to desired length.

## Paper Discs

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>WallSand - Handy Pack</b>					
<b>9" Hook and Loop Discs (A290)</b>					
07660768421	07660768421 9	P220	Very Fine	3	5**
07660768420	07660768420 2	P180	Very Fine	3	5**
07660768237	07660768237 6	P150	Fine	3	5**
07660768419	07660768419 6	P120	Fine	3	5**
07660768238	07660768238 3	P100	Medium	3	5**
07660768418	07660768418 9	P80	Coarse	3	5**
<b>WallSand - Bulk - UPC Coded</b>					
<b>9" Hook &amp; Loop Discs (Porter Cable 7800) (A290)</b>					
66261156659	66261156659 9	P220	Very Fine	15	15
66261158171	66261158171 4	P180	Very Fine	15	15
07660702463	07660702463 3	P150	Fine	15	15
07660702464	07660702464 0	P120	Fine	15	15
07660702465	07660702465 7	P100	Medium	15	15
07660702466	07660702466 4	P80	Coarse	15	15
07660703292	07660703292 8	Back-up Pad		1	10**

## Paper Rolls

PART #	UPC-A	GRIT	QTY/ PACK	PACKS/ CASE
<b>WallSand - Bulk - Non UPC</b>				
<b>3-1/2" x 50 yds. Rolls (A412, G215, A213)</b>				
66261134425	66261134425 8	150	1	5
07660701654	07660701654 6	120	1	5
07660701655	07660701655 3	100	1	5
07660701656	07660701656 0	80	1	5
<b>Foam Roll - Bulk - Non UPC</b>				
<b>3-5/16" x 12 yds. Perforated Foam Drywall Roll</b>				
07660768300	07660768300 7	180	1	5



## WallSand Accessories

Norton WallSand Drywall Tools help deliver flawless results when sanding drywall. The lightweight, durable designs reduce fatigue and extend the life of the tool. The easy change handle allows you to convert from a hand sander to a pole sander for extra versatility. These premium products are guaranteed to help you achieve a fast and superior finish every time.



Scan the QR code to view our video






## Testimonial

I am in the remodeling business, and I end up doing a lot of drywall finishing and wall repair. I really like the 9" round disc sander for big open areas and valley and butt joints on drywall.

- Jack Faville

	PART #	UPC-A	QTY/ PACK	PACKS/ CASE
				
Easy snug clips tighten for secure fit. Firm handle provides solid grip. For use with die-cut drywall and plaster sanding sheets or screens on pages 15-16.				
<b>Hand Sander</b>	07660702411	07660702411 4	1	6**
				
Use with threaded handle for sanding high walls and ceilings. For use with die cut drywall and plaster sanding sheets and screens on pages 15-16.				
<b>Pole Sander</b>	07660702412	07660702412 1	1	8**
				
Ideal for sanding larger surface areas. The light-weight, circular design virtually eliminates flipping and allows change of direction up/down and left/right without lifting off the wall. Works with a 9" hook and loop sanding disc.				
<b>9" 360 Disc Sander</b>	07660768104	07660768104 1	1	6**
				
9" 360 Disc Sander conveniently comes with a pole adaptor making this product ideal for sanding larger surface areas and increases the versatility to reach taller walls and ceilings. Works with 9" a hook and loop sanding disc.				
<b>9" 360 Disc Sander with Pole Adaptor</b>	07660768241	07660768241 3	1	6**

	PART #	UPC-A	QTY/ PACK	PACKS/ CASE
				
Simultaneously sands both inside seams of a drywall corner. The light-weight, 90° design provides a smooth edge with less risk of wall damage commonly caused by sanding each side separately. Works with 8" x 7" hook and loop sanding sheet.				
<b>Inside Corner Sander</b>	07660768105	07660768105 8	1	6**
				
Ideal for sanding hard to reach areas. The light-weight, 1/3 sheet hook and loop design eliminates fumbling with wing nuts and clamps. Works with 3-2/3" x 9" hook and loop sanding sheet.				
<b>1/3 Sheet Sander</b>	07660768106	07660768106 5	1	6**
				
Easily converts Norton hand sanders to pole sanders for extra flexibility in stairwells, on ceilings and hard-to-reach areas.				
<b>Pole Handle Adaptor</b>	07660768107	07660768107 2	1	6**



What material are you power sanding?

**GENERAL**  
WOOD, PAINT, PLASTIC,  
FIBERGLASS, ETC.

Are you looking for speed or quality?

**Fast Material Removal**

**Quality of Finish**

What power tool are you using?

**Belt Sander:**  
Portable Belts, Benchstand Belts

**Random Orbital Sander:**  
Hook & Sand Discs, Stick & Sand Discs

**Right Angle Grinder:**  
Rapid Strip Discs, Flap Discs, Fiber Discs

**Palm Sander:**  
Hook & Sand Sheets, Stick & Sand Sheets Discs

**Detail Sander:**  
Model Specific Sheets

**Drill:**  
Drill Sand Discs, Rapid Strip Wheels, Spirabands

How large is your project?

**Small DIY/Weekend Job:**  
Handy Packs

**Large Hobbyist Job:**  
Bulk

**Multiple Day/Week Project:**  
Job Packs

Do you want high performance and productivity or low initial cost?

**Performance:**  
Norton ProSand

**Opening Price Point:**  
MultiSand

What material are you cutting or grinding?

**METAL**  
STEEL, STAINLESS,  
IRON, SHEETMETAL

**MASONRY**  
CONCRETE BRICK, CINDER BLOCK,  
CEMENT, PATIO STONE

Are you looking for speed or quality?

**Right Angle Grinder:**  
Cut-off Blades - Depressed Center  
Wheels - Cup Wheels - Wire Brushes

What power tool are you using?

**Hand Held**

**Fixed Base**

**Circular Saws:**  
Cut-off Blades

**Chop Saws:**  
Chop Saw Blades

**High Speed Saws:**  
Cut-off Blades

**Stationary Saws:**  
Cut-off Blades

How large is your project?

**Small DIY/Weekend Job:**  
Handy Packs

**Large Hobbyist Job:**  
Bulk

**Multiple Day/Week Project:**  
Job Packs

Do you want high performance and productivity or low initial cost?

**Performance:**  
Diamond Blades

**Opening Price Point:**  
Abrasive Blades



## ProSand Multi-Air Cyclonic

Revolutionary Norton ProSand Multi-Air Cyclonic hook and loop vacuum discs raise the bar in power sanding with a precision laser-cut, spiral-hole design that provides maximum dust extraction for a cleaner work environment with fewer disc changes and greater productivity.



Scan the QR code to view our video



### Application/Grit Recommendation Guide

Finer						Coarser		
320	220	180	150	120	100	80	60	40
Between Coats Sanding	Between Coats Sanding	Fine Surface Preparation	Moderate To Light Removal	Moderate To Light Removal	Moderate To Light Removal	Moderate Removal	Moderate Removal	Heavy Removal

## Testimonial

The paper is solid and lasts a long time.

- Eric Clevinger, The Poplar Shop

### FEATURES & BENEFITS

- Precision laser-cut, spiral-hole hook & loop vacuum design removes material consistently throughout the life of the disc while maximizing dust extraction for a cleaner work environment
- Specialized multi-hole pattern allows for use on any random orbital sander regardless of hole pattern - including unique Festool® sander models
- Premium ceramic abrasive provides a superior cut on all surfaces, lasts substantially longer and removes material faster than conventional abrasives and uses a No-Fil coating to resist clogging/loading during sanding
- Unique fiber-reinforced latex/paper backing is flexible, strong, and tear-resistant

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>ProSand Hook &amp; Sand - Handy Packs</b>					
<b>5" Multi-Air Cyclonic Discs</b>					
07660703226	07660703226 3	P320B	Extra Fine	3	15
07660703227	07660703227 0	P220B	Very Fine	3	15
07660703228	07660703228 8	P180B	Fine	3	15
07660703229	07660703229 4	P150B	Medium	3	15
07660703230	07660703230 0	P120C	Medium	3	15
07660703231	07660703231 7	P100C	Medium	3	15
07660703232	07660703232 4	P80C	Coarse	3	15
07660703233	07660703233 1	P60	Coarse	2	15
07660703234	07660703234 8	P40	Extra Coarse	2	15
<b>ProSand Hook &amp; Sand - Job Packs</b>					
<b>5" Multi-Air Cyclonic Discs</b>					
07660703217	07660703217 1	P320B	Extra Fine	10	10**
07660703218	07660703218 8	P220B	Very Fine	10	10**
07660703219	07660703219 5	P180B	Fine	10	10**
07660703220	07660703220 1	P150B	Medium	10	10**
07660703221	07660703221 8	P120C	Medium	10	10**
07660703222	07660703222 5	P100C	Medium	10	10**
07660703223	07660703223 2	P80C	Coarse	10	10**
07660703224	07660703224 9	P60	Coarse	10	10**
07660703225	07660703225-6	P40	Extra Coarse	10	10**
<b>6" Multi-Air Cyclonic Discs</b>					
07660705320	07660705320 6	P220B	Very Fine	10	10
07660705322	07660705322 0	P150B	Medium	10	10
07660705324	07660705324 4	P100C	Medium	10	10
07660705326	07660705326 8	60	Coarse	10	10

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>ProSand Hook &amp; Sand - Job Packs</b>					
<b>5" Multi-Air Cyclonic Discs</b>					
07660704041	07660704041 1	P320B	Extra Fine	50	4
07660704038	07660704038 1	P220B	Very Fine	50	4
07660704037	07660704037 4	P180B	Fine	50	4
07660704036	07660704036 7	P150B	Medium	50	4
07660704035	07660704035 0	P120C	Medium	50	4
07660704034	07660704034 3	P100C	Medium	50	4
07660704033	07660704033 6	P80C	Coarse	50	4
66623374368	66623374368 0	60	Coarse	50	4
07660768279	07660768279 6	40	Extra Coarse	50	4
<b>6" Multi-Air Cyclonic Discs</b>					
07660705484	07660705484 5	P220B	Very Fine	50	4
07660705486	07660705486 9	P150B	Medium	50	4
07660705487	07660705487 6	P120C	Medium	50	4
07660705488	07660705488 3	P100C	Medium	50	4
07660705489	07660705489 9	P80C	Coarse	50	4
07660705490	07660705490 6	60	Coarse	50	4

Festool® is a registered trademark of TTS TOOLTECHNIC SYSTEMS AG & CO. KG



## Hook & Sand

Norton Hook & Sand Discs offer a superior cut rate and consistent finish. The unique fiber-reinforced backing is edge tear-resistant and features a hook and loop backing that makes for quick and easy disc changes. Water-based zinc stearate coating reduces loading and prevents finish contamination.

### Application/Grit Recommendation Guide

Finer ←									→ Coarser	
320	220	180	150	120	100	80	60	40		
Between Coats Sanding	Between Coats Sanding	Fine Surface Preparation	Moderate To Light Removal	Moderate To Light Removal	Moderate To Light Removal	Moderate Removal	Moderate Removal	Heavy Removal		

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Hook &amp; Sand - Handy Packs</b>					
<b>5" x 5 Hole (A290)</b>					
07660749165	07660749165 7	P220	Very Fine	4	15**
07660749166	07660749166 4	P150	Medium	4	15**
07660702206	07660702206 6	P120	Medium	4	15**
07660702207	07660702207 3	P80	Coarse	4	15**
<b>5" x 8 Hole (A290)</b>					
07660749155	07660749155 8	P220	Very Fine	4	15**
07660749156	07660749156 5	P150	Medium	4	15**
07660702208	07660702208 0	P120	Medium	4	15**
07660749157	07660749157 2	P100	Medium	4	15**
07660702209	07660702209 7	P80	Coarse	4	15**
07660749158	07660749158 9	P60	Coarse	4	15**
07660749159	07660749159 6	Asst.	2F, 1M, 1C	4	15**
<b>5" x 5 and 8 Hole - Universal Vac Hole (A290)</b>					
07660702001	07660702001 7	P220	Very Fine	4	15**
07660702003	07660702003 1	P150	Medium	4	15**
07660702005	07660702005 5	P100	Medium	4	15**
07660702007	07660702007 9	P60	Coarse	4	15**
07660702320	07660702320 9		Conversion Pad	1	15**
<b>Kit</b>					
<b>5" Ergonomic Hook &amp; Sand Hand Sander Disc Kit</b>					
07660703968	07660703968 2	Kit	Pad with 5" Hook & Loop Discs	1	10

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Hook &amp; Sand - Job Packs</b>					
<b>5" x 5 Hole (A290)</b>					
07660749209	07660749209 8	P320	Extra Fine	25	10**
07660749210	07660749210 4	P220	Very Fine	25	10**
07660749211	07660749211 1	P180	Fine	25	10**
07660749212	07660749212 8	P150	Medium	25	10**
07660749213	07660749213 5	P120	Medium	25	10**
07660749214	07660749214 2	P100	Medium	25	10**
07660749215	07660749215 9	P80	Coarse	25	10**
07660749216	07660749216 6	P60	Coarse	25	10**
07660749217	07660749217 3	P40	Extra Coarse	20	10**
<b>5" x 8 Hole (A290)</b>					
07660749218	07660749218 0	P220	Very Fine	25	10**
07660749219	07660749219 7	P180	Fine	25	10**
07660749220	07660749220 3	P150	Medium	25	10**
07660749221	07660749221 0	P120	Medium	25	10**
07660749222	07660749222 7	P100	Medium	25	10**
07660749223	07660749223 4	P80	Coarse	25	10**
07660749224	07660749224 1	P60	Coarse	25	10**
07660749225	07660749225 8	P40	Extra Coarse	20	10**
<b>5" x 5 and 8 Hole - Universal Vac Hole (A290)</b>					
07660704056	07660704056 5	P320	Extra Fine	25	10**
07660704057	07660704057 2	P220	Very Fine	25	10**
07660704058	07660704058 9	P180	Fine	25	10**
07660704059	07660704059 6	P150	Medium	25	10**
07660704060	07660704060 2	P120	Medium	25	10**
07660704061	07660704061 9	P100	Medium	25	10**
07660704062	07660704062 6	P80	Coarse	25	10**
07660704063	07660704063 3	P60	Coarse	25	10**
07660704064	07660704064 0	P40	Extra Coarse	20	10**
<b>6" x 6 Hole (A290)</b>					
07660701635	07660701635 5	P220	Very Fine	25	10**
07660701634	07660701634 8	P150	Medium	25	10**
07660701637	07660701637 9	P120	Medium	25	10**
07660701633	07660701633 1	P100	Medium	25	10**
07660701636	07660701636 2	P80	Coarse	25	10**
07660701632	07660701632 4	P60	Coarse	25	10**



## Stick & Sand

Norton Stick & Sand PSA Discs and Rolls feature a durable, sharp aluminum oxide grain for aggressive and cool cutting. The non-pigmented, water-based anti-clog coating resists loading and won't contaminate the finish. Pressure sensitive adhesive allows for quick and easy disc changes.

### Application/Grit Recommendation Guide

Finer ←									→ Coarser	
320	220	180	150	120	100	80	60	40		
Between Coats Sanding	Between Coats Sanding	Fine Surface Preparation	Moderate To Light Removal	Moderate To Light Removal	Moderate To Light Removal	Moderate Removal	Moderate Removal	Heavy Removal		

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Stick &amp; Sand (PSA) - Handy Packs</b>					
<b>5" x No Hole Disc (A290)</b>					
07660705454	07660748906	7	120	Medium	5 10**
07660705455	07660748907	4	80	Coarse	5 10**
07660705456	07660748908	1	40	Extra Coarse	4 10**
<b>5" x 8 Hole Disc (A290)</b>					
07660701809	07660701809	0	220	Very Fine	5 15**
07660701811	07660701811	3	150	Fine	5 15**
07660701812	07660701812	0	100	Medium	4 15**
07660701815	07660701815	1	60	Coarse	4 15**
<b>6" x No Hole Disc (A290)</b>					
07660702498	07660748909	8	120	Fine	5 10
07660702499	07660748910	4	80	Coarse	5 10
07660702500	07660748911	1	40	Extra Coarse	4 10
<b>Stick &amp; Sand (PSA) - Job Packs</b>					
<b>5" x No Hole Disc Roll (A290)</b>					
07660749231	07660749231	9	P320	Extra Fine	50 10**
07660749232	07660749232	6	P220	Very Fine	50 10**
07660749239	07660749239	5	P150	Fine	50 10**
07660749236	07660749236	4	P100	Medium	50 10**
07660749238	07660749238	8	P80	Coarse	50 10**
07660749237	07660749237	1	P60	Coarse	50 10**

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Stick &amp; Sand (PSA) - Job Packs</b>					
<b>5" x 5 Hole Disc Roll (A290)</b>					
07660701647	07660701647	8	P220	Very Fine	50 10**
07660701646	07660701646	1	P180	Fine	50 10**
07660701645	07660701645	4	P150	Fine	50 10**
07660701644	07660701644	7	P120	Medium	50 10**
07660701643	07660701643	0	P100	Medium	50 10**
07660701642	07660701642	3	P80	Coarse	50 10**
07660701641	07660701641	6	P60	Coarse	50 10**
<b>6" x No Hole Disc Roll (A290)</b>					
07660749240	07660749240	1	P220	Very Fine	50 10**
07660749242	07660749242	5	P150	Fine	50 10**
07660749244	07660749244	9	P100	Medium	50 10**
07660749246	07660749246	-3	P80	Coarse	50 10**
<b>6" x 6 Hole Disc Roll (A290)</b>					
07660701649	07660701649	2	P220	Very Fine	50 10**
07660701650	07660701650	8	P150	Fine	50 10**
07660701651	07660701651	5	P100	Medium	50 10**
07660701652	07660701652	2	P80	Coarse	50 10**



## DrillSand

Aluminum Oxide Norton DrillSand abrasive discs are used for general purpose sanding. The center hole mount makes this disc easy to attach to a back-up pad for use with an electric drill.

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>DrillSand - Handy Packs</b>					
<b>5" x 1/4"</b>					
07660702495	07660748780	3	80	Coarse	5 10
07660702496	07660748795	7	50	Coarse	5 10
07660702497	07660748835	0	Asst.	2F, 2M, 1C	5 20**
07660743135	07660743135	6	5" Pad	Max PRM 2500	1 12**

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Kit</b>					
<b>5" Stick &amp; Sand Power Sanding Kit</b>					
07660748919	07660748919	7	Kit	5" Pad, 2F,2M,1C Discs	1 12**



## Cloth - Stick & Sand

Norton Cloth Stick & Sand PSA Discs are used for a variety of applications including rough sanding of primed and painted surfaces, stripping paint and primers, and heavy stock removal of wood, metal, plastic, and fiberglass.

### Applications:

#### Electric Random Orbital Sanders

For use on contours or flat surfaces for light- to medium-pressure grinding, blending, leveling, and finishing applications.

#### Stationary Disc Sanders

Used in woodworking and metalworking for stock removal, sanding/grinding flat surfaces, dimensioning and finishing.

### Application/Grit Recommendation Guide

Finer ←											→ Coarser
<b>320</b> Between Coats Sanding	<b>220</b> Between Coats Sanding	<b>180</b> Fine Surface Preparation	<b>150</b> Moderate To Light Removal	<b>120</b> Moderate To Light Removal	<b>100</b> Moderate To Light Removal	<b>80</b> Moderate Removal	<b>60</b> Moderate Removal	<b>50</b> Heavy Removal	<b>40</b> Heavy Removal	<b>36</b> Very Heavy Removal	

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Cloth Stick &amp; Sand Orbital/Bench Discs - Handy Packs</b>					
<b>5" Adhesive Backed Aluminum Oxide Cloth (R228)</b>					
07660701994	07660701994 3	120X	Medium	2	15**
07660701996	07660701996 7	80X	Coarse	2	15**
07660701998	07660701998 1	50X	Coarse	2	15**
<b>6" Adhesive Backed Aluminum Oxide Cloth (R228)</b>					
07660701986	07660701986 8	220X	Very Fine	2	15**
07660701987	07660701987 5	120X	Medium	2	15**
07660701989	07660701989 9	80-X	Coarse	2	15**
07660701991	07660701991 2	50X	Coarse	2	15**
<b>8" Adhesive Backed Aluminum Oxide Cloth (R228)</b>					
07660701981	07660701981 3	100X	Medium	3	15**
<b>9" Adhesive Backed Aluminum Oxide Cloth (R228)</b>					
07660705278	07660705278 0	180X	Fine	2	15**
07660701973	07660701973 8	120X	Medium	2	15**
07660701975	07660701975 2	80X	Coarse	2	15**
<b>Cloth Adhesive Backed Aluminum Oxide (R228) - Bulk - Non UPC</b>					
<b>5"</b>					
66261136581	66261136581 9	180X	Fine	50	250
66261136582	66261136582 6	150X	Medium	50	250
66261136583	66261136583 3	120X	Medium	50	250
66261136584	66261136584 0	100X	Medium	50	250
66261136585	66261136585 7	80X	Coarse	50	250
66261136586	66261136586 4	60X	Coarse	50	250
66261136587	66261136587 1	50X	Coarse	50	250
66261136588	66261136588 8	40X	Extra Coarse	50	250
66261136589	66261136589 5	36X	Extra Coarse	50	250

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Cloth Adhesive Backed Aluminum Oxide (R228) - Bulk - Non UPC</b>					
<b>6"</b>					
66261136592	66261136592 5	180X	Fine	50	250
66261136593	66261136593 2	120X	Medium	50	250
66261136594	66261136594 9	100X	Medium	50	250
66261136595	66261136595 6	80X	Coarse	50	250
66261136596	66261136596 3	60X	Coarse	50	250
<b>8"</b>					
66261136355	66261136355 6	120X	Medium	50	250
66261136354	66261136354 9	80X	Coarse	50	250
66261136576	66261136576 5	60X	Coarse	50	250
66261136352	66261136352 5	50X	Coarse	50	250
66261136351	66261136351 8	40X	Extra Coarse	50	250
66261136350	66261136350 1	36X	Extra Coarse	50	250
<b>9"</b>					
66261125615	66261125615 5	120X	Medium	25	50
66261125616	66261125616 2	80X	Coarse	25	50 <i>NS</i>
<b>10"</b>					
66261136600	66261136600 7	100X	Medium	25	50
66261136601	66261136601 4	80X	Coarse	25	50
66261136602	66261136602 1	60X	Coarse	25	50
66261136607	66261136607 6	50X	Coarse	25	50
66261136604	66261136604 5	40X	Extra Coarse	25	50
66261136606	66261136606 9	36X	Extra Coarse	25	50
<b>12"</b>					
66261136613	66261136613 7	120X	Medium	25	50
66261136614	66261136614 4	100X	Medium	25	50
66261136615	66261136615 1	80-X	Coarse	25	50
66261136620	66261136620 5	60-X	Coarse	25	50
66261136625	66261136625 0	50-X	Coarse	25	50
66261136630	66261136630 4	40-X	Extra Coarse	25	50
66261136635	66261136635 9	36-X	Extra Coarse	25	50

*NS Non-Stock Item*



## Flap Disc

Our Norton flap disc portfolio offers right angle grinding versatility with a product that can grind and finish in a single operation. The abrasive flaps are adhered to a rigid backing plate. It is the back plate that provides stability during operation with cooler cut, less vibration and smoother finish without gouging.

Applications: Grinding, stock removal, edge chamfering/beveling, weld blending, deburring/deflashing, rust removal, blending, cleaning and finishing

**NOTE: Use at 15°-25° angle. More severe angles will weaken edges.**




### Application/Grit Recommendation Guide

Finer					Coarser	
<b>80</b>	<b>60</b>	<b>40</b>	<b>36</b>	<b>24</b>		
Final Surface Smoothing	Moderate Removal	Moderate Removal	Heavy Removal	Heavy Removal		

PART #	UPC-A	GRIT	TYPE	QTY/ PACK	PACKS/ CASE
<b>Norton BlueFire Flap Discs - Handy Packs</b>					
<b>4" x M-10 Hub (R884P)</b>					
07660703216	07660703216 4	P80	Type 27	1	5**
07660703215	07660703215 7	P60	Type 27	1	5**
07660703214	07660703214 0	P40	Type 27	1	5**
<b>4-1/2" x 5/8"-11 Hub (R884P)</b>					
07660703213	07660703213 3	P80	Type 29	1	5**
07660703212	07660703212 6	P60	Type 29	1	5**
07660703211	07660703211 9	P40	Type 29	1	5**
<b>7" x 5/8"-11 Hub (R884P)</b>					
07660703207	07660703207 2	P80	Type 27	1	5**
07660703206	07660703206 5	P60	Type 27	1	5**
07660703205	07660703205 8	P40	Type 27	1	5**


### Flap Disc Shapes



GRIND AT FLATTER ANGLES: 0° - 15°

#### Type 27 Flat - The Best Choice for Finishing

- Used primarily on flat surfaces
- The best choice for blending and smooth finishing



GRIND AT STEEPER ANGLES: 15° - 25°

#### Type 29 Conical - The Best Choice for Aggressive Stock Removal

- Conical flap discs have angled flaps and may be used on both contoured and edge work
- The angle provides greater surface contact for stock removal on flat surfaces
- The best choice when speed and stock removal are primary considerations

### Abrasive Flap Densities



#### Standard Density

- Excellent for heavy-duty applications and rapid stock removal



#### High Density

- Ideal when working on uneven or curved surfaces, as well as finer grit blending

PART #	UPC-A	GRIT	TYPE	QTY/ PACK	PACKS/ CASE
<b>Flap Discs - Bulk - Non UPC</b>					
<b>4-1/2" x 5/8"-11 Hub (KY672Z)</b>					
66254419997	66254419997 0	P80	Type 29	10	10
66254419996	66254419996 3	P60	Type 29	10	10
66254419994	66254419994 9	P40	Type 29	10	10
<b>4-1/2" x 7/8" (KY672Z)</b>					
08834194360	08834194360 6	P80 <sup>HD</sup>	Type 27	10	10
66254419987	66254419987 1	80	Type 29	10	10
08834190767	08834190767 7	60 <sup>HD</sup>	Type 27	10	10
66254419984	66254419984 0	60	Type 29	10	10
08834190172	08834190172 9	P40 <sup>HD</sup>	Type 27	10	10
66254419978	66254419978 9	40	Type 29	10	10
66254419963	66254419963 5	36	Type 29	10	10
<b>5" x 7/8" (KY672Z)</b>					
08834193652	08834193652 3	P80	Type 29	10	10
08834193651	08834193651 6	P60	Type 29	10	10
08834193650	08834193650 9	P40	Type 29	10	10
08834193649	08834193649 3	P36	Type 29	10	10
<b>7" x 5/8"-11 (KY672Z)</b>					
66254420013	66254420013 3	P80	Type 29	10	10
66254420012	66254420012 6	P60	Type 29	10	10
66254420010	66254420010 2	P40	Type 29	10	10
<b>7" x 7/8"-11 (KY672Z)</b>					
08834194362	08834194362 0	P80 <sup>HD</sup>	Type 27	10	10
66254420008	66254420008 9	80	Type 29	10	10
08834194514	08834194514 3	P60 <sup>HD</sup>	Type 27	10	10
66254420007	66254420007 2	60	Type 29	10	10
08834190933	08834190933 6	P40 <sup>HD</sup>	Type 27	10	10
66254420006	66254420006 5	40	Type 29	10	10
66254420004	66254420004 1	36	Type 29	10	10
08834193725	08834193725 4	24	Type 29	10	10

<sup>HD</sup> = High Density





## Fiber Disc

The most heavy-duty coated abrasive, Norton Fiber Discs feature resin-over-resin construction on heavy-duty vulcanized fiber backing. Designed for applications ranging from paint stripping and weld grinding to heavy metal removal. For use with back-up pads on portable angle grinders.

### Application/Grit Recommendation Guide

Finer ←							→ Coarser	
120	100	80	50	36	24	16		
Final Surface Smoothing	Final Surface Smoothing	Final Surface Smoothing	Moderate To Light Removal	Heavy Removal	Heavy Removal	Heavy Removal		

PART #	UPC-A	DESCRIPTION	QTY/ PACK	PACKS/ CASE
<b>Conversion Kits - Handy Packs</b>				
<b>4" x 5/8"</b>				
07660701683	07660701683 6	1 Pad, 2-50 Medium A/O Fiber	1	5**
<b>4-1/2" x 7/8"</b>				
07660701693	07660701693 5	1 Pad, 2-50 Medium A/O Fiber	1	5**
<b>5" x 7/8"</b>				
07660704738	07660704738 0	1 Pad, 2-50 Medium A/O Fiber	1	5**
<b>7" x 7/8"</b>				
07660701703	07660701703 1	1 Pad, 2-50 Medium A/O Fiber	1	5**

PART #	UPC-A	GRIT	GRADING	STD/ PACK
<b>Air-Cooled Rubber Back-Up Pads - Bulk - Non UPC</b>				
63642502122	63642502122 3	4-1/2"	Medium	5
63642543421	63642543421 4	5"	Medium	5
63642543425	63642543425 2	7"	Hard	5
63642543422	63642543422 1	7"	Medium	5
63642543426	63642543426 9	9"	Hard	5
63642543423	63642543423 8	9"	Medium	5

PART #	UPC-A	GRIT	QTY/ PACK	PACKS/ CASE
<b>Norton BlueFire Zirconia Alumina Fiber - Bulk - Non UPC</b>				
<b>4-1/2" x 7/8" (Norton BlueFire F826)</b>				
66261138452	66261138452 0	80	25	25
66261138453	66261138453 7	60	25	25
66261138454	66261138454 4	50	25	25
66261138456	66261138456 8	36	25	25
66261138457	66261138457 5	24	25	25
<b>5" x 7/8" (Norton BlueFire F826)</b>				
66261138600	66261138600 5	80	25	25
66261138601	66261138601 2	60	25	25
66261138561	66261138561 9	50	25	25
66261138562	66261138562 6	36	25	25
66261138563	66261138563 3	24	25	25
<b>7" x 7/8" (Norton BlueFire F826)</b>				
66261138590	66261138590 9	80	25	25
66261138591	66261138591 6	60	25	25
66261138592	66261138592 3	50	25	25
66261138593	66261138593 0	36	25	25
66261138594	66261138594 7	24	25	25
<b>Ceramic Alumina Fiber - Bulk - Non UPC</b>				
<b>4-1/2" x 7/8" (Merit FX965)</b>				
6662335598	6662335598 3	80	25	25
66623355604	66623355604 4	60	25	25
66623355603	66623355603 7	50	25	25
66623355602	66623355602 0	36	25	25
66623355601	66623355601 3	24	25	25
<b>5" x 7/8" (Merit FX965)</b>				
66623366015	66623366015 4	80	25	25
66623355600	66623355600 6	60	25	25
66623355599	66623355599 3	50	25	25
66623355598	66623355598 6	36	25	25
66623355597	66623355597 9	24	25	25
<b>7" x 7/8" (Merit FX965)</b>				
66623365600	66623365600 3	80	25	25
66623355596	66623355596 2	60	25	25
66623355595	66623355595 5	50	25	25
66623355594	66623355594 8	36	25	25
66623355578	66623355578 8	24	25	25

## Fiber Discs

PART #	UPC-A	GRIT	QTY/ PACK	QTY/ CASE
<b>Aluminum Oxide Fiber - Bulk - Non UPC</b>				
<b>4-1/2" x 7/8" (F240)</b>				
66623353314	66623353314 4	120	25	25
66623353313	66623353313 7	100	25	25
66623353312	66623353312 0	80	25	25
66623353311	66623353311 3	60	25	25
66623353310	66623353310 6	50	25	25
66623353306	66623353306 9	36	25	25
66623353309	66623353309 0	24	25	25
<b>5" x 7/8" (F240)</b>				
66623357282	66623357282 2	120	25	25
66623357281	66623357281 5	100	25	25
66623357280	66623357280 8	80	25	25
66623357279	66623357279 2	60	25	25
66623357278	66623357278 5	50	25	25
66623357277	66623357277 8	36	25	25
66623357276	66623357276 1	24	25	25
05539510684	05539510684 4	16	25	25
<b>7" x 7/8" (F240)</b>				
66623357289	66623357289 1	120	25	25
66623357288	66623357288 4	100	25	25
66623357287	66623357287 7	80	25	25
66623357286	66623357286 0	60	25	25
66623357285	66623357285 3	50	25	25
66623357284	66623357284 6	36	25	25
66623357283	66623357283 9	24	25	25
05539510693	05539510693 6	16	25	25

PART #	UPC-A	GRIT	QTY/ PACK	QTY/ CASE
<b>Aluminum Oxide Fiber - Bulk - UPC Bar Coded</b>				
<b>4-1/2" x 7/8" (F240)</b>				
07660702045	07660702045 1	80	25	25
07660768186	07660768186 7	60	25	25
07660702046	07660702046 8	50	25	25
07660702047	07660702047 5	36	25	25
07660702048	07660702048 2	24	25	25
07660768187	07660768187 4	16	25	25
<b>5" x 7/8" (F240)</b>				
07660768188	07660768188 1	80	25	25
07660768189	07660768189 8	60	25	25
07660701909	07660701909 7	50	25	25
07660701910	07660701910 3	36	25	25
07660701911	07660701911 0	24	25	25
07660701915	07660701915 8	16	25	25
<b>7" x 7/8" (F240)</b>				
07660768190	07660768190 4	80	25	25
07660701912	07660701912 7	50	25	25
07660701913	07660701913 4	36	25	25
07660701914	07660701914 1	24	25	25
07660701916	07660701916 5	16	25	25



## Rapid Strip

Norton Rapid Strip Non-Woven Discs and Wire Brushes are used for a variety of applications including: removing rust, light edge burrs, paint and parting lines.

PART #	UPC-A	GRADING	QTY/ PACK	PACKS/ CASE
<b>Non-Woven - Drill Mount - Handy Packs</b>				
<b>4" x 1/2"</b>				
07660701217	07660701217 3	Coarse	1	10**
<b>4" x 1"</b>				
07660705466	07660701220 3	Coarse	1	5**

PART #	UPC-A	GRADING	QTY/ PACK	PACKS/ CASE
<b>Non-Woven - Depressed Center - Handy Packs</b>				
<b>4-1/2" x 5/8-11 Hub</b>				
07660704015	07660704015 2	Extra Coarse	1	5**
<b>7" x 5/8"-11 Hub</b>				
07660704013	07660704013 8	Extra Coarse	1	5**



## Spirabands

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>BlueFire Spirabands - Handy Packs</b>					
<b>3/4" x 3/4" (H831, H875)</b>					
07660703888	07660703888 3	120	Fine	4	10
07660703887	07660703887 6	100	Medium	4	10
07660703886	07660703886 9	60	Coarse	4	10
07660703889	07660703889 0	Mandrel		1	10
<b>1" x 1" (H831, H875)</b>					
07660703892	07660703892 0	120	Fine	3	10
07660703891	07660703891 3	100	Medium	3	10
07660703890	07660703890 6	60	Coarse	3	10
07660703893	07660703893 7	Mandrel		1	10
<b>2" x 2" (H831, H875)</b>					
07660703896	07660703896 8	120	Fine	2	5
07660703895	07660703895 1	100	Medium	2	5
07660703894	07660703894 4	60	Coarse	2	5
07660703897	07660703897 5	Mandrel		1	5



## Quick-Change Disc

The tool-free, twist-on and off fastening systems of Norton quick-change discs make fast work of disc changes and maximize productivity by minimizing downtime.

### Fiber

- Weld grinding
- Metal removal

### Non-Woven

- Removing surface defects
- Blending mill marks, tool marks and uneven finishes

### Type TR (Type III)

- Features a roll-on/roll-off style plastic fastener
- Equivalent to 3M™ Roloc™ fastening system

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Fiber - Handy Packs</b>					
<b>2" Speed-Lok TR (F244)</b>					
07660702399	07660702399 5	120	Fine	5	10**
07660702400	07660702400 8	50	Medium	5	10**
07660702401	07660702401 5	24	Coarse	5	10**



PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Backup Pads - Handy Packs</b>					
<b>2" Drill Mount Back-up Pad</b>					
07660702395	07660702395 7			1	10**
<b>Non-Woven - Handy Packs</b>					
<b>2" Speed-Lok TR</b>					
07660702396	07660702396 4	320		5	10**
07660702397	07660702397 1	120		5	10**
07660702398	07660702398 8	80		5	10**
<b>3" Drill Mount Back-up Pad - Quick Change</b>					
07660702388	07660702388 9			1	10**
<b>3" Speed-Lok TR</b>					
07660702389	07660702389 6	320		5	10**
07660702390	07660702390 2	120		5	10**
07660702391	07660702391 9	80		5	10**







## Detail / Profile

A wide variety of products for small, hard-to-reach areas that cannot be sanded with conventional power tools, such as random orbital sanders and belt sanders. Designed for profiles, moldings, and contoured surfaces.

### Application/Grit Recommendation Guide

Finer ←							→ Coarser
<b>220</b>	<b>180</b>	<b>150</b>	<b>120</b>	<b>100</b>	<b>80</b>	<b>60</b>	
Between Coats Sanding	Fine Surface Preparation	Moderate To Light Removal	Moderate To Light Removal	Moderate To Light Removal	Moderate Removal	Moderate Removal	

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
	<b>For Black &amp; Decker Sandstorm / Mega Mouse / Multi-Sander</b>				
<b>3" x 1-1/8" Detail Sanding Replaceable Fingertips</b>					
07660721602	07660721602 1		Asst. 5C, 5M, 5F	15	6**
<b>4-3/16" x 6-3/4" Iron Shape Sheets, Hook &amp; Loop, 8 Vac Holes</b>					
07660701149	07660701149 7	P220	Very Fine	5	6**
07660701148	07660701148 0	P180	Fine	5	6**
07660701147	07660701147 3	P120	Medium	5	6**
07660701146	07660701146 6	P80	Coarse	5	6**
	<b>For Corner Cat/Mouse</b>				
<b>3-7/8" x 5-1/2" Iron Shape Sheets, Hook &amp; Loop</b>					
07660702704	07660702704 7	P220	Very Fine	5	6**
07660702705	07660702705 4	P180	Fine	5	6**
07660702706	07660702706 1	P120	Medium	5	6**
07660702707	07660702707 8	P80	Coarse	5	6**

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
	<b>For Black &amp; Decker / Craftsman Mouse Sander</b>				
<b>3" x 1-1/8" Detail Sanding Replaceable Fingertips</b>					
07660721602	07660721602 1		Asst. 5C, 5M, 5F	15	6**
<b>3" x 7" Iron Shape Sheets Hook &amp; Loop</b>					
07660702314	07660702314 8	P220	Very Fine	5	6**
07660702315	07660702315 5	P180	Fine	5	6**
07660702316	07660702316 2	P120	Medium	5	6**
07660702317	07660702317 9	P80	Coarse	5	6**
07660702318	07660702318 6		2VF, 2F, 1M	5	6**
	<b>For Ryobi</b>				
<b>Triangle Sheets, Adhesive Back</b>					
07660749282	07660749282 1	P150	Fine	10	6**
07660749283	07660749283 8	P100	Medium	10	6**
07660749284	07660749284 5	P60	Coarse	10	6**



## Red Heat

Norton Red Heat belts utilize a premium ceramic alumina grain delivering a superior cut rate to anything on the market. This ceramic grain “micro-fractures” during the sanding process, leaving a razor sharp edge throughout the life of the belt. It’s symmetrically-shaped design leaves a much finer scratch pattern compared to other abrasives, allowing for an aggressive cut without deep scratches that might be seen after staining or finishing. Combine all of this with a heavy cotton backing and you have ultimate durability and longevity.



Scan the QR code to view our video



### Application/Grit Recommendation Guide

Finer ←		→ Coarser	
<b>120</b> Light Removal	<b>80</b> Moderate Removal	<b>50</b> Heavy Removal	<b>36</b> Heavy Removal

### FEATURES & BENEFITS

- Utilizes ceramic alumina abrasive for five times the product life over conventional abrasives on the hardest woods and finishes
- Symmetrical shape of the ceramic alumina grain allows the belt to cut aggressively while leaving a finer scratch on the surface which results in a superior finish and less time sanding
- The super-sharp micro-fracturing ceramic grain cuts cooler and resists loading which minimizes belt changes
- Heavy cotton backing is durable and tear resistant

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Red Heat Benchstand Belts - Bulk - Non UPC Barcoded</b>					
<b>4" x 36" (Red Heat R955P)</b>					
07660768122	07660768122 5	120	Fine	1	5
07660768123	07660768123 2	80	Medium	1	5
07660768124	07660768124 9	50	Coarse	1	5
07660768125	07660768125 6	36	Extra Coarse	1	5
<b>6" x 48" (Red Heat R955P)</b>					
07660768126	07660768126 3	120	Fine	1	10
07660768127	07660768127 0	80	Medium	1	10
07660768128	07660768128 7	50	Coarse	1	10
07660768129	07660768129 4	36	Extra Coarse	1	10



## ProSand


Next generation Norton ProSand BlueFire Zirconia Alumina Portable Belts feature a self-sharpening abrasive design with an anti-static technology to remove material faster with less dust generated to deliver an attractive surface finish.

### Application/Grit Recommendation Guide

Finer ←		→ Coarser	
<b>120</b>	<b>80</b>	<b>50</b>	<b>36</b>
Light Removal	Moderate Removal	Heavy Removal	Heavy Removal

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>ProSand BlueFire Portable Belts - Handy Packs</b>					
<b>3" x 18"</b>					
07660702229	07660749600 3	P120	Fine	2	5**
07660702230	07660749602 7	P80	Medium	2	5**
07660702231	07660749604 1	P50	Coarse	2	5**
07660768230	07660768230 7	P36	Extra Coarse	2	5**
<b>3" x 21"</b>					
07660702225	07660749610 2	P120	Fine	2	5**
07660702226	07660749611 9	P80	Medium	2	5**
07660702227	07660749612 6	P50	Coarse	2	5**
07660702228	07660749613 3	P36	Extra Coarse	2	5**
<b>3" x 24"</b>					
07660768231	07660768231 4	P120	Fine	2	5**
07660768232	07660768232 1	P80	Medium	2	5**
07660768233	07660768233 8	P50	Coarse	2	5**
07660768234	07660768234 5	P36	Extra Coarse	2	5**
<b>4" x 24"</b>					
07660768235	07660768235 2	P120	Fine	2	5**
07660705472	07660705472 2	P80	Medium	2	5**
07660705473	07660705473 9	P50	Coarse	2	5**
07660705474	07660705474 6	P36	Extra Coarse	2	5**

**STOCK REMOVAL IN GRAMS OVER 6 MINUTES OF SANDING**  
ON HARD MAPLE ON BELT SANDER



■ Norton ProSand Belt    ■ Premium Competitive Belt    ■ Norton A/O Belt

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>ProSand BlueFire Portable Belts - Job Packs</b>					
<b>3" x 18"</b>					
07660749256	07660749256 2	P120	Fine	5	5**
07660749258	07660749258 6	P80	Medium	5	5**
07660749259	07660749259 3	P50	Coarse	5	5**
07660768236	07660768236 9	P36	Extra Coarse	5	5**
<b>3" x 21"</b>					
07660749262	07660749262 3	P120	Very Fine	5	5**
07660749264	07660749264 7	P80	Medium	5	5**
07660749265	07660749265 4	P50	Coarse	5	5**
07660749266	07660749266 1	P36	Extra Coarse	5	5**
<b>3" x 24"</b>					
07660749268	07660749268 5	P120	Very Fine	5	5**
07660749270	07660749270 8	P80	Medium	5	5**
07660749271	07660749271 5	P50	Coarse	5	5**
07660749272	07660749272 2	P36	Extra Coarse	5	5**
<b>4" x 24"</b>					
07660749274	07660749274 6	P120	Very Fine	5	5**
07660749276	07660749276 0	P80	Medium	5	5**
07660749277	07660749277 7	P50	Coarse	5	5**
07660749278	07660749278 4	P36	Extra Coarse	5	5**
<b>ProSand BlueFire Portable Belts - Bulk - UPC Bar Coded</b>					
<b>3" x 18"</b>					
07660703993	07660703993 4	P120	Very Fine	10	50
07660703992	07660703992 7	P80	Medium	10	50
07660703991	07660703991 0	P50	Coarse	10	50
<b>3" x 21"</b>					
07660703997	07660703997 2	P120	Very Fine	10	50
07660703996	07660703996 5	P80	Medium	10	50
07660703995	07660703995 8	P50	Coarse	10	50
<b>3" x 24"</b>					
07660704001	07660704001 5	120	Very Fine	10	50
07660704000	07660704000 8	80	Medium	10	50
07660703999	07660703999 6	50	Coarse	10	50
<b>4" x 24"</b>					
07660704005	07660704005 3	P120	Very Fine	10	50
07660704004	07660704004 6	P80	Medium	10	50
07660704003	07660704003 9	P50	Coarse	10	50
<b>Belt Cleaning Stick - Handy Packs</b>					
<b>6" x 1-3/8" x 1-3/8"</b>					
07660701717	07660701717 8	Stick		1	10**



## Aluminum Oxide Portable / Benchstand Belts

Aluminum Oxide Portable and Benchstand Belts are ideal for all your metal and woodworking applications. Found in a wide variety of grits and sizes they can be used for tackling the following projects:

- Heavy stock removal
- Finish sanding
- Deburring of steel
- Polishing
- Dimensioning and shaping
- Removing saw marks

### Application/Grit Recommendation Guide

Finer ←									→ Coarser
<b>220</b>	<b>180</b>	<b>120</b>	<b>100</b>	<b>80</b>	<b>60</b>	<b>50</b>	<b>40</b>	<b>36</b>	
Very Light Removal	Light Removal	Light Removal	Light Removal	Moderate Removal	Heavy Removal	Heavy Removal	Heavy Removal	Heavy Removal	

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Aluminum Oxide Portable Belts - Handy Packs</b>					
<b>2-1/2" x 14" (R215, R255)</b>					
07660721581	07660721581 9	120	Fine	2	5**
07660721582	07660721582 6	80	Medium	2	5**
07660721583	07660721583 3	50	Coarse	2	5**
<b>3" x 18" (R215, R255)</b>					
07660702244	07660748430 7	120	Fine	2	5**
07660702245	07660748450 5	80	Medium	2	5**
07660702246	07660748465 9	50	Coarse	2	5**
<b>3" x 21" (R215, R255)</b>					
07660702240	07660748490 1	120	Fine	2	5**
07660702241	07660748505 2	80	Medium	2	5**
07660702242	07660748520 5	50	Coarse	2	5**
07660702243	07660748521 2	36	Extra Coarse	2	5**
<b>3" x 24" (R215, R255)</b>					
07660702236	07660748600 4	120	Fine	2	5**
07660702237	07660748620 2	80	Medium	2	5**
07660702238	07660748630 1	50	Coarse	2	5**
07660702239	07660748631 8	36	Extra Coarse	2	5**
<b>4" x 24" (R215, R255)</b>					
07660702233	07660748710 0	120	Fine	2	5**
07660702234	07660748725 4	80	Medium	2	5**
07660702235	07660748740 7	50	Coarse	2	5**
<b>Aluminum Oxide Portable Belts - Job Packs</b>					
<b>3" x 18" (R215, R255)</b>					
07660700969	07660700969 2	120	Very Fine	5	5**
07660700968	07660700968 5	80	Medium	5	5**
07660700964	07660700964 7	50	Coarse	5	5**
<b>3" x 21" (R215, R255)</b>					
07660705287	07660705287 2	220	Extra Fine	5	5**
07660702062	07660702062 8	120	Very Fine	5	5**
07660702064	07660702064 2	80	Medium	5	5**
07660701740	07660701740 6	50	Coarse	5	5**
07660701741	07660701741 3	36	Extra Coarse	5	5**
<b>3" x 24" (R215, R255)</b>					
07660702065	07660702065 9	120	Very Fine	5	5**
07660702066	07660702066 6	100	Fine	5	5**
07660702067	07660702067 3	80	Medium	5	5**
07660701742	07660701742 0	50	Coarse	5	5**
07660701743	07660701743 7	36	Extra Coarse	5	5**
<b>4" x 24" (R215, R255)</b>					
07660705285	07660705285 8	180	Ex Fine	5	5**
07660702068	07660702068 0	120	Very Fine	5	5**
07660702069	07660702069 7	80	Medium	5	5**
07660701744	07660701744 4	50	Coarse	5	5**
07660701745	07660701745 1	36	Extra Coarse	5	5**

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Aluminum Oxide Portable Belts - Bulk - UPC Bar Coded</b>					
<b>2-1/2" x 16" (R215, R255)</b>					
78072780448	78072780448 7	120	Fine	10	50
78072780449	78072780449 4	80	Medium	10	50
78072780450	78072780450 0	50	Coarse	10	50
78072780451	78072780451 7	36	Extra Coarse	5	25
<b>3" x 18" (R215, R255)</b>					
78072727992	78072727992 6	120	Fine	10	50
78072727993	78072727993 3	80	Medium	10	50
78072727994	78072727994 0	50	Coarse	10	50
78072780447	78072780447 0	36	Extra Coarse	5	25
<b>3" x 21" (R215, R255)</b>					
78072727922	78072727922 3	120	Fine	10	50
78072727923	78072727923 0	100	Medium	10	50
78072727924	78072727924 7	80	Medium	10	50
78072727925	78072727925 4	60	Coarse	10	50
78072727926	78072727926 1	50	Coarse	10	50
78072727927	78072727927 8	40	Extra Coarse	10	50
78072781846	78072781846 3	36	Extra Coarse	5	25
<b>3" x 24" (R215, R255)</b>					
78072727932	78072727932 2	120	Fine	10	50
78072727933	78072727933 9	100	Medium	10	50
78072727934	78072727934 6	80	Medium	10	50
78072727935	78072727935 3	60	Coarse	10	50
78072727936	78072727936 0	50	Coarse	10	50
78072727937	78072727937 7	40	Extra Coarse	10	50
78072781847	78072781847 7	36	Extra Coarse	5	25
<b>4" x 21-3/4" (R215, R255)</b>					
78072780440	78072780440 1	80	Medium	10	50
78072780441	78072780441 8	50	Coarse	10	50
<b>4" x 24" (R215, R255)</b>					
78072727942	78072727942 1	120	Fine	10	50
78072727943	78072727943 8	100	Medium	10	50
78072727944	78072727944 5	80	Medium	10	50
78072727945	78072727945 2	60	Coarse	10	50
78072727946	78072727946 9	50	Coarse	10	50
78072727947	78072727947 6	40	Extra Coarse	10	50
78072780438	78072780438 8	36	Extra Coarse	5	25

## Aluminum Oxide Portable / Benchstand Belts

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Aluminum Oxide Benchstand Belts - Handy Packs</b>					
<b>1" x 30" (R215, R255)</b>					
07660704729	07660704729 8	Asst.	1F, 1M, 1C	3	5**
<b>1" x 42" (R215, R255)</b>					
07660701966	07660701966 8	Asst.	1F, 1M, 1C	3	10**
<b>4" x 36" (R215, R255)</b>					
07660748665	07660748665 3	220X	Very Fine	1	6**
07660748660	07660748660 8	120	Fine	1	6**
07660748675	07660748675 2	80	Medium	1	6**
07660748690	07660748690 5	50	Coarse	1	6**
<b>6" x 48" (R215, R255)</b>					
07660705282	07660705282 7	220	Very Fine	1	10**
07660705281	07660705281 0	180	Very Fine	1	10**
07660701722	07660701722 2	120	Fine	1	10**
07660705279	07660705279 7	100	Medium	1	10**
07660701721	07660701721 5	80	Medium	1	10**
07660701720	07660701720 8	50	Coarse	1	10**

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Aluminum Oxide Benchstand Belts - Bulk - UPC Bar Coded</b>					
<b>4" x 36" (R215, R255)</b>					
78072727957	78072727957 5	120X	Fine	10	50
78072727958	78072727958 2	100X	Medium	10	50
78072727959	78072727959 9	80X	Medium	10	50
78072727960	78072727960 5	60X	Coarse	10	50
78072727961	78072727961 2	50X	Coarse	10	50
78072727962	78072727962 9	40X	Extra Coarse	10	50
78072727963	78072727963 6	36X	Extra Coarse	10	50
<b>6" x 48" (R215, R255)</b>					
78072727981	78072727981 0	120X	Fine	10	20
78072727982	78072727982 7	100X	Medium	10	20
78072727983	78072727983 4	80X	Medium	10	20
78072727984	78072727984 1	60X	Coarse	10	20
78072727985	78072727985 8	50X	Coarse	10	20
78072727986	78072727986 5	40X	Extra Coarse	10	20
78072727987	78072727987 2	36X	Extra Coarse	10	20
<b>Aluminum Oxide Benchstand Belts - Bulk - Non UPC</b>					
<b>1" x 42" (R215, R255)</b>					
78072720875	78072720875 9	180X	Very Fine	50	200
78072720885	78072720885 8	120X	Fine	50	200
78072720890	78072720890 2	100X	Medium	50	200
78072720895	78072720895 7	80X	Medium	50	200
78072720900	78072720900 8	60X	Coarse	50	200
78072720905	78072720905 3	50X	Coarse	50	200
78072720910	78072720910 7	40X	Extra Coarse	50	200





## Blades/Cups/Specialty


Norton Clipper Diamond Blades are the choice of professionals because of their faster cut rate, constant depth of cut and less downtime versus standard abrasives blades. Choose Norton Clipper Charger for maximum productivity, longest life and lowest total cost. Choose Norton Clipper Classic for high productivity. Choose Norton Clipper ValuPlus for quality and value.

Photo not intended for instruction. Always comply with OSHA and ANSI B7.1. For more info visit our website.




### Segmented Rim

- Most aggressive cutting action for use on the widest variety of materials.
- Typically used on high speed, walk-behind and masonry saw blades.



### Continuous Rim

- Provides the smoothest cut.
- For use on porcelain, ceramic tile, marble and other hard materials requiring a high quality cut.



### Turbo Rim

- Aggressive cutting action with a smoother quality cut.
- For use on harder materials such as granite, marble and stone, to reduce chipping.



### Tuck Pointing

- Economical for small to medium tuck pointing jobs. High quality performance for heavy grout removal or mortar jointing.
- Heavy duty wide segment reduces wear in abrasive materials.

PART #	UPC-A	SIZE	MAX RPM	QTY/ PKG
<b>Norton Clipper Charger High-Performance Blades</b>				
<b>Continuous Rim - Turbo</b>				
07660705475	07660705475 3	4" x .080" x 7/8" - 5/8-20mm	15000	1
07660704023	07660704023 7	4-1/2" x .080" x 7/8"-5/8-20mm	13300	1
07660704022	07660704022 0	7" x .090" x DM-7/8-5/8	8370	1
<b>Norton Clipper Classic General-Purpose Blades</b>				
<b>Combination Pack</b>				
07660705344	07660705344	4-1/2" x .080" x 7/8"-5/8-20mm	13300	5
<b>Continuous Rim - Turbo</b>				
07660704018	07660704018 3	4" x .080" x 7/8"-5/8-20mm	15000	5 (bulk)
07660702792	07660702792 4	4" x .080" x 7/8"-5/8-20mm	5000	1
07660704017	07660704017 6	4-1/2" x .080" x 7/8"-5/8-20mm	13300	5 (bulk)
07660702790	07660702790 0	4-1/2" x .080" x 7/8" - 5/8-20mm	13300	1
07660704016	07660704016 9	7" x .090" x DM-7/8-5/8	8370	5 (bulk)
07660702787	07660702787 0	7" x .090" x DM-7/8-5/8	8370	1
07660702780	07660702780 1	10" x .100" x 1-7/8"-5/8	6115	1
<b>Segmented Rim</b>				
07660702791	07660702791 7	4" x .080" x 7/8" - 5/8-20mm	15000	1
07660702789	07660702789 4	4-1/2" x .080" x 7/8"-5/8-20mm	13300	1
70184684463	70184684463 5	4-1/2" x .080" x 7/8"-5/8-20mm	13300	5 (bulk)
07660702786	07660702786 3	7" x .090" x DM-7/8-5/8	8370	1
70184684464	70184684464 2	7" x .090" x DM-7/8-5/8	8370	5 (bulk)
07660701201	07660701201 2	10" x .100" x 1-7/8"-5/8	6115	1
70184681383	70184681383 9	12" x .110" x 1/20"mm	6300	1
70184681309	70184681309 9	14" x .110" x 1/20"mm	5460	1
07660701230	07660701230 2	16" x .125" x 1/20"mm	4500	1
<b>Cup Wheels - Single Row For Fast Stock Removal</b>				
70184682555	70184682555 9	4" x 5/8"-11	15000	1
70184682593	70184682593 5	7" x 5/8"-11	8370	1
<b>Cup Wheels - Double Row For Long Life, Smooth Finish</b>				
70184682586	70184682586 3	4" x 5/8"-11	15000	1
70184682595	70184682595 5	7" x 5/8"-11	8370	1

PART #	UPC-A	SIZE	MAX RPM	QTY/ PKG
<b>Norton Clipper Classic General-Purpose Blades</b>				
<b>Wet/Dry Cutting Continuous Rim</b>				
07660702793	07660702793 1	4" x .080" x 7/8"-5/8-20mm	15000	1
07660701194	07660701194 7	4-1/2" x .080" x 7/8"-5/8-20mm	13300	1
07660702788	07660702788 7	7" x .090" x DM-7/8-5/8	8370	1
07660702785	07660702785 6	8" x .070" x 5/8"	7640	1
07660702784	07660702784 9	10" x .070" x 5/8"	6115	1
<b>Norton Clipper ValuPlus General-Purpose Blades</b>				
<b>Continuous Rim</b>				
70184684087	70184684087 3	4" x .080" x 7/8"-5/8-20mm	15000	1
70184684088	70184684088 0	4-1/2" x .080" x 7/8"-5/8-20mm	13300	1
70184684089	70184684089 7	7" x .090" x DM-7/8-5/8	8370	1
<b>Turbo Rim</b>				
70184684105	70184684105 4	4" x .080" x 7/8", 5/8, 20mm	15000	1
70184684106	70184684106 1	4-1/2" x .086" x 7/8", 5/8, 20mm	3300	1
70184684107	70184684107 8	7" x .090" x DM, 7/8, 5/8	8370	1
<b>Segmented Rim</b>				
70184684098	70184684098 9	4" x .080" x 7/8"-5/8-20mm	15000	1
70184684099	70184684099 6	4-1/2" x .080" x 7/8"-5/8-20mm	13300	1
70184684100	70184684100 9	7" x .090" x DM-7/8-5/8	8370	1
<b>Specialty</b>				
<b>Norton Clipper DUO - High Speed General-Purpose</b>				
70184683611	70184683611 1	12" x .110" x 1"/20mm	6300	1
70184683612	70184683612 8	14" x .110" x 1"/20mm	5460	1
<b>Norton Clipper 4x4 MaxCut</b>				
70184645927	70184645927 3	12" x .118" x 1"/20mm	6300	1
70184645926	70184645926 6	14" x .125" x 1"/20mm	5460	1
<b>Norton Clipper Rescue/Demolition</b>				
70184684361	70184684361 4	14" x .140" x 1"/20mm	5460	1
<b>Norton Clipper Slicer - Flush Cut- Dry - Turbo Rim</b>				
70184684546	70184684546 5	4-1/2" x .040" x 7/8"	13300	1
70184684545	70184684545 8	5" x .040" x 7/8"	12000	1
<b>Tuck Pointing</b>				
70184684020	70184684020 0	4" x .250" x 7/8"-5/8	15000	1
70184681779	70184681779 0	7" x .250" x 7/8"-5/8-20mm	8370	1



## Right Angle Grinder Cut-Off

The Norton offering of thin, unique cut-off blades delivers a full range of sizes and thicknesses for high-demand applications like cutting and cleaning metal studs, masonry stainless steel, tubing and sheet metal.



### FEATURES & BENEFITS

- Fastest cutting wheels in the market
- Will deliver a fast cut with longer life without added operator pressure
- Reinforced to tackle tough portable and fixed-base cut-off applications

### SPEC CHECK

#### Metal

Steel, Stainless, Iron, Sheet metal

#### Masonry

Concrete, Brick, Cinder block, Patio stones

#### Asphalt

Asphalt, Green concrete

#### Aluminum

Aluminum, Bronze, Copper

PART #	UPC-A	SIZE	MAX RPM	WHLs/ CASE
<b>Right Angle Cut-off Blades (Type 01/41) - Bulk - UPC Bar Coded</b>				
<b>Metal - Aluminum Oxide</b>				
07660701616	07660701616 4	4" x .040" x 5/8"	15280	25
07660701617	07660701617 1	4-1/2" x .040" x 7/8"	13580	25
07660701618	07660701618 8	5" x .040" x 7/8"	12225	25
07660702757	07660702757 3	6" x .040" x 7/8"	10185	25
<b>Masonry - Silicon Carbide</b>				
07660701620	07660701620 1	4" x 1/16" x 5/8"	15280	15
07660701621	07660701621 8	4-1/2" x 1/16" x 7/8"	13580	15
07660701622	07660701622 5	5" x 1/16" x 7/8"	12225	5
<b>Metal - Gemini Aluminum Oxide</b>				
66243527956	66243527956 9	4" x .040" x 5/8"	15280	25
66252823602	66252823602 8	4-1/2" x .045" x 7/8"	13580	25
66252823603	66252823603 5	5" x .045" x 7/8"	12225	25
66252823604	66252823604 2	6" x .045" x 7/8"	10185	25
66243527955	66243527955 2	4" x 3/32" x 5/8"	15280	25
66252823599	66252823599 1	4-1/2" x 3/32" x 7/8"	13580	25
66252823600	66252823600 4	5" x 3/32" x 7/8"	12225	25
66252823601	66252823601 1	6" x 3/32" x 7/8"	10185	25
<b>Metal - BlueFire Zirconia Alumina/Aluminum Oxide</b>				
66252843208	66252843208 6	4-1/2" x 1/16" x 7/8"	13580	25
66252843209	66252843209 3	5" x 1/16" x 7/8"	12225	25
66252843210	66252843210 9	6" x 1/16" x 7/8"	10185	25
<b>Right Angle Cut-off Blades (Type 01/41) - Job Packs (Pole Packs)</b>				
<b>Metal - Aluminum Oxide</b>				
07660703987	07660703987 3	4" x .040" x 5/8"	15280	5/20
07660703988	07660703988 0	4-1/2" x .040" x 7/8"	13580	5/20
<b>Right Angle Cut-off Blades (Type 27/42) - Bulk - UPC Bar Coded</b>				
<b>Metal - Aluminum Oxide</b>				
07660705249	07660705249 0	4" x .045" x 5/8"	15280	25
66252843604	66252843604 6	4-1/2" x .045" x 7/8"	13580	25
66252842015	66252842015 1	6" x .045" x 7/8"	10185	25
07660705251	07660705251 3	7" x 1/16" x 7/8"	8600	10
<b>Metal - Gemini Aluminum Oxide</b>				
66252842180	66252842180 7	4" x .045" x 5/8"	15280	25
66252842026	66252842026 8	4-1/2" x .045" x 7/8"	13580	25
66252842025	66252842025 0	4-1/2" x .045" x 5/8"-11	13580	10
66252842036	66252842036 7	5" x .045" x 7/8"	12225	25
66252841939	66252841939 2	5" x .045" x 5/8"-11	12225	10
66252842202	66252842202 6	6" x .045" x 7/8"	10185	25
66252830587	66252830587 8	6" x .045" x 5/8"-11	10185	10
66252912626	66252912626 7	7" x 1/16" x 7/8"	8600	20



## Depressed Center Wheels

The depressed center design allows the flange/lock nut to recess within the wheel so that it can be used for various grinding and cutting applications. Depressed center wheels are designed to handle the most severe right angle grinding applications, from heavy stock removal to rough blending. Depressed center wheels may also be referred to as raised hub wheels or by their shape designation of "Type," with Type 27 being the most popular.

### 1/4" are designed for grinding:

- offhand stock removal of all types of metal and masonry
- smoothing welds
- pipe beveling

### 1/8" are designed to be used for both light grinding or cutting:

- offhand cut-off of all metal and masonry materials
- notching or cleaning pipes and weld beads

### .125" are designed to be used at a 90° angle for cutting only



### Professionals Want Choices

Norton NorZon Plus is the highest performance line in the industry. Invented and made in America, now improved and expanded.



### Performance on Fire

Engineered with a proprietary NorZon grain upgrade, the Norton BlueFire design offers faster removal rate, longer product life and increased productivity for better performance value.



### The Right Choice Every Time

The re-engineered Norton Gemini RightCut 100% aluminum oxide wheels provide thinner, faster cutting with a burr-free, precision cut and improved operator comfort.

PART #	UPC-A	SIZE	MAX RPM	WHLs/ CASE
<b>Accessory For Right Angle Grinders - Handy Packs</b>				
<b>Adaptor Kit</b>				
07660789275	07660789275 1	Adaptor kit for 7" & 9" wheels	N/A	1
<b>Depressed Center Wheels (Type 27) - Bulk - UPC Bar Coded</b>				
<b>Metal - NorZon Plus, For Grinding</b>				
66252842178	66252842178 3	3" x 1/4" x 3/8"	18000	25
66252842002	66252842002 1	4" x 1/4" x 3/8"	15280	25
66252842003	66252842003 8	4" x 1/4" x 5/8"	15280	25
66252843328	66252843328 0	4-1/2" x 1/4" x 7/8"	13580	25
66252843326	66252843326 6	4-1/2" x 1/4" x 5/8"-11	13580	10
66252843334	66252843334 1	5" x 1/4" x 7/8"	12225	25
66252843332	66252843332 8	5" x 1/4" x 5/8"-11	12225	10
66252809376	66252809376 8	6" x 1/4" x 7/8"	10185	20
66252917880	66252917880 8	7" x 1/4" x 7/8"	8600	20
66252917881	66252917881 5	7" x 1/4" x 5/8"-11	8600	10
66253021633	66253021633 9	9" x 1/4" x 7/8"	6600	20
66253021634	66253021634 6	9" x 1/4" x 5/8"-11	6600	10

PART #	UPC-A	SIZE	MAX RPM	WHLs/ CASE
<b>Depressed Center Wheels (Type 27) - Bulk - UPC Bar Coded</b>				
<b>Metal - NorZon Plus, For Light Grinding and Cutting</b>				
66252842177	66252842177 6	3" x 1/8" x 3/8"	18000	25
66252842004	66252842004 5	4" x 1/8" x 3/8"	15280	25
66252842005	66252842005 2	4" x 1/8" x 5/8"	15280	25
66252843324	66252843324 3	4-1/2" x 1/8" x 7/8"	13580	25
66252843323	66252843323 6	4-1/2" x 1/8" x 5/8"-11	13580	10
66252843331	66252843331 0	5" x 1/8" x 7/8"	12225	25
66252938854	66252938854 2	7" x 1/8" x 7/8"	8600	20
66252938855	66252938855 9	7" x 1/8" x 5/8"-11	8600	10
66253048896	66253048896 5	9" x 1/8" x 7/8"	6600	20
66253048897	66253048897 2	9" x 1/8" x 5/8"-11	6600	10
<b>Metal - NorZon Plus, For Pipe Notching</b>				
66252939184	66252939184 9	7" x 1/8" x 5/8"-11	8600	10
66253049066	66253049066 1	9" x 1/8" x 5/8"-11	6600	10
<b>Depressed Center Wheels (Type 27/42) - Bulk - UPC Bar Coded</b>				
<b>Metal - NorZon Plus, For Cutting Only</b>				
66252842001	66252842001 4	4" x .125" x 3/8"	15280	25
66252843322	66252843322 9	4-1/2" x .125" x 7/8"	13580	25
66252843321	66252843321 2	4-1/2" x .125" x 5/8"-11	13580	10

## Depressed Center Wheels

PART #	UPC-A	SIZE	MAX RPM	WHLs/ CASE
<b>Depressed Center Wheel (Type 27) - Bulk - UPC Bar Coded</b>				
<b>Metal - BlueFire Zirconia Alumina, For Grinding</b>				
66252843179	66252843179 9	4" x 1/4" x 3/8"	15280	25
66252843177	66252843177 5	4" x 1/4" x 5/8"	15280	25
66252843214	66252843214 7	4-1/2" x 1/4" x 7/8"	13580	25
66252843213	66252843213 0	4-1/2" x 1/4" x 5/8"-11	13580	10
66252843218	66252843218 5	5" x 1/4" x 7/8"	12225	25
66252843217	66252843217 8	5" x 1/4" x 5/8"-11	12225	10
66252843236	66252843236 9	7" x 1/4" x 7/8"	8600	20
66252843235	66252843235 2	7" x 1/4" x 5/8"-11	8600	10
66252843247	66252843247 5	9" x 1/4" x 7/8"	6600	20
66252843246	66252843246 8	9" x 1/4" x 5/8"-11	6600	10
<b>Metal - BlueFire Zirconia Alumina, For Light Grinding and Cutting</b>				
66252843178	66252843178 2	4" x 1/8" x 3/8"	15280	25
66252843176	66252843176 8	4" x 1/8" x 5/8"	15280	25
66252843212	66252843212 3	4-1/2" x 1/8" x 7/8"	13580	25
66252843211	66252843211 6	4-1/2" x 1/8" x 5/8"-11	13580	10
66252843216	66252843216 1	5" x 1/8" x 7/8"	12225	25
66252843215	66252843215 4	5" x 1/8" x 5/8"-11	12225	10
66252843234	66252843234 5	7" x 1/8" x 7/8"	8600	20
66252843233	66252843233 8	7" x 1/8" x 5/8"-11	8600	10
66252843245	66252843245 1	9" x 1/8" x 7/8"	6600	20
66252843244	66252843244 4	9" x 1/8" x 5/8"-11	6600	10
<b>Metal - Gemini Aluminum Oxide, For Grinding</b>				
66252842179	66252842179 0	3" x 1/4" x 3/8"	18000	25
66252842018	66252842018 1	4" x 1/4" x 3/8"	15280	25
66252842019	66252842019 9	4" x 1/4" x 5/8"	15280	25
66252843594	66252843594 0	4-1/2" x 1/4" x 7/8"	13580	25
66252843593	66252843593 3	4-1/2" x 1/4" x 5/8"-11	13580	10
66252843598	66252843598 8	5" x 1/4" x 7/8"	12225	25
66252801865	66252801865 5	6" x 1/4" x 7/8"	10185	20
66252940098	66252940098 5	7" x 1/4" x 7/8"	8600	20
66252940148	66252940148 7	7" x 1/4" x 5/8"-11	8600	10
66253048991	66253048991 7	9" x 1/4" x 7/8"	6600	20
66253049104	66253049104 0	9" x 1/4" x 5/8"-11	6600	10
<b>Metal - Gemini Aluminum Oxide, For Light Grinding and Cutting</b>				
66252842016	66252842016 8	4" x 1/8" x 3/8"	15280	25
66252842017	66252842017 5	4" x 1/8" x 5/8"	15280	25
66252843591	66252843591 9	4-1/2" x 1/8" x 7/8"	13580	25
66252843590	66252843590 1	4-1/2" x 1/8" x 5/8"-11	13580	10
66252843596	66252843596 4	5" x 1/8" x 7/8"	12225	25
66252801864	66252801864 8	6" x 1/8" x 7/8"	10185	20
66252939207	66252939207 5	7" x 1/8" x 7/8"	8600	20
66252939259	66252939259 4	7" x 1/8" x 5/8"-11	8600	10
66253048994	66253048994 8	9" x 1/8" x 7/8"	6600	20
66253048983	66253048983 2	9" x 1/8" x 5/8"-11	6600	10
<b>Depressed Center Wheel (Type 27/42) - Bulk - UPC Bar Coded</b>				
<b>Metal - Gemini Aluminum Oxide, For Cutting</b>				
66252912626	66252912626 7	7" x 1/16" x 7/8"	8600	20

PART #	UPC-A	SIZE	MAX RPM	WHLs/ CASE
<b>Depressed Center Wheel (Type 27) - Bulk - UPC Bar Coded</b>				
<b>Metal - Aluminum Oxide, For Grinding</b>				
66252842011	66252842011 3	4" x 1/4" x 5/8"	15280	25
66252843607	66252843607 6	4-1/2" x 1/4" x 7/8"	13580	25
66252843605	66252843605 3	4-1/2" x 1/4" x 5/8"-11	13580	10
66252843614	66252843614 5	5" x 1/4" x 7/8"	12225	25
66252843613	66252843613 8	5" x 1/4" x 5/8"-11	12225	10
07660775936	07660775936 8	7" x 1/4" x 7/8"	8600	5
07660775940	07660775940 5	7" x 1/4" x 5/8"-11	8600	5
07660775938	07660775938 2	9" x 1/4" x 5/8"-11	6600	5
<b>Metal - Aluminum Oxide, For Light Grinding and Cutting</b>				
66252842014	66252842014 4	4" x 1/8" x 5/8"	15280	25
66252843611	66252843611 4	4-1/2" x 1/8" x 7/8"	13580	25
66252843609	66252843609 0	4-1/2" x 1/8" x 5/8"-11	13580	10
66252843616	66252843616 9	5" x 1/8" x 7/8"	12225	25
66252843615	66252843615 1	5" x 1/8" x 5/8"-11	12225	10
07660775956	07660775956 4	7" x 1/8" x 7/8"	8600	5
07660702678	07660702678 1	7" x 1/8" x 5/8"-11	8600	10
<b>Depressed Center Wheels (Type 27) - Bulk - UPC Bar Coded</b>				
<b>Masonry - Silicon Carbide, For Grinding</b>				
66252842010	66252842010 6	4" x 1/4" x 5/8"	15280	25
66252843600	66252843600 8	4-1/2" x 1/4" x 7/8"	13580	25
66252843599	66252843599 5	4-1/2" x 1/4" x 5/8"-11	13580	10
66252843602	66252843602 1	5" x 1/4" x 7/8"	12225	25
07660775942	07660775942 9	7" x 1/4" x 5/8"-11	8600	5
07660775937	07660775937 5	9" x 1/4" x 5/8"-11	6600	5
<b>Masonry - Silicon Carbide, For Light Grinding and Cutting</b>				
66252842013	66252842013 7	4" x 1/8" x 5/8"	15280	25
66252843601	66252843601 5	4-1/2" x 1/8" x 7/8"	13580	25

### Small Diameter Reinforced Cut-off Blades

Small diameter cut-off wheels are designed for traditional cut-off applications and feature full fiberglass reinforcing. Used on small cut-off tools for fast cut-off and slotting of all types of metal.



PART #	UPC-A	SIZE	MAX RPM	WHLs/ CASE
<b>Small Diameter Cut-off Blades (Type 01/41) - Handy Packs</b>				
<b>Metal - Aluminum Oxide</b>				
07660747767	07660747767 5	3" x 1/16" x 3/8"	25465	25
66252843624	66252843624 5	3" x 1/16" x 3/8"	25465	5 pack w/ mandrel
07660747769	07660747769 9	Mandrel	Accessory	5
<b>Small Diameter Cut-off Blades (Type 01/41) - UPC Bar Coded</b>				
<b>Metal - Aluminum Oxide</b>				
07660789451	07660789451 9	3" x .035" x 3/8"	25465	25
07660789384	07660789384 0	3" x 1/8" x 3/8"	25465	25
07660789453	07660789453 3	4" x .035" x 3/8"	19100	25
07660789387	07660789387 1	4" x 1/8" x 3/8"	19100	25
<b>Small Diameter Cut-off Blades (Type 01/41) - Bulk - UPC Bar Coded</b>				
<b>Metal - BlueFire Zirconia Alumina</b>				
66252843174	66252843174 4	3" x .035" x 3/8"	25465	25
66252843175	66252843175 1	3" x 1/16" x 3/8"	25465	25
66252843173	66252843173 7	4" x .035" x 3/8"	19100	25
66252843171	66252843171 3	4" x 1/16" x 3/8"	19100	25
66252843172	66252843172 0	4" x 1/8" x 3/8"	19100	25

PART #	UPC-A	SIZE	MAX RPM	WHLs/ CASE
<b>Small Diameter Cut-off Blades (Type 01/41) - Bulk - Non UPC</b>				
<b>Metal - Aluminum Oxide</b>				
66243411393	66243411393 2	2" x .035" x 1/4"	30560	25
66243411395	66243411395 6	2" x 1/16" x 1/4"	30560	25
66243411402	66243411402 1	2" x 1/8" x 1/4"	30560	25
66243510627	66243510627 8	3" x .035" x 1/4"	25465	25
66243510628	66243510628 5	3" x .035" x 3/8"	25465	25
66243510645	66243510645 2	3" x 1/16" x 1/4"	25465	25
66243510647	66243510647 6	3" x 1/16" x 3/8"	25465	25
66243510650	66243510650 6	3" x 1/8" x 1/4"	25465	25
66243510651	66243510651 3	3" x 1/8" x 3/8"	25465	25
66243510629	66243510629 2	4" x .035" x 1/4"	19100	25
66243510630	66243510630 8	4" x .035" x 3/8"	19100	25
66243510654	66243510654 4	4" x 1/16" x 1/4"	19100	25
66243510655	66243510655 1	4" x 1/16" x 3/8"	19100	25
66243510658	66243510658 2	4" x 1/8" x 1/4"	19100	25
66243510659	66243510659 9	4" x 1/8" x 3/8"	19100	25

### Circular Saw Reinforced Cut-off Blades

Used for deburring, cleaning, slotting and cutting of all types of metal and masonry. This includes cutting sheet metal and roof decking.



PART #	UPC-A	SIZE	MAX RPM	WHLs/ CASE
<b>Circular Saw Reinforced Cut-off Blades (Type 01/41) - Handy Packs</b>				
<b>Metal - Aluminum Oxide</b>				
07660789000	07660789000 9	6-1/2" x 1/8" x DM-5/8	9405	20
07660789005	07660789005 4	7" x 1/8" x DM-5/8	8730	20
07660789010	07660789010 8	8" x 1/8" x DM-5/8	7640	20
<b>Masonry - Silicon Carbide</b>				
07660789050	07660789050 4	6-1/2" x 1/8" x DM-5/8	9405	20
07660789055	07660789055 9	7" x 1/8" x DM-5/8	8730	20
07660789070	07660789070 2	8" x 1/8" x DM-5/8	7640	20

PART #	UPC-A	SIZE	MAX RPM	WHLs/ CASE
<b>Circular Saw Reinforced Cut-off Blades (Type 01/41) - Bulk - UPC Bar Coded</b>				
<b>Metal - Aluminum Oxide</b>				
07660789098	07660789098 6	6-1/2" x 1/8" x DM-5/8	9405	10
07660789097	07660789097 9	7" x 1/8" x DM-5/8	8730	25**
07660789096	07660789096 2	8" x 1/8" x DM-5/8	7640	10
<b>Masonry - Silicon Carbide</b>				
07660789089	07660789089 4	6-1/2" x 1/8" x DM-5/8	9405	10
07660789088	07660789088 7	7" x 1/8" x DM-5/8	8730	25**
07660789086	07660789086 3	8" x 1/8" x DM-5/8	7640	10



## High-Speed Reinforced Cut-off Blades

For deburring, cleaning, slotting and cutting of all types of metal and masonry.

### Universal Arbor Blades

Two blade sizes in one. A 20mm bushing is included in the 1" molded arbor hole. The wheel with bushing can be mounted directly on a 20mm arbor. Or, the bushing can be removed exposing a 1" arbor hole which can be mounted to any 1" saw arbor. Once the 20mm bushing is removed, it cannot be replaced.

### Road Construction Blade

Used on walk-behind machine for sawing green concrete, cured concrete and asphalt.

PART #	UPC-A	SIZE		MAX RPM	WHLs/ CASE
<b>High Speed Reinforced Cut-off Blades (Type 01/41) - Bulk - UPC Bar Coded</b>					
<b>Metal - Aluminum Oxide</b>					
07660705494	07660705494 4	12" x 1/8" x 1" 20mm	Universal Arbor	6300	10
07660705496	07660705496 8	14" x 1/8" x 1" 20mm	Universal Arbor	5400	10
66252830886	66252830886 2	16" x 1/8" x 1" 20mm	Universal Arbor	4800	10
<b>Masonry - Silicon Carbide</b>					
07660705493	07660705493 7	12" x 1/8" x 1" 20mm	Universal Arbor	6300	10
07660705495	07660705495 1	14" x 1/8" x 1" 20mm	Universal Arbor	5400	10
70184623029	70184623029 2	16" x 1/8" x 1" 20mm	Universal Arbor	4800	10



## Chop Saw Reinforced Cut-off Blades

For use on low horsepower cut-off machines. These machines can be easily moved, but the workpiece is carried to the machine. Especially popular in the construction industry because of its portability and ability to provide a straight, clean cut.

### Primary uses include:

- Cutting metal studs, rebar, angle iron, and tubing

PART #	UPC-A	SIZE	MAX RPM	WHLs/ CASE
<b>Chop Saw Reinforced (Type 01/41) - Bulk - UPC Bar Coded</b>				
<b>Metal - BlueFire Zirconia Alumina/Aluminum Oxide</b>				
66252843254	66252843254 3	14" x 7/64" x 1"	4365	10
<b>Metal - Aluminum Oxide</b>				
07660789400	07660789400 7	12" x 7/64" x 1"	4365	5
07660789399	07660789399 4	14" x 7/64" x 1"	4365	5
07660703970	07660703970 5	14" x 7/64" x 1"	4365	5/5
<b>Metal - Aluminum Oxide (Steel Stud)</b>				
07660789405	07660789405 2	14" x 7/64" x 1"	4365	10

PART #	UPC-A	SIZE	MAX RPM	WHLs/ CASE
<b>Chop Saw Reinforced (Type 01/41) - Bulk - UPC Bar Coded</b>				
<b>Metal - Gemini Aluminum Oxide</b>				
66253207554	66253207554 5	12" x 7/64" x 1"	5095	10
66253306627	66253306627 6	14" x 7/64" x 1"	4365	10
66253410198	66253410198 3	16" x 7/64" x 1"	3820	10



### Stationary Saw Reinforced Cut-off Blades

For use on a range of fixed base, higher horsepower cut-off machines where the workpiece is carried to the machine. Designed for higher cut-off production of all types of metal and masonry:

- Heavy bar stock, rebar, thick wall tubing and pipe

PART #	UPC-A	SIZE	MAX RPM	WHLs/ CASE
<b>Stationary Saw Cut-off Blades (Type 01/41) - Bulk - UPC Bar Coded</b>				
<b>Metal - Aluminum Oxide</b>				
07660789390	07660789390 1	10" x 3/32" x 5/8"	6110	5
07660789392	07660789392 5	12" x 1/8" x 1"	5095	10
07660789395	07660789395 6	14" x 1/8" x 1"	4365	10
<b>Gemini - Aluminum Oxide</b>				
66253410183	66253410183 9	16" x 5/32" x 1" Fast Cut	3820	10
69078609033	69078609033 5	20" x 3/16" x 1" Fast Cut	2170	5
<b>Masonry - Silicon Carbide</b>				
07660789391	07660789391 8	10" x 3/32" x 5/8"	6110	5



### Mounted Points - Handy Packs

For removing burrs and flash finishing any kind of metal surface in a confined area. Fast stock removal and free cutting action. Use "A" or "B" shapes for medium to heavy duty blending. Use "W" shapes for offhand and precision grinding of medium to heavy stock.

#### TIP

Use "A" or "B" shapes for medium to heavy duty blending. Use "W" shapes for offhand and precision grinding of medium to heavy stock.



PART #	UPC-A	SIZE	SHAPE	MAX RPM	WHLs/ CASE
<b>Mounted Points - Handy Packs</b>					
<b>1/4" Shank</b>					
07660724376	07660724376 8	1" x 1-1/4" 1/4" shank	A2	34240	1/25
07660724419	07660724419 2	3/8" x 3/4" 1/4" shank	B52	78340	1/25
07660724549	07660724549 6	3/4" x 3/4" 1/4" shank	W204	36510	1/25
07660724564	07660724564 9	1" x 1/2" 1/4" shank	W218	37890	1/25

Max. RPM valid to 1/2" overhang. See package insert for other overhangs.



## Bench & Pedestal

Bring back your high speed dry grinders! The fastest cutting wheels on the market are also the coolest. A constant supply of sharp cutting points with the Norton patented SG (ceramic alumina) grain gives the Premium Norton Bench & Pedestal wheels an incredible burn-free cut with controlled micro fracturing of the grain. Great for all bench and pedestal operations, especially hollow grinding of plane blades and chisels.

## ARBOR ADAPTER BUSHINGS

DIA.	CENTER HOLE	1/2"	5/8"	3/4"	7/8"	1"	1-1/4"
5", 6", 7"	1"	•	•	•	•		
8"	1"		•	•	•		
10"	1-1/4"			•	•	•	
12"	1-1/2"					•	•

NOTE: Each 5", 6", 7", 8", 10" and 12" wheel is supplied with additional arbor bushings, so one specification can meet the needs of several machines with different arbor sizes.

PART #	UPC-A	SIZE	GRIT	QTY/ PKG	PKG/ CASE
<b>Premium Blue Ceramic Alumina (I-Grade)</b>					
07660704685	07660704685	7 6" x 3/4" x 1"	3SG46-I	1	5
07660704684	07660704684	0 6" x 3/4" x 1"	3SG60-I	1	5
07660704683	07660704683	3 6" x 3/4" x 1"	3SG80-I	1	5
07660704682	07660704682	6 6" x 3/4" x 1"	3SG100-I	1	5
07660704681	07660704681	9 6" x 3/4" x 1"	3SG120-I	1	5
07660704680	07660704680	2 6" x 1" x 1"	3SG46-I	1	5
07660704660	07660704660	4 8" x 1" x 1"	3SG46-I	1	5
07660704659	07660704659	8 8" x 1" x 1"	3SG60-I	1	5
07660704658	07660704658	1 8" x 1" x 1"	3SG80-I	1	5
07660704657	07660704657	4 8" x 1" x 1"	3SG100-I	1	5
07660705364	07660705364	0 8" x 1" x 1"	3SG120-I	1	5
<b>Premium Blue Ceramic Alumina (K-Grade)</b>					
07660705411	07660705411	1 6" x 3/4" x 1"	3SG46-K	1	5
07660705412	07660705412	8 6" x 3/4" x 1"	3SG80-K	1	5
07660705413	07660705413	5 6" x 1" x 1"	3SG46-K	1	5
07660705414	07660705414	2 6" x 1" x 1"	3SG80-K	1	5
07660705421	07660705421	0 8" x 1" x 1"	3SG46-K	1	5
07660705422	07660705422	7 8" x 1" x 1"	3SG80-K	1	5
<b>White Aluminum Oxide</b>					
07660788248	07660788248	6 6" x 3/4" x 1"	Extra Fine 150	1	5
07660788247	07660788247	9 6" x 3/4" x 1"	Fine 100	1	5
07660788246	07660788246	2 6" x 3/4" x 1"	Medium 60	1	5
07660788263	07660788263	9 6" x 1" x 1"	Extra Fine 150	1	5
07660788262	07660788262	2 6" x 1" x 1"	Fine 100	1	5
07660788261	07660788261	5 6" x 1" x 1"	Medium 60	1	5
07660788283	07660788283	7 8" x 1" x 1"	Extra Fine 150	1	5
07660788282	07660788282	0 8" x 1" x 1"	Fine 100	1	5
07660788281	07660788281	3 8" x 1" x 1"	Medium 60	1	5
<b>Dressing Sticks - Handy Packs</b>					
07660710466	07660710466	3 1" x 1" x 6" Stick	Silicon Carbide-Med	1	10**
66260148820	66260148820	7 Diamond Dresser with Handle - IAGHD		1	5

PART #	UPC-A	SIZE	GRIT	MAX ROM	WHEEL/ CASE
<b>Silicon Carbide For Non-Metal (Green) - Handy Packs</b>					
66252837190	66252837190	3 6" x 3/4" x 1"	Medium 60	4140	1
66252837191	66252837191	0 6" x 3/4" x 1"	Fine 100	4140	1
66252837192	66252837192	7 6" x 3/4" x 1"	Extra Fine 150	4140	1
66252837187	66252837187	3 6" x 1" x 1"	Medium 60	4140	1
66252837193	66252837193	4 6" x 1" x 1"	Fine 100	4140	1
66252837194	66252837194	1 6" x 1" x 1"	Extra Fine 150	4140	1
66252942300	66252942300	7 7" x 1" x 1"	Medium 60	3600	1
66252942301	66252942301	4 7" x 1" x 1"	Fine 100	3600	1
66252942302	66252942302	1 7" x 1" x 1"	Extra Fine 150	3600	1
66253044087	66253044087	1 8" x 1" x 1"	Medium 60	3600	1
66253044534	66253044534	0 8" x 1" x 1"	Fine 100	3600	1
66253044535	66253044535	7 8" x 1" x 1"	Extra Fine 150	3600	1
66253144536	66253144536	3 10" x 1" x 1-1/4"	Medium 60	2485	1
66253160366	66253160366	4 10" x 1" x 1-1/4"	Fine 100	2485	1
66253263359	66253263359	2 12" x 2" x 1-1/4"	Medium 60	2070	1
66253263360	66253263360	8 12" x 2" x 1-1/4"	Fine 100	2070	1
<b>General Purpose Aluminum Oxide For Metal (Brown) - Handy Packs</b>					
07660788201	07660788201	1 5" x 1/2" x 1"	Fine 100	4965	1
07660788202	07660788202	8 5" x 1/2" x 1"	Medium 60	4965	1
07660788205	07660788205	9 5" x 3/4" x 1"	Fine 100	4965	1
07660788210	07660788210	3 5" x 3/4" x 1"	Medium 60	4965	1
07660788215	07660788215	8 5" x 3/4" x 1"	Coarse 36	4965	1
07660788225	07660788225	7 5" x 1" x 1"	Medium 60	4965	1
07660788230	07660788230	5 5" x 1" x 1"	Coarse 36	4965	1
07660788235	07660788235	6 6" x 3/4" x 1"	Fine 100	4140	1
07660788240	07660788240	0 6" x 3/4" x 1"	Medium 60	4140	1
07660788245	07660788245	5 6" x 3/4" x 1"	Coarse 36	4140	1
07660788250	07660788250	9 6" x 1" x 1"	Fine 100	4140	1
07660788255	07660788255	4 6" x 1" x 1"	Medium 60	4140	1
07660788260	07660788260	8 6" x 1" x 1"	Coarse 36	4140	1
07660788265	07660788265	3 7" x 1" x 1"	Fine 100	3600	1
07660788270	07660788270	7 7" x 1" x 1"	Medium 60	3600	1
07660788275	07660788275	2 7" x 1" x 1"	Coarse 36	3600	1
07660788280	07660788280	6 8" x 1" x 1"	Fine 100	3600	1
07660788285	07660788285	1 8" x 1" x 1"	Medium 60	3600	1
07660788286	07660788286	8 8" x 1" x 1"	Coarse 36	3600	1
07660788290	07660788290	5 10" x 1" x 1-1/4"	Medium 60	2485	1
07660788295	07660788295	0 10" x 1" x 1-1/4"	Coarse 36	2485	1
66253263054	66253263054	6 12" x 2" x 1-1/2"	Very Coarse 24	2070	1
66253263055	66253263055	3 12" x 2" x 1-1/2"	Coarse 36	2070	1
66253263056	66253263056	0 12" x 2" x 1-1/2"	Medium 60	2070	1





## Cup Brushes

Our broad wire brush offering includes all the basic shapes and configurations: cups, saucer cups, wheels, end brushes and hand brushes - in standard and full cable twist knot, crimped and stringer bead designs.

Typical application includes:

- Cleaning rust, scale and dirt
- Light deburring
- Edge blending
- Roughening for adhesion
- Finishing for appearance
- Finish preparation prior to plating or painting

## Knotted Wire Cup Brushes

High-impact cutting and cleaning on more demanding applications such as heavy deburring, weld cleaning and cleaning larger surfaces. Use Double Row Knotted Cup brushes for heavy-duty, aggressive action in very severe applications.



Knotted cup - stainless



Knotted cup - STEEL



Knotted cup with guard

PART #	UPC-A	SIZE	MAX RPM	BRUSHES PER BOX
<b>For Stainless Steel - Knotted Cup - Single Row</b>				
69936653340	69936653340	8 2-3/4" x .020" x 5/8"-11	15,000	5
66252833947	66252833947	7 with bridle 4" x .020" x 5/8"-11	9,000	5
<b>For Steel - Knotted Cup With Protective Guard - Single Row</b>				
66252833492	66252833492	2 2-3/4" x .020" x 5/8"-11	15,000	5
66252833496	66252833496	0 4" x .020" x 5/8"-11	9,000	5
66252833497	66252833497	7 5" x .020" x 5/8"-11	6,500	5
<b>For Steel - Knotted Cup - Single Row</b>				
69936653336	69936653336	1 2-3/4" x .020" x 5/8"-11	15,000	5
69936653345	69936653345	3 4" x .023" x 5/8"-11	9,000	5
69936605965	69936605965	6 6" x .023" x 5/8"-11	6,500	5
69936602003	69936602003	8 6" x .035" x 5/8"-11	6,500	5
<b>For Steel - Knotted Cup - Double Row</b>				
69936653346	69936653346	0 6" x .020" x 5/8"-11	6,000	1*

## Knotted Wire Cup Brushes

For light- to medium-duty brushing applications on flat or irregular surfaces, and bevel buffing.



Crimped cut



Crimped cut with guard



PART #	UPC-A	SIZE	MAX RPM	BRUSHES PER BOX
<b>For Steel - Crimped Cup - Single Row With Protective Guard</b>				
66252833493	66252833493	9 3" x 12"x.009 brass x 5/8"-11	15,000	5
66252833494	66252833494	6 4" x 12"x.009 brass x 5/8"-11	9,000	5
<b>For Steel - Crimped Cup - Single Row</b>				
69936653341	69936653341	5 3" x .014" x 5/8"-11	15,000	5
69936653347	69936653347	7 4" x .014" x 5/8"-11	9,000	5
69936653348	69936653348	4 6" x .014" x 5/8"-11	6,000	5
69936653349	69936653349	1 6" x .020" x 5/8"-11	6,000	1*

## Twist Knot Wire Wheel Brushes


For the tougher applications, especially for weld passes or other demanding applications.



PART #	UPC-A	SIZE	MAX RPM	BRUSHES PER BOX
<b>For Stainless Steel - Full Cable</b>				
69936653333	69936653333	0 4" x .020" x 5/8"-11	20,000	5
66252833488	66252833488	5 5" x .020" x 5/8"-11	12,500	5
<b>For Steel - Full Cable</b>				
69936653331	69936653331	6 4" x .020" x 5/8"-11	20,000	6*
66252833487	66252833487	8 5" x .020" x 5/8"-11	12,500	5
69936653352	69936653352	1 6" x .023" x 5/8"-11	12,500	5
<b>Standard Twist</b>				
69936606275	69936606275	5 4 -1/2" x .020" x 5/8"-11	20,000	5

## Bench & Pedestal Wire Wheels

Narrow face stringer bead wire delivers high impact cutting and cleaning for the toughest applications. Specially suited for groove and weld bead, corners and t-connections. Large wire wheels clean concrete and asphalt joints and cracks quickly and efficiently before filling or scaling.



PART #	UPC-A	SIZE	MAX RPM	BRUSHES PER BOX
<b>For Steel - Crimped Bench Wheel - Narrow 1/2" Face</b>				
69936653306	69936653306	4 6" x .014" x 1/2"-2	6500	5
<b>For Steel - Crimped Bench Wheels - Medium 3/4" Face</b>				
69936653324	69936653324	8 6" x .014" x 1/2"-2	6500	5
69936653326	69936653326	2 8" x .014" x 1/2"-2	4500	5
<b>For Steel - Standard Twist Knot Bench Wheel</b>				
69936653327	69936653327	9 6" x .020" x 5/8"-11	12500	5

Note: Bushing sizes included with each brush.

## Stringer Bead Knot Wire Brushes

Specially suited for groove and weld bead, corners and t-connections.



PART #	UPC-A	SIZE	MAX RPM	BRUSHES PER BOX
<b>For Stainless Steel - For Angle Grinders</b>				
69936606278	69936606278	6 4" x .020" x 5/8"-11	15,000	5
66252833491	66252833491	5 5" x .020" x 5/8"-11	12,000	10*
69936653351	69936653351	4 6" x .020" x 5/8"-11	9,000	10*
<b>For Steel - For Angle Grinders</b>				
69936606277	69936606277	9 4" x .020" x 5/8"-11	15,000	5
66252833489	66252833489	2 4" x .020" x 5/8"-11	15,000	6*
66252833490	66252833490	8 5" x .020" x 5/8"-11	12,000	10*
69936653350	69936653350	7 6" x .020" x 5/8"-11	9,000	10*
69936653329	69936653329	3 6-7/8" x .020" x 5/8"-11	9,000	10*

## Saucer Cup Wire Brushes

Ideal for cleaning corners and other hard to reach areas.



PART #	UPC-A	SIZE	MAX RPM	BRUSHES PER BOX
<b>For Steel - Twist Knot Saucer Cup</b>				
66252833483	66252833483	0 4" x .020" x 5/8"-11	15,000	5

## End Brushes

For use on die grinders to clean and debur a recessed area or the inside diameter of a tube or pipe.



PART #	UPC-A	SIZE	MAX RPM	BRUSHES PER BOX
<b>For Stainless Steel - Stem Mounted Crimped</b>				
69936606145	69936606145 1	3/4" x .006" x 1/4" Shank	20,000	10*
<b>For Steel - Stem Mounted Knotted</b>				
69936653316	69936653316 3	3/4" x .020" x 1/4" Shank	20,000	10*
69936606279	69936606279 3	1" x .014" x 1/4" Shank	20,000	10*
69936653310	69936653310 1	1" x .020" x 1/4" Shank	20,000	10*
<b>For Steel - Stem Mounted Crimped</b>				
69936653317	69936653317 0	3/4" x .014" x 1/4" Shank	20,000	10*
69936653309	69936653309 5	1" x .020" x 1/4" Shank	20,000	10*

## Hand Brushes

The narrow design allows for hand cleaning or deburring into tight areas and slots.



Inspection brush



3" x 19" long handle



4" x 16" Shoe handle



Plastic Handle Stainless



Plastic Handle Steel

PART #	UPC-A	SIZE	BRUSHES PER BOX
<b>For Stainless Steel</b>			
66252833950	66252833950 7	Scratch Brush 3" x 19" Long Handle	12*
66252833951	66252833951 4	Scratch Brush 4" x 16" Shoe Handle	30*
66252833953	66252833953 8	Scratch Brush Plastic Handle	24*
66252833952	66252833952 1	Inspection Brush 3" x 7"	36*
<b>For Steel</b>			
66252833948	66252833948 4	Scratch Brush 3" x 19" Long Handle	12*
66252833949	66252833949 1	Scratch Brush 4" x 16" Shoe Handle	30*
66252833954	66252833954 5	Scratch Brush Plastic Handle	24*



## Norton Painter's Plastic

Our multi-purpose plastic sheeting protects virtually any area from sanding dust and paint overspray with ease - even after repositioning. Mono films and linear low density plastics (LLDPE) don't compare.



### FEATURES & BENEFITS

- Resists tearing and solvent bleed-through with lightweight .31 mil High-Density Polyethylene (HDPE) plastic
- Holds in place as it clings to horizontal or vertical surfaces during taping with its natural electrostatic properties
- Attracts and holds sanding debris for a dust free finish
- Drapes easily over furniture

PART #	UPC-A	SIZE	QTY/PACK	PACKS/CASE
07660768142	07660768142 3	9' x 400 ft.	1	1
07660768143	07660768143 0	12' x 400 ft.	1	1

*Note: pallet quantity is 96 rolls*



## Norton Hand Masking Film

Norton Hand Masking Film is specially designed to resist paint flaking during multiple-coat paint applications. Paint overspray adheres to the outside layer of plastic, preventing flaking into the base coat and resulting in a cleaner overall work space. Offered in four different sizes with a .375 mil thickness, this clear film will allow you to achieve a high quality job in less time and protect from overspray.

PART #	UPC-A	SIZE	QTY/PACK	PACKS/CASE
07660768305	07660768305 2	24" x 180' Pre-folded Masking Film - .375mil	1	12
07660768306	07660768306 9	48" x 180' Pre-folded Masking Film - .375mil	1	12
07660768307	07660768307 6	72" x 90' Pre-folded Masking Film - .375mil	1	12
07660768308	07660768308 3	99" x 90' Pre-folded Masking Film - .375mil	1	12



### Premium Grade Clean Release Tape

The premium grade, clean release tape comes in a full range of widths for maximum versatility. It has been designed to extremely high standards with tough adhesive strength and maximum flexibility, which means it conforms easily and contours to regular surfaces. Leaves no residue and stays in place until you take it off.

PART #	UPC-A	SIZE	QTY/PACK	PACKS/CASE
07660702450	07660702450 3	3/4"	1	48
07660702451	07660702451 0	1"	1	36
07660702452	07660702452 7	1-1/2"	1	24
07660702453	07660702453 4	2"	1	24



## Non-Woven Pads And Rolls

Non-woven pads are an ideal replacement for steel wool for heavy-duty cleaning and stripping through finishing to light-duty polishing.

- Flexible - can be cut or folded
- Won't rust, shred or splinter
- Washable and reusable
- Use with/without chemicals



PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Non-Woven Rolls - Bulk</b>					
<b>2" x 15 ft. Pad Rolls</b>					
66261008108	66261008108 6	Asst.	1F,1VF,1UF	1	1
<b>Non-Woven Pads - Handy Packs</b>					
<b>4-3/8" x 11"</b>					
07660748146	07660748146 7	Gray	Between Coats Finishing	1	20**
07660748147	07660748147 4	Green	Paint & Varnish Stripping	1	20**
07660748148	07660748148 1	Maroon	Metal Finishing	1	20**
<b>Non-Woven Pads - Bulk - Non-UPC</b>					
<b>6" x 9" Hand Pads</b>					
66261045600	66261045600 6	White	(456)	10	6
66261074800	66261074800 2	Gray	(748)	20	3
66261079600	66261079600 3	Green	(796)	20	3
66261074700	66261074700 5	Maroon	(747)	20	3
66261074000	66261074000 6	Brown	(740)	20	2
<b>Hand Pad Holder - Bulk</b>					
<b>3-1/4" x 5-1/2"</b>					
66261047583	66261047583 0	Holder		1	-

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Synthetic Steel Wool - Handy Packs</b>					
<b>4-3/8" x 5-1/2"</b>					
07660701726	07660701726 0	White	0000 Super Fine	2	10**
07660701727	07660701727 7	Gray	000 Extra Fine	2	10**
07660701728	07660701728 4	Green	0 Fine	2	10**
07660701729	07660701729 1	Charcoal	1 Medium	2	10**
07660703858	07660703858 0	Asst.	1 M, 1F, 1XF	1	10**

### Starting Recommendation Guide

Least Aggressive

Most Aggressive

#456 (WHITE) NON-ABRASIVE	#748 (GRAY) MICRO FINE SILICON CARBIDE	#796 (GREEN) VERY FINE ALUMINUM OXIDE	#747 (MAROON) VERY FINE ALUMINUM OXIDE	#740 (BROWN) MEDIUM ALUMINUM OXIDE	#181 (BLUE) COARSE	#180 (GREEN) EXTRA COARSE
<b>Cleaning Pad</b>	<b>Final Shine Pad</b>	<b>Scouring Pad</b>	<b>General Purpose Pad</b>	<b>Heavy Duty Pad</b>	<b>Stripping Pad</b>	<b>Stripping Pad</b>
<b>0000 Super Fine Steel Wool Equivalent</b>	<b>000 Extra Fine Steel Wool Equivalent</b>	<b>0 Fine Steel Wool Equivalent</b>	<b>N/A</b>	<b>N/A</b>	<b>2 Coarse Steel Wool Equivalent</b>	<b>3 Extra Coarse Steel Wool Equivalent</b>
Cleaning • glass • fiberglass • porcelain • ceramic • chrome • copper • stainless steel Wood • highlighting • rubbing Use with liquid detergent	Light Cleaning • steel • non-steel Denibbing plastic Defuzzing wood Finishing areas for blending Final rub	Removing • stains/marks • rust • corrosion • oxidation	Cleaning Finishing Deburring • machinery • tools Removing Rust  Defuzzing Wood Light Deburring  Preparing surfaces for painting intricate parts	Removing Rust  Deburring  Blending	Use with chemical strippers for heavy duty stripping and cleaning to remove paint, varnish, lacquer, and other coatings  Heavy duty cleaning of grills, metal outdoor furniture, etc.	Use with chemical strippers for heavy duty stripping and scrubbing of surfaces to remove paint, varnish and other coatings



## Rotolo Foam

Rotolo Foam pre-cut sheets are conveniently packaged in a roll form and perforated every 5-1/2". They are ideal for fine sanding on round edges, contours and curves, and deliver an outstanding finish.

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Rotolo Foam Rolls</b>					
<b>115M x 25M Perforated Every 5-1/2" (A275)</b>					
63642557616	63642557616 7	1000	115M x 25M	1	2
63642557613	63642557613 6	800	115M x 25M	1	2
63642557612	63642557612 9	600	115M x 25M	1	2
63642557611	63642557611 2	500	115M x 25M	1	2
63642557608	63642557608 2	400	115M x 25M	1	2
63642557606	63642557606 8	320	115M x 25M	1	2
63642557604	63642557604 4	280	115M x 25M	1	2
63642557602	63642557602 0	240	115M x 25M	1	2
63642557600	63642557600 6	220	115M x 25M	1	2
63642557599	63642557599 3	180	115M x 25M	1	2
63642557584	63642557584 9	150	115M x 25M	1	2
63642535316	63642535316 4	120	115M x 25M	1	2








## Micro-Fiber

Micro-Fiber Cloths have edges that collect debris as opposed to pushing it away. The particles are trapped in between the fibers and can be rinsed or machine washed to release heavily embedded particles. Micro-fiber products can be washed up to 300+ times without losing cleaning and trapping abilities, which will save you labor time and additional costs of multiple cleaning products and chemicals.

- Cleaning Cloth (Blue) is used for general wet or dry cleaning applications
- Dry Tack Cloth (Red) has a low profile to resist snagging and pick up embedded debris
- Polishing Cloth (Yellow) is ideal for streak-free cleaning of mirrors and optical lenses

PART #	UPC-A	GRIT	GRADING	QTY/ PACK	PACKS/ CASE
<b>Cleaning Micro-Fiber Cloth (Blue)</b>					
07660705300	07660705300 8	Cleaning	Blue	-	20
<b>Dry Tack Micro-Fiber Cloth (Red)</b>					
07660706038	07660706038 9	Dry Tack	Red	1	12**
07660704025	07660704025 1	Dry Tack	Red	-	20
<b>Polishing Micro-Fiber Cloth (Yellow)</b>					
07660705301	07660705301 5	Polishing	Yellow	-	20
<b>Tack Cloth</b>					
07660749008	07660749008 7		Tack Cloth	1	144

*12 boxes of 12*



## TIP



Micro-fiber is virtually scratch resistant but may pick up debris that can scratch. Clean micro-fiber products often for best results.





## Nitrile & Latex Gloves

Norton Nitrile and Latex Disposable Gloves provide options for safety and comfort while tackling even the toughest repair jobs. Available in a full range of styles and sizes, including:

- Blue General-Purpose 4 mil Nitrile Gloves - ideal for smaller projects or when changing gloves frequently is necessary.
- Black Heavy-Duty 6 mil Nitrile Gloves - designed for longer use in more difficult applications.
- Orange Heavy-Duty 7 mil Nitrile Gloves - feature a “diamond” pattern texture to allow for excellent gripping properties. Perfect for jobs you need extra grip to hold onto tools or containers.
- White Textured 7 mil Latex Gloves - for those who prefer/need the tighter fit of the latex design. Excellent for all applications. Gloves do contain natural rubber latex which may cause allergic reactions.

PART #	UPC-A	DESCRIPTION	QTY/ PACK	PACKS/ CASE
66623390700	66623390700 6	4 mil Nitrile Gloves (Blue) Medium	100	10
66623390701	66623390701 3	4 mil Nitrile Gloves (Blue) Large	100	10
66623390702	66623390702 0	4 mil Nitrile Gloves (Blue) XL	100	10
66623390703	66623390703 7	4 mil Nitrile Gloves (Blue) XXL	100	10
66623390704	66623390704 4	6 mil Nitrile Gloves (Black) Medium	100	10
66623390705	66623390705 1	6 mil Nitrile Gloves (Black) Large	100	10
66623390706	66623390706 8	6 mil Nitrile Gloves (Black) XL	100	10
66623390707	66623390707 5	6 mil Nitrile Gloves (Black) XXL	100	10
66623390708	66623390708 2	7 mil Textured Nitrile Gloves (Orange) Medium	50	10
66623390709	66623390709 9	7 mil Textured Nitrile Gloves (Orange) Large	50	10
66623390710	66623390710 5	7 mil Textured Nitrile Gloves (Orange) XL	50	10
66623390711	66623390711 2	7 mil Textured Nitrile Gloves (Orange) XXL	50	10
66623390712	66623390712 9	7 mil Latex Gloves (White) Medium	100	10
66623390713	66623390713 6	7 mil Latex Gloves (White) Large	100	10
66623390714	66623390714 3	7 mil Latex Gloves (White) XL	100	10
66623390715	66623390715 0	7 mil Latex Gloves (White) XXL	100	10




## Glasses

Our line of Norton Safety Glasses features a full range of eyewear options to ensure you always have the right protection for your project. Glasses meet all of the pertinent ANSI specifications for safety eye wear. Each pair of glasses is individually wrapped for convenience and can be hung on a pegboard display.

- Norton Standard Safety Glasses - Economical wrap-around single lens provides full panoramic view. Polycarbonate lenses are coated for superior scratch-resistance.
- Norton Premium Safety Glasses - Rubber temple tips and built-in rubber nose piece keep eye wear secure for the active worker. Scratch resistant anti-fog polycarbonate lens provide 99% UVA/B/C rays protection.
- Norton Over Prescription Glasses - Designed to fit today's prescription eye wear, these scratch-resistant glasses are 100% polycarbonate and deliver 99% UVA/B rays protection.

PART #	UPC-A	DESCRIPTION	QTY/ PACK	PACKS/ CASE
07660768280	07660768280 2	Norton Safety Glasses	12	25
07660768281	07660768281 9	Norton Premium Safety Glasses	12	25
07660768282	07660768282 6	Norton Over Prescription Safety Glasses	12	25



## Multi-Air Cyclonic

Revolutionary Norton Multi-Air Cyclonic hook & loop vacuum discs raise the bar in power sanding with a precision laser-cut, spiral-hole design that provides maximum dust extraction for a cleaner work environment with fewer disc changes and greater productivity.




### FEATURES & BENEFITS

- Precision laser-cut, spiral-hole hook & loop vacuum design removes material consistently throughout the life of the disc while maximizing dust extraction for a cleaner work environment
- Specialized multi-hole pattern allows for use on any random orbital sander regardless of hole pattern - including unique Festool® sander models
- Premium ceramic abrasive provides a superior cut on all surfaces, lasts substantially longer and removes material faster than conventional abrasives and uses a No-Fil coating to resist clogging/loading during sanding
- Unique fiber-reinforced latex/paper backing is flexible, strong, and tear-resistant

TIER:	<b>BEST</b>
BRAND:	Norton
CAP CODE:	<b>A975 NO-FIL</b>
ABRASIVE:	Ceramic Alumina
PAPER BACKING WEIGHT:	B- & C-Weight
OTHER:	P-Graded

SIZE	GRIT	MIN. / STD PKG.	PART #
5" x 11/16"	80	50/200	77696007745
	120	50/200	77696007753
	150	50/200	77696007755
	180	50/200	77696007756
	220	50/200	77696007757
	240	50/200	77696007760
	280	50/200	77696007762
	320	50/200	77696007763
	400	50/200	77696007765
	500	50/200	77696007768
6" x 11/16"	80	50/200	77696007770
	120	50/200	77696007773
	150	50/200	77696007774
	180	50/200	77696007775
	220	50/200	77696007776
	240	50/200	77696007777
	280	50/200	77696007778
	320	50/200	77696007781
	400	50/200	77696007784
	500	50/200	77696007785
600	50/200	77696007786	
800	50/200	77696007787	
1000	50/200	77696007788	




### Improved Dust Extraction / Increased Productivity

The upgrade to precise, flat, laser-cut holes instead of die-punched holes, dramatically increases surface area contact allowing Multi-Air Cyclonic discs to improve productivity by 32% versus conventional multi-hole sanding and by 60% versus non-vacuum sanding. The end result is more holes for dust extraction, more abrasive coverage for a better cut and no deformation - for full surface contact utilizing all the cutting power of the premium ceramic grain.

### Material/Application-to-Product Recommendation Guide

	<b>BEST</b> Highest Productivity - Lowest Total Cost		<b>BETTER</b> Excellent Blend of Performance & Price		<b>GOOD</b> Consistent Performance - Low Initial Price
	Heavy-Medium Stock Removal	Light Stock Removal-Finishing	Heavy-Medium Stock Removal	Light Stock Removal-Finishing	Light Stock Removal-Finishing
Primed, Painted Surfaces		A975	H875P	A275	PB273
Fiberglass / Composites / Gel Coats		A975	H875P	A275	PB273
Wood		A975	H875P	A275	PB273
Metal	H920	A975	H822	A275	PB273
Body Fillers / Compounds / Plastics		A975	H875P	A275	PB273

### Application/Grit Recommendation Guide



### Cross Reference Guide



	<b>BEST</b>		<b>BETTER</b>					<b>GOOD</b>	
	F-Wt.	B- & C-Wt.	F-Wt.	E-Wt.	B-Wt.	B-Wt.	B-Wt.	C-Wt.	B-Wt.
<b>NORTON</b>	Norton SG H920	ProSand/Dry Ice A975	BlueFire H822	BlueFire H875P	Adalox A275	Adalox A270	Durite A475	Adalox A290	PB273
<b>MERIT</b>									
<b>3M</b>	763U, 751I	734U, 735U, 765L	-	750U, 751U, 740I, 745I	216U, 255L, 260L, 334U	210U, 268L, 360L	414N, 415N, 405N, 415U, 435U	236U	214U, 316U Red. NX
<b>Hermes</b>	CB115	-	BW 115	-	VC154-LL	VC152	PSF-LL, SF168	HCAB-LL, HC135, VC151-LL	-
<b>Indasa</b>	-	-	-	-	RedLine	-	-	-	WhiteLine
<b>Klingspor</b>	-	PS36	PS20, PS21, PS22	-	PS33	-	PL35	PS33	PL36
<b>Mirka</b>	-	-	-	Royal Coarse Cut	Q-Silver, Royal, Royal Micro	Silver	CaratFlex, PolarStar	Bulldog Gold, Basecut	Carat (B), Basecut
<b>SIA</b>	-	1950	1820, 1919	1820, 1919	1940, 1950	-	1748	1947	-
<b>VSM</b>	-	-	-	KP510E, KP709	MPG	-	CP131A	KP911	MP10

## Light-Weight Paper Discs



### NO-FIL NORTON DRYICE A975

BEST CHOICE FOR THE MOST DEMANDING SANDING APPLICATIONS

#### FEATURES

- P-graded Norton SG ceramic alumina abrasive
- Unique fiber-reinforced, flexible B- and C-weight latex-saturated backing
- Water-based No-Fil stearate, non-pigmented

#### BENEFITS

- Fastest cut rate; longest life of any paper disc
- 50-60% improvement in tear strength, longer life in all applications
- Flexible
- Provides maximum load resistance and extended life
- No color transfer



### NO-FIL NORTON ADALOX A275

BETTER CHOICE FOR HIGH-PERFORMANCE DRY FINISHING ON ALL MATERIALS

#### FEATURES

- Premium P-graded, heat-treated aluminum oxide abrasive
- Unique fiber-reinforced, flexible B-weight latex-saturated backing
- Water-based stearate, non-pigmented, No-Fil coating
- 5" and 6" individual PSA discs in fine grits have a tabbed, white translucent liner

#### BENEFITS

- Superior life, fast cut rate, consistent finish
- 50-60% improvement in tear strength
- Flexible
- Provides maximum load resistance and extended life
- No color transfer to work
- The PSA adhesive is protected from airborne contaminants
- The tab allows easier removal of the paper liner



### NO-FIL NORTON DURITE A475

BETTER CHOICE FOR HARD-TO-SAND SURFACES AND WOOD APPLICATIONS

#### FEATURES

- P-graded, hard, silicon carbide abrasive
- Water-based stearate, non-pigmented, No-Fil coating
- Durable, fiber-reinforced, B-weight latex paper

#### BENEFITS

- Easy penetration of the hardest surfaces
- Resists loading for the longest usable product life
- No color transfer to work
- Provides flexibility and resistance to tearing



### MERIT NO-LOAD PB273

GOOD CHOICE FOR SANDING PAINT, PRIMER, PLASTICS, FIBERGLASS, AND WHITEWOOD AT A LOW INITIAL PRICE

#### FEATURES

- P-graded, aluminum oxide abrasive
- Flexible latex B-weight backing, with a full resin bond and open coat
- Water-based stearate, non-pigmented, No-Fil coating

#### BENEFITS

- Fast cutting action and extended life with consistent finish
- Improved resistance to delamination; no delamination to back-up pad
- Provides improved load resistance
- No color transfer to work

## Heavy-Weight Paper Discs



### NORTON SG H920

BEST CHOICE FOR MORE DEMANDING STOCK REMOVAL APPLICATIONS

#### FEATURES

- Durable and friable Norton SG ceramic alumina abrasive
- Strong, heavy F-weight paper, synthetically-coated

#### BENEFITS

- Maximum life; fast aggressive cutting action, yet cool cutting
- Maximum durability and chip resistance, ideal for soldered and welded areas, and unpainted metal applications



### NORTON BLUEFIRE H875P

BETTER CHOICE FOR SOFT MATERIAL APPLICATIONS

#### FEATURES

- Next-generation zirconia alumina abrasive
- Strong, heavy, E-weight paper
- Open coat design

#### BENEFITS

- Extended life over original zirconia alumina products
- Improved cut rate
- Increased durability and chip resistance, flexible
- Reduced loading; ideal for body-filler, fiberglass and composites

**Availability**  
Stick & Sand (PSA)  
Heavy-Weight Disc Rolls  
Non-Vacuum



TIER:

**BEST**

**BETTER**

**BETTER**

BRAND:

Norton

Norton

Norton

CAP CODE:

**H920**

**H822**

**H875P**

ABRASIVE:

Ceramic Alumina

Zirconia Alumina

Zirconia Alumina

PAPER BACKING WEIGHT:

F-Weight

F-Weight

E-Weight

SIZE	GRIT	ROLLS/STD. PKG.	DISCS/ ROLL	PART #	PART #	PART #
5	60	4	100	66261149873	66261137310	
	80	4	100	66261149872	66261137309	66261124977
	100	4	100	66261149871	66261137308	
	120	4	100	66261149870	66261137307	
6	60	4	100		66261137323	
	80	4	100	66261149876	66261137322	66261125573
	120	4	100	66261149874		
8	100	4	50	66261149879		
	120	4	50		66261137333	

Refer to the end of this section for back-up pads and accessories.

**Availability**  
**Stick & Sand (PSA)**  
**Light-Weight Disc**  
**Rolls Non-Vacuum**



TIER:	<b>BEST</b>	<b>BETTER</b>	<b>BETTER</b>	<b>GOOD</b>	<b>GOOD</b>
BRAND:	Norton	Norton	Norton	Norton	Merit
CAP CODE:	<b>A975 NO-FIL</b>	<b>A275 NO-FIL</b>	<b>A475 NO-FIL</b>	<b>A290 NO-FIL</b>	<b>PB273 NO-LOAD</b>
ABRASIVE:	Ceramic Alumina	Aluminum Oxide	Silicon Carbide	Aluminum Oxide	Aluminum Oxide
PAPER BACKING WEIGHT:	B- & C-Weight	B-Weight	B-Weight	C-Weight	B-Weight
OTHER:	P-Graded	P-Graded	P-Graded	P-Graded	P-Graded

SIZE	GRIT	ROLLS/ STD. PKG.	DISCS/ ROLL	PART #	PART #	PART #	PART #	PART #
3-1/2	80	4	100		66261136376			
	120	4	100		66261136375			
	180	4	100		66261136373			
	220	4	100		66261136372			
	280	4	100		66261136370			
	320	4	100		66261136369			
	400	4	100		66261136368			
5	60	4	100				66261149831	
	80	4	100	66261140502	66261131464*	66254487415	66261149830	66623362930
	100	4	100	66261140501	66261131463*	66254487417	66261149829	
	120	4	100	66261140500	66261131462*	66254487418	66261149828	66623362929
	150	4	100	66261140499	66261131461*	66254487440	66261149827	66623362928
	180	4	100	66261140498	66261131460*	66254487441	66261149826	66623362927
	220	4	100	66261142474	66261131459*	66254487442	66261149825	66623362926
	240	4	100	66261155380	66261131458*	66254487443	66261149824	66623362925
	280	4	100	66261155379	66261131457*		66261149823	
	320	4	100	66261155378	66261131456*	66254487444	66261149822	66623362924
	400	4	100	66261155377	66261131454*	66261065293	66261149821	66623362923
	500	4	100	66254480231	66261131453*			
	600	4	100	66623305608	66261131452*	66254421217		66623362922
800	4	100	66254480230	66261131451*	66254401221		66623362921	
6	60	4	100				66261149847	
	80	4	100	66261140512	66261131481*	66254487446	66261149842	66623362940
	100	4	100	66261140511	66261131480*		66261149841	69957352447
	120	4	100	66261140510	66261131479*	66254487447	66261149840	66623362939
	150	4	100	66261140509	66261131478*		66261149839	66623362938
	180	4	100	66261140508	66261131477*	66254487448	66261149838	66623362937
	220	4	100	66261148340	66261131476*	66254487449	66261149837	66623362936
	240	4	100	66261155376	66261131475*		66261149836	66623362935
	280	4	100	66261155375	66261131474*		66261149835	
	320	4	100	66261155374	66261131473*	66254487450	66261149834	66623362934
	400	4	100	66261155373	66261131471*		66261149833	66623362933
	500	4	100	63642506198	66261131470*			
	600	4	100	63642506199	66261131469*			66623362932
800	4	100	63642506200	66261131468*			66623362931	
8	80	4	100		66261131617			
	120	4	100		66261131615			
	150	4	100		66261131614			
	180	4	100		66261131613			
	320	4	100		66261131612			

\* PACKAGING STANDARDS A275 = 6/100

Refer to the end of this section for back-up pads and accessories.

**Availability**  
**Stick & Sand (PSA)**  
**Light-Weight Disc**  
**Rolls Vacuum**



TIER: **BETTER**

BRAND: Norton

CAP CODE: **A275 NO-FIL**

ABRASIVE: Aluminum Oxide

PAPER BACKING WEIGHT: B-Weight

OTHER: P-Graded



TIER: **GOOD**

BRAND: Norton

CAP CODE: **A290 NO-FIL**

ABRASIVE: Aluminum Oxide

PAPER BACKING WEIGHT: C-Weight

OTHER: P-Graded

SIZE	GRIT	ROLLS/STD. PKG.	DISCS/ROLL	PART #	ROLLS/STD. PKG.	DISCS/ROLL	PART #
				 5 IN. X 5 HOLE DIE #3329			 5 IN. X 5 HOLE DIE #3329
5"	60				4	100	66261130266
	80	6	100	66261131498	4	100	66261130265
	100	6	100	66261131497	4	100	66261130264
	120	6	100	66261131496	4	100	66261130263
	150	6	100	66261131495	4	100	66261130262
	180	6	100	66261131494	4	100	66261130261
	220	6	100	66261131493	4	100	66261130260
	240	6	100	66261131492	4	100	66261130259
	320	6	100	66261131490	4	100	66261130258
	400	6	100	66261131488			
500	6	100	66261131487				
				 6 IN. X 6 HOLE DIE #3333			 6 IN. X 6 HOLE DIE #3333
6"	80	6	100	66261131515	4	100	66261130276
	100	6	100	66261131514	4	100	66261130275
	120	6	100	66261131513	4	100	66261130274
	150	6	100	66261131512	4	100	66261130273
	180	6	100	66261131511	4	100	66261130272
	220	6	100	66261131510	4	100	66261130271
	240	6	100	66261131509			
	280	6	100	66261131508			
	320	6	100	66261131507	4	100	66261130268
	400	6	100	66261131505			
600	6	100	66261131503				

Refer to the end of this section for back-up pads and accessories.




### PSA Disc Roll Dispenser

- Norton Disc Roll Dispensers feature heavy-duty construction and a rubberized finish to protect your product, as well as the finish on your workpiece
- These versatile dispensers are designed to accommodate any 5" or 6" disc roll or sheet roll
- Can be attached to a wall or stacked for multi-grit or multi-diameter operations
- Discs are individually dispensed and removed from the roll by a cutter bar

DESCRIPTION	STD. PKG.	PART #
<b>PSA Disc Roll Dispenser</b>		
Single Disc Roll Dispenser	1	63642542772
Double Disc Roll Dispenser (shown)	1	63642502981

**Availability  
Stick & Sand (PSA)  
Individual Discs**



TIER:	<b>BETTER</b>	<b>BETTER</b>	<b>BETTER</b>	<b>GOOD</b>
BRAND:	Norton	Norton	Norton	Merit
CAP CODE:	<b>H875P</b>	<b>H875P</b>	<b>A275 NO-FIL</b>	<b>PB273 NO-LOAD</b>
ABRASIVE:	Zirconia Alumina	Zirconia Alumina	Aluminum Oxide	Aluminum Oxide
PAPER BACKING WEIGHT:	E-Weight	E-Weight	B-Weight	B-Weight
FASTENING:	PSA	PSA Vacuum	PSA Tabbed	PSA Tabbed
OTHER:			P-Graded	P-Graded

SIZE	GRIT	MIN. / STD PKG.	PART #	PART #	PART #	PART #
5"	36	50/200	66261125436			
	40	50/200	66261125307			
	80	50/200	66261125244			69957348198‡
	100	100/400				69957348200
	120	100/400				69957348201
	150	100/400				69957348202
	180	100/400				69957348203
	220	100/400				69957348204
	240	100/400				
	320	100/400				69957348206
	400	100/400				
	600	100/400				69957348223
	800	100/400			66261131450	
	1000	100/400			66261131449	
6"	36	50/200	66261123575			
	40	50/200	66261123574	66261123580		
	80	50/200	66261123573			
	1000	100/400			66261131467	
	1200	100/400			66261131466	
	1500	100/400			66261131465	
8"	36	25/100	66261123578	66261123584		
	40	25/100	66261123577			
	80	25/100	66261123576	66261123582		

PACKAGING STANDARDS:  
MIN. / STD. PKG.  
‡ PB273 = 100/400

**Refer to the end of this section for back-up pads and accessories.**



**Availability  
Hook & Loop  
Individual Discs  
Non-Vacuum**




TIER:	<b>BEST</b>	<b>BEST</b>	<b>BETTER</b>	<b>BETTER</b>	<b>BETTER</b>	<b>GOOD</b>	<b>GOOD</b>
BRAND:	Norton	Norton	Norton	Norton	Norton	Norton	Merit
CAP CODE:	<b>H920</b>	<b>A975 NO-FIL</b>	<b>H875P</b>	<b>A275 NO-FIL</b>	<b>A475 NO-FIL</b>	<b>A290 NO-FIL</b>	<b>PB273 NO-LOAD</b>
ABRASIVE:	Ceramic Alumina	Ceramic Alumina	Zirconia Alumina	Aluminum Oxide	Silicon Carbide	Aluminum Oxide	Aluminum Oxide
PAPER BACKING WEIGHT:	F-Weight	B- & C-Weight	E-Weight	B-Weight	B-Weight	C-Weight	B-Weight
OTHER:		P-Graded		P-Graded	P-Graded	P-Graded	P-Graded

SIZE	GRIT	MIN./ STD PKG.	PART #	PART #	PART #	PART #	PART #	PART #	PART #
3"	80	50/200		63642505990		66261131532			
	100	50/200				66261144926			
	120	50/200		63642505991		66261128688			
	150	50/200		63642505992		66261140385			
	180	50/200		63642505993		66261131528			
	220	50/200		63642505994		66261131527			
	240	50/200		63642505995		66261131526			
	320	50/200		63642505996		66261131524			
	400	50/200		63642505997		66261136995			
	500	50/200		63642505998		66261131521			
	600	50/200		63642505999		66261136996			
	800	50/200		63642506000		66261131519			
	1000	50/200		63642506001		66261135900			
	1200	50/200							
1500	50/200			63642506002		66261147434			
5"	40	25/100			66261125684				
	60	100/400	66261149864*				66261130224		
	80	100/400	66261149865*	66261140522‡	66261125444 •	66261131549	66261149907	66623362950	
	100	100/400	66261149866*	66261140521‡		66261131548	66261149906	66623365788	
	120	100/400	66261149867*	66261140520‡		66261131547	66261149905	66623362949	
	150	100/400		66261140519‡		66261131546	66261149904	66623362948	
	180	100/400		66261140518‡		66261131545	66261149903	66623362947	
	220	100/400		66261149541‡		66261131544	66261149902	66623362946	
	240	100/400		66261149540‡		66261131543		66623362945	
	280	100/400				66261131542			
	320	100/400		66261149538‡		66261131541		66261149900	66623362944
	400	100/400		66261149537‡		66261131539	66261052270	66261149899	66623362943
	500	100/400		66254480233‡		66261131538			
	600	100/400				66261131537	66254421221		66623362942
800	100/400		66254480232‡		66261131536	66261052267		66623362941	
1000	100/400				66261131535	66261052254			
1200	100/400				66261131534				
1500	100/400				66261131533				
6"	36	25/100			66261123590				
	40	25/100			66261123589				
	80	100/400		66261140532‡	66261123588 •	66261131566	66261149916	66623362960	
	100	100/400		66261140531‡		66261131565	66261149915	66623365789	
	120	100/400		66261140530‡		66261131564	66261149914	66623362959	
	150	100/400		66261140529‡		66261131563	66261149913	66623362958	
	180	100/400		66261140528‡		66261131562	66261149912	66623362957	
	220	100/400		66261149546‡		66261131561	66261149911	66623362956	
	240	100/400				66261131560		66623362955	
	280	100/400				66261131559	66261149910		
	320	100/400		66261149543‡		66261131558	66261149909	66623362954	
	400	100/400		66261149542‡		66261131556	66261149908	66623362953	
	500	100/400		63642506202‡		66261131555			
	600	100/400		63642506203‡		66261131554			66623362952
800	100/400		63642506204‡		66261131553	66261052268		66623362951	
1000	100/400		63642506375‡		66261131552	66261052255			
1200	100/400		63642506376‡		66261131551				
1500	100/400		63642506377‡		66261131550				
8"	36	25/100			66261123593				
	40	25/100			66261123592				
	60	50/250							
	80	50/250			66261123591 •				
	100	50/250							
	180	100/400				66261131662			

PACKAGING STANDARDS: MIN. / STD. PKG.  
\* H920 = 50/250  
‡ A975 = 50/200  
• H875P = 25/100

Refer to the end of this section for back-up pads and accessories.

**Availability  
Hook & Loop  
Individual Discs  
Vacuum**



TIER:	<b>BEST</b>	<b>BETTER</b>	<b>BETTER</b>	<b>GOOD</b>	<b>GOOD</b>	<b>GOOD</b>
BRAND:	Norton	Norton	Norton	Norton	Norton	Merit
CAP CODE:	<b>A975 NO-FIL</b>	<b>H875P</b>	<b>A275 NO-FIL</b>	<b>A290 NO-FIL</b>	<b>A290 NO-FIL</b>	<b>PB273 NO-LOAD</b>
ABRASIVE:	Ceramic Alumina	Zirconia Alumina	Aluminum Oxide	Aluminum Oxide	Aluminum Oxide	Aluminum Oxide
PAPER BACKING WEIGHT:	B- & C-Weight	E-Weight	B-Weight	C-Weight	C-Weight	B-Weight
OTHER:	P-Graded		P-Graded	P-Graded	P-Graded	P-Graded


SIZE	GRIT	MIN./ STD PKG.	PART #	PART #	PART #	PART #	PART #	PART #
			 5 IN. X 5 HOLE DIE #3328		 5 IN. X 5 HOLE DIE #3328	 5 IN. X 5 HOLE DIE #3328	 5 IN. X 8 HOLE DIE #3392	 5 IN. X 8 HOLE DIE #3392
5	60	100/400				66261130236‡	66261130245‡	
	80	100/400	66261140517‡		66261131583	66261130235‡	66261130244‡	66623366071
	100	100/400			66261131582	66261130234‡	66261130243‡	
	120	100/400	66261140515‡		66261131581	66261130233‡	66261130242‡	66623369778
	150	100/400			66261131580	66261130232‡	66261130241‡	66623366073
	180	100/400			66261131579	66261130231‡	66261130240‡	66623366074
	220	100/400			66261131578	66261130230‡	66261130239‡	66623366075
	240	100/400			66261131577			
	320	100/400			66261131575	66261130227‡	66261130238‡	66623366077
	400	100/400			66261131573	66261130226‡		
	600	100/400			66261131571			
			 6 IN. X 6 HOLE DIE #3371		 6 IN. X 6 HOLE DIE #3371	 6 IN. X 6 HOLE DIE #3371		 6 IN. X 6 HOLE DIE #3371
6	80	100/400	66261140527‡		66261131600	66261130255‡		
	100	100/400			66261131599			
	120	100/400			66261131598	66261130253‡		
	150	100/400			66261131597			66623367397
	180	100/400			66261131596	66261130251‡		66623367398
	220	100/400			66261131595	66261130250‡		66623367399
	280	100/400			66261131593			
	320	100/400	66261149553‡		66261131592			66623367400
	400	100/400			66261131590			66623367401
	600	100/400			66261131588			
	800	100/400			66261131587			
	1000	100/400			66261131586			
	1200	100/400			66261131585			
	1500	100/400			66261131584			
				 8 IN. X 8 HOLE DIE #3370				
8	36	25/100			66261123598			
	80	25/100			66261123596			

PACKAGING STANDARDS: ‡ A975, A975 VACUUM, A290 VACUUM = 50/200



**For Fein/Festo Sanders**

High-performance abrasives for high performance sanders. Now available: No-Fil Norton Drylce A975 discs with center vacuum hole for Fein and Festo random orbital sanders.



TIER:	<b>BEST</b>
BRAND:	Norton
CAP CODE:	<b>A975 NO-FIL</b>
ABRASIVE:	Ceramic Alumina
PAPER BACKING WEIGHT:	B- & C-Weight
OTHER:	P-Graded


SIZE	GRIT	STD. PKG.	PART #
6	80	50/200	07660705489
	100	50/200	07660705488
	120	50/200	07660705487
	150	50/200	07660705486
	220	50/200	07660705484



### Multi-Air Foam Interface Pads

- Designed for use with fine grit Multi-Air Cyclonic Hook & Loop sanding discs to improve both surface finish and cut rate
- Use with Multi-Air Hook & Loop Disc Back-Up Pads
- Align the interface pad with the Multi-Air back up pad then simply attach the disc to the interface pad because the holes do not have to be lined up

DESCRIPTION	STD. PKG.	PART #
<b>Multi-Air Foam Interface Pads</b>		
5" Diameter x 1/2" Thick Pad	8	63642585864
6" Diameter x 1/2" Thick Pad	12	07660719359



### Multi-Air Hook & Loop Back-up Pads with Vacuum Holes

- Innovative design optimized for maximum air flow and powerful dust extraction
- Pads are engineered with a durable urethane foam, heat-resistant plastic, a molded-in 5/16"-24 spindle, and hooked face
- Holes in the disc do not have to be matched up with the holes in the pad, so changeover is fast and easy

DESCRIPTION	MAX. RPM	STD. PKG.	PART #
<b>Multi-Air Hook &amp; Loop Back-Up Pads with Vacuum Holes</b>			
5" (125mm) with 5/16"-24 Shank, Medium-Density Urethane Pad	15,000	5	66623376000
6" (150mm) with 5/16"-24 Shank, Medium-Density Urethane Pad	15,000	5	63642506160



### Low-Profile Pads for Dual Action / Random Orbital Sanders

- Soft density low-profile pads utilize 1/2" thick foam for fine finish sanding and offer moderate conformability
- Medium low-profile pads have 1/2" thick urethane foam for intermediate and finish sanding
- Available with PSA or hook and loop faces; both designs are shock resistant and have a fiberglass backing plate with a riveted 5/16"-24 threaded shank for added strength and increased heat resistance
- Available with standard hole patterns for vacuum-assist sanding

DESCRIPTION	MAX. RPM	STD. PKG.	PART #
<b>Low Profile Pads for DA/Random Orbital Sanders</b>			
3" Hook & Loop Soft Low-Profile	12,000	10*	63642506128
3-1/4" Hook & Loop Buffing Pad		5*	66261085302
5" PSA Soft Low-Profile	12,000	5*	63642506126
5" PSA Medium Low-Profile	15,000	5*	63642506131
5" PSA Medium Low-Profile with 5 vacuum holes	15,000	5*	63642506132
5" Hook & Loop Soft Low-Profile	12,000	5*	63642506129
5" Hook & Loop Medium Low-Profile	15,000	5*	63642506135
5" Hook & Loop Medium Low-Profile with 5 vacuum holes	15,000	5*	63642506136
6" PSA Soft Low-Profile	12,000	5*	63642506127
6" PSA Medium Low-Profile	15,000	5*	63642506133
6" PSA Medium Low-Profile with 6 vacuum holes	15,000	5*	63642506134
6" Hook & Loop Soft Low-Profile	12,000	5*	63642506130
6" Hook & Loop Medium Low-Profile	15,000	5*	63642506137
6" Hook & Loop Medium Low-Profile with 6 vacuum holes	15,000	5*	63642506138
8" Hook & Loop Medium Low-Profile with 8 vacuum holes, 5 screw	1,500	5*	63642543712
8" Hook & Loop Medium Low-Profile with 8 vacuum holes, 6 screw	1,500	5*	63642543714

\* PACKED IN INDIVIDUAL CLAMSHELL



### Tapered Pads for Dual Action / Random Orbital Sanders

- Designed with medium density polyurethane foam and a tapered edge for conformability, these pads are firm enough for flat surfaces, yet soft enough for severe curves and contours
- Available with either PSA (vinyl) or hook and loop faces in vacuum or non-vacuum
- The 5" and 6" pads are shock resistant and have a fiberglass backing plate with a riveted 5/16"-24 threaded shank for use on random orbital or dual action sanders
- The 8" pads have a 5/8"-11 threaded female hub

DESCRIPTION	MAX. RPM	STD. PKG.	PART #
<b>Tapered Pads for DA/Random Orbital Sanders</b>			
5" PSA Medium Tapered	15,000	5*	63642506139
5" PSA Medium Tapered with 5 vacuum holes	15,000	5*	63642506140
5" Hook & Loop Medium Tapered	15,000	5*	63642506143
5" Hook & Loop Medium Tapered with 5 vacuum holes	15,000	5*	63642506144
6" PSA Medium Tapered	15,000	5*	63642506141
6" PSA Medium Tapered with 6 vacuum holes	15,000	5*	63642506142
6" Hook & Loop Medium Tapered	15,000	5*	63642506145
6" Hook & Loop Medium Tapered with 6 vacuum holes	15,000	5*	63642506146
8" PSA Medium Tapered	6,000	5*	63642543112
8" Hook & Loop Medium Tapered	3,200	5*	63642543704

\* PACKED IN INDIVIDUAL CLAMSHELL



Hook & Loop  
Foam Interface  
Pads

- Designed for use with our fine grit hook and loop sanding discs
- Improve both surface finish and cut rate
- Use with hook and loop back-up pads


DESCRIPTION	STD. PKG.	PART #
<b>Foam Hook &amp; Loop Interface Pads</b>		
3" Diameter, 1/2" Thick Interface	10	63642505457
6" Diameter, 1/2" Thick Interface	5	63642542089
5" Diameter, 3/4" Thick Interface	2	63642502161
6" Diameter, 3/4" Thick Interface	20	63642502162



Half Moon  
Hand Pad

- The unique half moon pad uses a standard 5" hook and loop disc folded in half, which adheres to the hooks on the pad face
- The straight edge of the pad allows the operator to sand corners, contours, narrow crevices and minute imperfections without over-sanding

DESCRIPTION	STD. PKG.	PART #
<b>Half Moon Hand Pad</b>		
5" Hook and Loop	10	63642502768



Polishing  
Adapter Pad

- Converts your standard hook and loop pad into a soft polishing pad
- The foam adapter is 3/8" thick and is excellent for fine grits where minimal removal is required
- It is ideal for either flat or contour surfaces

DESCRIPTION	MAX. RPM	STD. PKG.	PART #
<b>Polishing Adapter Pad</b>			
5" Hook and Loop Adapter Pad	3,786	10	63642503121



Ergonomic  
Hand Sanders

- The ergonomic palm sander is uniquely designed to be user-friendly, with finger indentations for the operator
- It quickly converts standard 5" and 6" hook and loop discs into hand sanders for finishing flat surfaces

DESCRIPTION	STD. PKG.	PART #
<b>Ergonomic Hand Sander</b>		
5" Hook and Loop	5	63642503147
6" Hook and Loop	5	63642503726



Disc  
Hand Pads

- Hand pads eliminate finger sanding
- The ultra-thin 3/16" thick pad is composed of a single layer of neoprene foam and is designed for maximum flexibility - producing excellent finishes
- The 1" thick pad is composed of two layers, neoprene and polyester foam, for excellent conformability and softness, resulting in fine finishes
- Each pad has an elastic hand strap to hold it firmly in place
- Available with either PSA (vinyl) faces or hook and loop face

DESCRIPTION	STD. PKG.	PART #
<b>Disc Hand Pads</b>		
5" x 3/16" Thick Soft Foam PSA	10	63642503111
5" x 1" Thick Soft Foam PSA	10	63642502842
5" x 1" Thick Soft Foam Hook and Loop	10	63642503117



Panel and  
Adhesive  
Cleaner

- Removes adhesives, tar, grease, wax, body sealers, undercoating sprays, and silicone from most surfaces
- Aggressive cleaner is safe to use on most paint applications
- Packaged with squirt dispenser
- Use as directed

DESCRIPTION	STD. PKG.	PART #
<b>Panel and Adhesive Cleaner</b>		
Quart Can	12	07660782780



## Wide - Cloth

Cloth woodworking wide belts are used for rough stock removal and dimensioning. Our FastTrack express belt service has an extensive range of sizes and specifications with exceptional leadtimes.

W x L	GRIT	BEST	GOOD	W x L	GRIT	BEST	GOOD	W x L	GRIT	BEST	GOOD	W x L	GRIT	BEST	GOOD
		Z/A Y-WT.	A/O X-WT.			Z/A Y-WT.	A/O X-WT.			Z/A Y-WT.	A/O X-WT.			Z/A Y-WT.	A/O X-WT.
4" x 90"	36	60846	60000	6" x 108"	36	60920	60078	6" x 168"	36	60976	60138	18" x 85"	36	61031	60208
	40	60847	60001		40	60921	60079		40	60977	60139		40	61032	60209
	50	60848	60002		50	60922	60080		50	60978	60140		50	61033	60210
	60	60849	60003		60	60923	60081		60	60979	60141		60	61034	60211
	80	60850	60004		80	60924	60082		80	60980	60142		80	61035	60212
	100	60851	60005		100	60925	60083		100	60981	60143		100	61036	60213
	120	60852	60006		120	60926	60084		120	60982	60144		120	61037	60214
	150	60007			150	60085			150	60145			150	60215	
	180	60008			180	60086			180	60146			180	60216	
220	60009		220	60087		220	60147		220	60217					
4" x 132"	36	60863	60019	6" x 132"	36	60938	60098	6" x 186"	36	60993	60158	19" x 48"	36	61038	60218
	40	60864	60020		40	60939	60099		40	60994	60159		40	61039	60219
	50	60865	60021		50	60940	60100		50	60995	60160		50	61040	60220
	60	60866	60022		60	60941	60101		60	60996	60161		60	61041	60221
	80	60867	60023		80	60942	60102		80	60997	60162		80	61042	60222
	100	60868	60024		100	60943	60103		100	60998	60163		100	61043	60223
	120	60869	60025		120	60944	60104		120	60999	60164		120	61044	60224
	150	60026			150	60105			150	60165			150	60225	
	180	60027			180	60106			180	60166			180	60226	
220	60028		220	60107		220	60167		220	60227					
6" x 80"	36	60889	60038	6" x 144"	36	60955	60108	18" x 48"	36	61010	60178	24" x 48"	36	61075	60248
	40	60890	60039		40	60956	60109		40	61011	60179		40	61076	60249
	50	60891	60040		50	60957	60110		50	61012	60180		50	61077	60250
	60	60892	60041		60	60958	60111		60	61013	60181		60	61078	60251
	80	60893	60042		80	60959	60112		80	61014	60182		80	61079	60252
	100	60894	60043		100	60960	60113		100	61015	60183		100	61080	60253
	120	60895	60044		120	60961	60114		120	61016	60184		120	61081	60254
	150	60045			150	60115			150	60185			150	60255	
	180	60046			180	60116			180	60186			180	60256	
220	60047		220	60117		220	60187		220	60257					
6" x 89"	36	60906	60058	6" x 158"	36	60962	60118	18" x 72"	36	61017	60188	24" x 55"	36	61083	60258
	40	60907	60059		40	60963	60119		40	61018	60189		40	61084	60259
	50	60908	60060		50	60964	60120		50	61019	60190		50	61085	60260
	60	60909	60061		60	60965	60121		60	61020	60191		60	61086	60261
	80	60910	60062		80	60966	60122		80	61021	60192		80	61087	60262
	100	60911	60063		100	60967	60123		100	61022	60193		100	61088	60263
	120	60912	60064		120	60968	60124		120	61023	60194		120	61089	60264
	150	60065			150	60125			150	60195			150	60265	
	180	60066			180	60126			180	60196			180	60266	
220	60067		220	60127		220	60197		220	60267					
6" x 90"	36	60913	60068	6" x 159"	36	60969	60128	18" x 75"	36	61024	60198	24" x 60"	36	61091	60268
	40	60914	60069		40	60970	60129		40	61025	60199		40	61092	60269
	50	60915	60070		50	60971	60130		50	61026	60200		50	61093	60270
	60	60916	60071		60	60972	60131		60	61027	60201		60	61094	60271
	80	60917	60072		80	60973	60132		80	61028	60202		80	61095	60272
	100	60918	60073		100	60974	60133		100	61029	60203		100	61096	60273
	120	60919	60074		120	60975	60134		120	61030	60204		120	61097	60274
	150	60075			150	60135			150	60205			150	60275	
	180	60076			180	60136			180	60206			180	60276	
220	60077		220	60137		220	60207		220	60277					

W x L		BEST Z/A Y-WT.	GOOD A/O X-WT.	W x L		BEST Z/A Y-WT.	GOOD A/O X-WT.	W x L		BEST Z/A Y-WT.	GOOD A/O X-WT.	W x L		BEST Z/A Y-WT.	GOOD A/O X-WT.
W x L	GRIT	076607-	076607-	W x L	GRIT	076607-	076607-	W x L	GRIT	076607-	076607-	W x L	GRIT	076607-	076607-
24" x 72"	36	61099	60278	25" x 75"	36	61155	60348	36" x 48"	36	61211	60418	37" x 48"	36	61267	60488
	40	61100	60279		40	61156	60349		40	61212	60419		40	61268	60489
	50	61101	60280		50	61157	60350		50	61213	60420		50	61269	60490
	60	61102	60281		60	61158	60351		60	61214	60421		60	61270	60491
	80	61103	60282		80	61159	60352		80	61215	60422		80	61271	60492
	100	61104	60283		100	61160	60353		100	61216	60423		100	61272	60493
	120	61105	60284		120	61161	60354		120	61217	60424		120	61273	60494
	150		60285		150		60355		150		60425		150		60495
	180		60286		180		60356		180		60426		180		60496
220		60287	220		60357	220		60427	220		60497				
24" x 75"	36	61107	60288	25" x 103"	36	61163	60358	36" x 55"	36	61219	60428	37" x 60"	36	61275	60498
	40	61108	60289		40	61164	60359		40	61220	60429		40	61276	60499
	50	61109	60290		50	61165	60360		50	61221	60430		50	61277	60500
	60	61110	60291		60	61166	60361		60	61222	60431		60	61278	60501
	80	61111	60292		80	61167	60362		80	61223	60432		80	61279	60502
	100	61112	60293		100	61168	60363		100	61224	60433		100	61280	60503
	120	61113	60294		120	61169	60364		120	61225	60434		120	61281	60504
	150		60295		150		60365		150		60435		150		60505
	180		60296		180		60366		180		60436		180		60506
220		60297	220		60367	220		60437	220		60507				
24" x 84"	36	61115	60298	30" x 72"	36	61171	60368	36" x 60"	36	61227	60438	37" x 72"	36	61283	60508
	40	61116	60299		40	61172	60369		40	61228	60439		40	61284	60509
	50	61117	60300		50	61173	60370		50	61229	60440		50	61285	60510
	60	61118	60301		60	61174	60371		60	61230	60441		60	61286	60511
	80	61119	60302		80	61175	60372		80	61231	60442		80	61287	60512
	100	61120	60303		100	61176	60373		100	61232	60443		100	61288	60513
	120	61121	60304		120	61177	60374		120	61233	60444		120	61289	60514
	150		60305		150		60375		150		60445		150		60515
	180		60306		180		60376		180		60446		180		60516
220		60307	220		60377	220		60447	220		60517				
24" x 103"	36	61123	60308	30" x 75"	36	61179	60378	36" x 72"	36	61235	60448	37" x 75"	36	61291	60518
	40	61124	60309		40	61180	60379		40	61236	60449		40	61292	60519
	50	61125	60310		50	61181	60380		50	61237	60450		50	61293	60520
	60	61126	60311		60	61182	60381		60	61238	60451		60	61294	60521
	80	61127	60312		80	61183	60382		80	61239	60452		80	61295	60522
	100	61128	60313		100	61184	60383		100	61240	60453		100	61296	60523
	120	61129	60314		120	61185	60384		120	61241	60454		120	61297	60524
	150		60315		150		60385		150		60455		150		60525
	180		60316		180		60386		180		60456		180		60526
220		60317	220		02488	220		60457	220		60527				
25" x 48"	36	61131	60318	30" x 84"	36	61187	60388	36" x 75"	36	61243	60458	37" x 103"	36	61299	60528
	40	61132	60319		40	61188	60389		40	61244	60459		40	61300	60529
	50	61133	60320		50	61189	60390		50	61245	60460		50	61301	60530
	60	61134	60321		60	61190	60391		60	61246	60461		60	61302	60531
	80	61135	60322		80	61191	60392		80	61247	60462		80	61303	60532
	100	61136	60323		100	61192	60393		100	61248	60463		100	61304	60533
	120	61137	60324		120	61193	60394		120	61249	60464		120	61305	60534
	150		60325		150		60395		150		60465		150		60535
	180		60326		180		60396		180		60466		180		60536
220		60327	220		60397	220		60467	220		60537				
25" x 60"	36	61139	60328	30" x 103"	36	61195	60398	36" x 84"	36	61251	60468	38" x 103"	36		60538
	40	61140	60329		40	61196	60399		40	61252	60469		40		60539
	50	61141	60330		50	61197	60400		50	61253	60470		50		60540
	60	61142	60331		60	61198	60401		60	61254	60471		60		60541
	80	61143	60332		80	61199	60402		80	61255	60472		80		60542
	100	61144	60333		100	61200	60403		100	61256	60473		100		60543
	120	61145	60334		120	61201	60404		120	61257	60474		120		60544
	150		60335		150		60405		150		60475		150		60545
	180		60336		180		60406		180		60476		180		60546
220		60337	220		60407	220		60477	220		60547				
25" x 72"	36	61147	60338	35" x 75"	36	61203	60408	36" x 103"	36	61259	60478	40" x 75"	36	61307	60548
	40	61148	60339		40	61204	60409		40	61260	60479		40	61308	60549
	50	61149	60340		50	61205	60410		50	61261	60480		50	61309	60550
	60	61150	60341		60	61206	60411		60	61262	60481		60	61310	60551
	80	61151	60342		80	61207	60412		80	61263	60482		80	61311	60552
	100	61152	60343		100	61208	60413		100	61264	60483		100	61312	60553
	120	61153	60344		120	61209	60414		120	61265	60484		120	61313	60554
	150		60345		150		60415		150		60485		150		60555
	180		60346		180		60416		180		60486		180		60556
220		60347	220		60417	220		60487	220		60557				

W x L	GRIT	BEST	GOOD	W x L	GRIT	BEST	GOOD	W x L	GRIT	BEST	GOOD	W x L	GRIT	BEST	GOOD
		Z/A Y-WT.	A/O X-WT.			Z/A Y-WT.	A/O X-WT.			Z/A Y-WT.	A/O X-WT.			Z/A Y-WT.	A/O X-WT.
42" x 72"	36	61315	60568	43" x 75"	36	61355	60638	44" x 103"	36	61395	60698	52" x 75"	36	61435	60758
	40	61316	60569		40	61356	60639		40	61396	60699		40	61436	60759
	50	61317	60570		50	61357	60640		50	61397	60700		50	61437	60760
	60	61318	60571		60	61358	60641		60	61398	60701		60	61438	60761
	80	61319	60572		80	61359	60642		80	61399	60702		80	61439	60762
	100	61320	60573		100	61360	60643		100	61400	60703		100	61440	60763
	120	61321	60574		120	61361	60644		120	61401	60704		120	61441	60764
	150		60575		150		60645		150		60705		150		60765
	180		60576		180		60646		180		60706		180		60766
	220		60577		220		60647		220		60707		220		60767
42" x 75"	36	61323	60578	43" x 85"	36	61363	60648	50" x 75"	36	61403	60718	52" x 85"	36	61443	60768
	40	61324	60579		40	61364	60649		40	60404	60719		40	61444	60769
	50	61325	60580		50	61365	60650		50	61405	60720		50	61445	60770
	60	61326	60581		60	61366	60651		60	61406	60721		60	61446	60771
	80	61327	60582		80	61367	60652		80	61407	60722		80	61447	60772
	100	61328	60583		100	61368	60653		100	61408	60723		100	61448	60773
	120	61329	60584		120	61369	60654		120	61409	60724		120	61449	60774
	150		60585		150		60655		150		60725		150		60775
	180		60586		180		60656		180		60726		180		60776
	220		60587		220		60657		220		60727		220		60777
42" x 84"	36	61331	60598	43" x 103"	36	61371	60658	50" x 84"	36	61411	60728	52" x 103"	36	61451	60778
	40	61332	60599		40	61372	60659		40	61412	60729		40	61452	60779
	50	61333	60600		50	61373	60660		50	61413	60730		50	61453	60780
	60	61334	60601		60	61374	60661		60	61414	60731		60	61454	60781
	80	61335	60602		80	61375	60662		80	61415	60732		80	61455	60782
	100	61336	60603		100	61376	60663		100	61416	60733		100	61456	60783
	120	61337	60604		120	61377	60664		120	61417	60734		120	61457	60784
	150		60605		150		60665		150		60735		150		60785
	180		60606		180		60666		180		60736		180		60786
	220		60607		220		60667		220		60737		220		60787
43" x 60"	36	61339	60618	44" x 75"	36	61379	60668	50" x 103"	36	61419	60738				
	40	61340	60619		40	61380	60669		40	61420	60739				
	50	61341	60620		50	61381	60670		50	61421	60740				
	60	61342	60621		60	61382	60671		60	61422	60741				
	80	61343	60622		80	61383	60672		80	61423	60742				
	100	61344	60623		100	61384	60673		100	61424	60743				
	120	61345	60624		120	61385	60674		120	61425	60744				
	150		60625		150		60675		150		60745				
	180		60626		180		60676		180		60746				
	220		60627		220		60677		220		60747				
43" x 72"	36	61347	60628	44" x 85"	36	60387	60678	51" x 103"	36	61427	60748				
	40	61348	60629		40	61388	60679		40	61428	60749				
	50	61349	60630		50	62389	60680		50		60750				
	60	61350	60631		60	63390	60681		60	61430	60751				
	80	61351	60632		80	64391	60682		80	61431	60752				
	100	61352	60633		100	65392	60683		100	61432	60753				
	120	61353	60634		120	66393	60684		120	61433	60754				
	150		60635		150		60685		150		60755				
	180		60636		180		60686		180		60756				
	220		60637		220		60687		220		60757				



## Sharpening Stones

Norton has been the world leader in sharpening stones for over 100 years for every professional market. Our retail packaged line rings the same quality to the DIY market. The Knife & Scissor Sharpener is the entry level design that provides a quick and portable tool for 100s of sharpening applications. Abrasive Stones are designed for lower costs, lower usage sharpening applications. Diamond Stones are the latest addition which provides the optimum in performance and life. Each stone is specifically designed for a popular sharpening application and packaged to sell.



PART #	UPC-A	SIZE	GRIT	QTY/ PKG	PKG/ CASE
<b>Diamond Stones - Handy Packs</b>					
<b>Bench Stone</b>					
66253268081	66253268081 7	6" x 2-1/2"	Fine	1	2
66253268082	66253268082 4	6" x 2-1/2"	Coarse	1	2
<b>Mechanical - Handy Packs</b>					
<b>Knife &amp; Scissors Sharpener</b>					
07660787520	07660787520 4	2-1/2" x 6"	Carbide	1	6
<b>Abrasive Sharpening Stones - Handy Packs</b>					
<b>Axe &amp; Hatchet Sharpener</b>					
07660785316	07660785316 5	3" x 5/8" round	Combination	1	10
<b>Pocket Knife Sharpener</b>					
07660787937	07660787937 0	3" x 7/8" x 3/8" w/case	Medium	1	5**
07660787600	07660787600 3	3" x 7/8" x 3/8"	Medium	1	5**
<b>Economy Tool &amp; Knife Sharpener</b>					
07660787933	07660787933 2	6" x 2" x 3/4"	Combination	1	5**
07660787934	07660787934 9	8" x 2" x 3/4"	Combination	1	10
<b>High Quality Tool &amp; Knife Sharpener</b>					
07660787935	07660787935 6	6" x 2" x 3/4"	Combination	1	5**
<b>Chisel &amp; Planer Blade Sharpener</b>					
07660787936	07660787936 3	8" x 2" x 3/4"	Combination	1	10
<b>Household Knife &amp; Tool Sharpener</b>					
07660787939	07660787939 4	7" x 1" x 1/2"	Fine	1	5**
<b>Farm Tool Sharpener</b>					
07660787730	07660787730 7	10" x 1-1/4" x 3/4"	Coarse	1	10
<b>Lawn &amp; Garden Tool Sharpener</b>					
07660787938	07660787938 7	9-1/2" x 1-3/8" x 1/2"	Coarse	1	10
<b>Sharpening Stone Oil</b>					
07660787940	07660787940 0	4-1/2 oz	N/A	1	5**

PART #	UPC-A	SIZE	GRIT	QTY/ PKG	PKG/ CASE
<b>Rubbing Bricks - Bulk</b>					
61463687830	61463687830 0	8" x 2" x 2"	Plain	1	5
61463687840	61463687840 9	6" x 2" x 2"	Fluted	1	5
61463687845	61463687845 4	8" x 2" x 2"	Fluted	1	5
61463687800	61463687800 3	6" x 3" x 1"	Fluted w/ handle	1	5
61463687795	61463687795 2	8" x 3-1/2" x 1-1/2"	Fluted w/ handle	1	5





## Racking

Modular designs for mix and match display needs



### Short Peg Rack

Part number **07660702270**

- UPC-A number 07660702270 7
- holds 4", 4-1/2", 5" bulk depressed center wheels, cut-off blades or fibre discs
- over tag area for price label
- empty wire displayer
- 6 units/box



### Record Slot Wheel Rack

Part number **07660702269**

- UPC-A number 07660702269 1
- holds 12", 14" or 16" bulk cut-off blades, chop saw blades or diamond blades
- can fit 2 SKUs per rack or 1 SKU, doubled up
- display at base due to product weight
- wire displayer (product not included)
- 2 units/box



### Single Stack Blade Rack

Part number **07660702273**

- UPC-A number 07660702273 8
- holds 6-1/2", 7", 8", 10" bulk cut-off blades
- holds 7" bulk diamond blades
- holds 5", 7", 9" bulk fibre discs
- display on pegboard or shelf
- front plate for pricing and store info
- empty wire displayer
- 2 units/box



### Pocket Wheel Rack

Part number **07660705347**

- UPC-A number 07660705347 3
- holds 12" blades in bottom pocket and 12" or 14" in top pocket
- fits 2 SKUs per rack or 1 SKU, double faced
- design more evenly distributes product weight and provides enhanced visibility of item(s)
- wire displayer (product not included)
- 1 unit/box



### Long Peg Rack

Part number **07660702271**

- UPC-A number 07660702271 4
- holds 7" hubbed depressed center wheels
- holds other mid-size diameter discs requiring better dispersment of product weight
- over tag area for price label
- empty wire displayer
- 2 units/box



### Basket Bench Wheel Rack

Part number **07660702272**

- UPC-A number 07660702272 1
- holds 6" - 8" bench & pedestal wheel boxes
- can also hold 7" job pack circular saw cut-off blade boxes
- front plate for pricing and store info
- wire displayer (product not included)
- 2 units/box



### Flap Disc Rack

Part number **07660704157**

- UPC-A number 07660704157 9
- holds 4" or 4-1/2" flap discs (handy packs or bulk)
- merchandises 3 ways: hangs on pegboard, mounts to an upright beam, or sits on a shelf/counter
- wire rack comes with header (product not included)
- 2/pack



### Wire Tray For Bulk Portable Belts

Part number **07660702266**

- UPC-A number 07660702266 0 (2 trays/box)
- modular unit for displaying portable belts on pegboard
- set belt boxes on wire tray to hold belts and identify size and grit
- can also be used for other products as a shelf unit
- multiple racks can be positioned vertically and/or side by side for maximum impact



### 3-Way 9" x 11" Handy Pack Sheet Rack

Part number **07660702296**

- UPC-A number 07660702296 7
- vertical, space saving 3-pocket rack for 9" x 11" handy packs
- sits on counter/shelf, mounts to an upright beam using washers on back to bolt through or hangs on pegboard
- price tag area per grit
- each pocket fits 15 packs
- 1 unit/box



### 9" x 11" Handy Pack Spacesaver Merchandiser

Part number **07660748932**

- UPC-A number 07660748932 6
- space saving 3-pocket rack hangs on pegboard to display 9" x 11" Handy Pack sheets
- can be used horizontal (as shown) or vertical
- each pocket fits 15-20 packs
- 1 unit/box



### 9" x 11" Sheet Merchandiser

Part number **07660701113**


- UPC-A number 07660701113 8
- displays 9" x 11" bulk sheets, job packs, and handy packs
- individual, stackable trays from bottom to top for sturdy, free-standing counter display or pegboard/wall mounting without front to back movement
- durable wire gauge to withstand wear; won't bend or sag
- full width, front plate for quick product identification
- 4 trays/box



### Product Identification Strips

Part number **07660703963**

- UPC-A number 07660703963 7
- must order with 9" x 11" Sheet Merchandiser (#01113)
- adhesive backed label for quick attachment
- color coded to match product category, bilingual
- individual grit labels provided to customize at retail
- 1 set/envelope



### Grit Guide Header

Part number **07660701967**

- UPC-A number 07660701967 7
- use with 9" x 11" Sheet Merchandiser (#01113) or any hand sanding set
- 11"w x 12"h header for selecting the right 9" x 11" sheet by application
- color coded to packaging, bilingual
- 1 unit/box

## Signage (24" w x 12" h)

Self-selling signage and cross merchandising solutions

**ABRASIVES FOR CUTTING AND GRINDING**

**METAL**  
Steel, Stainless, Iron, Pipor and Sheet Metal

**MASONRY**  
Concrete, Brick, Block, Tile, Stone, Flagstone and other Building Materials

**COLOR-CODING BY APPLICATION**  
Abrasive Made Bladders coated with blue or green color coding of material being cut.

**RIGHT ANGLE GRINDER**  
For off-hand grinding, cutting and stock removal. Use depressed center wheels. Rip discs, resin fiber discs and right angle cut-offs.

**CHOP SAW**  
For large production applications requiring a straight, clean cut. Use chip saw blades.

**CIRCULAR SAW**  
For quick, general cutting and skiving applications. Use cut-off blades.

**ABRASIVE/DIAMOND COMPARISON**

BLADE TYPE	BLADE COST	THRU COST	PROJECT COST
ABRASIVE	Best	Good	Good
DIAMOND	Best	Good	Best

**RIGHT ANGLE GRINDER APPLICATIONS**

TYPE	HEAVY REMOVAL	LIGHT REMOVAL	BLENDING	FINISHING	CUTTING
FLAP DISCS	✓	✓	✓	✓	✓
FLAP WHEELS	✓	✓	✓	✓	✓
FLAP FIBER DISCS	✓	✓	✓	✓	✓
FLAP CUT OFF WHEELS	✓	✓	✓	✓	✓

THE MUSCLE BEHIND THE MACHINE™

FLAP DISCS OFFER THE BEST VALUE OVER FIBER

www.nortonabrasives.com

**Cutting and Grinding Header:**  
Part number **07660721890** UPC-A number 07660721890 2 1/1

**HIGH PERFORMANCE POWER SANDING**

**THREE STEPS TO A PERFECT FINISH**

**STEP 1**  
Coarse grits remove heavy coatings. The lower the number, the coarser the grit.

**STEP 2**  
Use medium grits to prepare surfaces for finishing.

**STEP 3**  
Use finer grits to finish work piece prior to applying stain, wax, varnish or paint. Sand between coats of finish with very fine grit for a smooth finish.

**RANDOM ORBITAL DISCS**  
Fiberglass. Dry sanding many surfaces where quality of surface finish is primary requirement. Anti-dog coating for reduced loading and no flush contamination.

**PORTABLE BELTS**  
FIBERGLASS: High speed sanding of flat surfaces where material removal is priority. Bi-directional belt splice allows belt to be run both directions for maximum belt life.

**UPGRADE TO ProSand**  
Faster, easier sanding on all surfaces. Premium abrasive grain for **better total performance**.

**ATTACHMENT OPTIONS**

**HOOK & LOOP**  
Hook and Loop backing for quick disc changes and longest life.

**STACK & SAND**  
Pressure sensitive adhesive backing allows users to stack it on, sand, and peel off.

**DRILL SAND**  
Flux sanding pads with center hole, commonly used on electric drills.

**CONVERSION PAD**  
Converts your sander to be compatible with Hook and Loop discs.

**DOES YOUR RANDOM ORBITAL SANDER HAVE VACUUM ASSIST?**

Select by size and hole pattern. Norton Mark-A-Ride design fits all.

Hook & Loop sanders. No need to align holes.

4 HOLE  
3 HOLE  
2 HOLE  
1 HOLE

www.nortonabrasives.com

**Power Sanding Header:**  
Part number **07660721891** UPC-A number 07660721891 9 1/1

**ABRASIVE SHEET PRODUCT SELECTION**

**CHOOSE THE RIGHT PRODUCT FOR YOUR PROJECT!**

	ProSand	MultiSand	SandWet	WoodSand	MetalSand	WallSand
<b>WOOD PAINT AND FINISHES</b>	✓	✓	✓	✓	✓	✓
<b>METAL</b>	✓	✓	✓	✓	✓	✓
<b>PLASTIC AND FIBERGLASS</b>	✓	✓	✓	✓	✓	✓
<b>DRYWALL AND PLASTER</b>	✓	✓	✓	✓	✓	✓

www.nortonabrasives.com

**Sheet Guide Header:**  
Part number **07660721888** UPC-A number 07660721888 9 1/1

**ProSand PREMIUM ABRASIVE SPONGES**

**SMALL ANGLE SPONGE**  
For small flat areas.

**SINGLE ANGLE SPONGE**  
For sanding into tight areas and corner repair.

**MULTI ANGLE SPONGE**  
For detailed surfaces such as crown molding/millwork.

**DUAL ANGLE SPONGE**  
For inside corners where they meet the ceiling.

**CONTOUR SPONGE**  
For rounded or contoured areas such as baseboards.

**LARGE ANGLE SPONGE**  
For a faster smoother finish over larger areas.

**SPONGE STICKS**  
For tight areas such as between spindles.

**BENEFITS**

**Versatile** - various size and grits to fit any need. For use on wood, metal, paint, plastic, ceramics and drywall.

**Washable** - rinse and reuse.

**Flexible** - easily conforms to shapes. Can sand into areas unreachable by sandpaper.

**Durable** - resistant to tear, long life.

**ProSand Premium Sponges are designed to remove more material faster and with less pressure, resist clogging, and will last up to 5X longer than conventional sandpaper.**

**CHOOSING THE RIGHT GRIT**

**STRIPPING**  
Coarser grits remove heavy coatings or heavy disk.

**SMOOTHING**  
Medium grits prepare surfaces for finishing.

**FINISHING**  
Finer grits finish work prior to applying stain, varnish, or paint.

**SANDING IS EVEN EASIER...**

**JUST ADD A HANDLE!**  
The patented 3-prong sanding system exclusive to Norton is designed to securely hook to our ergonomic handle in only seconds.

www.nortonabrasives.com

**Sponge Header:**  
Part number **076607 10104** UPC-A number 076607 10104 4 1/1

**ProSand Next Generation 3X Technology**

**60 COARSE**  
Heavy removal, stripping and dimensioning.

**80 COARSE**  
Moderate removal and stripping.

**100 MEDIUM**  
Moderate to light removal and stripping.

**120 MEDIUM**  
Light stock removal and surface leveling.

**150 MEDIUM**  
Fine surface preparation.

**180 FINE**  
Final surface smoothing and finish between coats.

**220 VERY FINE**  
After priming, staining or sealing.

**320 EXTRA FINE**  
Between coats, sanding.

**400 SUPER FINE**  
Final finish.

**NORTON PROSAND WON'T CLOG, TEAR, OR TRANSFER COLOR!**

- Premium heat-treated abrasive offers faster cut and longer lasting sandpaper life than 3X technology.
- Improved design offers better grain retention and tear-resistance, yet is highly flexible for folding and unfolding sheets.
- Non-pigmented, anti-dog coating, open coat for best resistance to clogging and loading during sanding.
- No color dye in coating process, so there's no chance of color transfer to work piece.

www.nortonabrasives.com

**Norton 3X Header:**  
Part number **07660710101** UPC-A number 07660710101 3 1/1

**NORTON**

**SAINT-GOBAIN**

www.nortonabrasives.com

**Logo Header:**  
Part number **07660721886** UPC-A number 07660721886 5 1/1



## Off Shelf Display

Unique solutions for effectively and prominently showcasing products in high traffic areas.

### MultiSand Bonus Pack Display

Part number **07660702670**

- UPC-A number 07660702670 5
- 75 Fine/Medium Sponges of 02081
- Dimensions - (assembled): 42"H x 17"W x 17"D (shippable): 21"H x 17"W x 17"D
- Weight - 25 lbs.
- Cube - 3.5 cu. ft.

UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE
05539510684	26	07660701632	21	07660702050	6	07660702466	17	07660703227	20	07660704173	16
05539510693	26	07660701633	21	07660702051	6	07660702487	16	07660703228	20	07660704657	40
07660700151	9	07660701634	21	07660702052	6	07660702495	22	07660703229	20	07660704658	40
07660700152	9	07660701635	21	07660702057	6	07660702496	22	07660703230	20	07660704659	40
07660700153	9	07660701636	21	07660702061	6	07660702497	22	07660703231	20	07660704660	40
07660700154	9	07660701637	21	07660702062	31	07660702498	22	07660703232	20	07660704680	40
07660700155	9	07660701641	22	07660702064	31	07660702499	22	07660703233	20	07660704681	40
07660700156	9	07660701642	22	07660702065	31	07660702500	22	07660703234	20	07660704682	40
07660700157	9	07660701643	22	07660702066	31	07660702533	15	07660703251	15	07660704683	40
07660700158	9	07660701644	22	07660702067	31	07660702534	15	07660703252	15	07660704684	40
07660700159	9	07660701645	22	07660702068	31	07660702535	15	07660703253	15	07660704685	40
07660700160	9	07660701646	22	07660702069	31	07660702600	12	07660703292	17	07660704729	32
07660700354	6	07660701647	22	07660702081	12	07660702612	5	07660703858	46	07660704735	12
07660700355	6	07660701649	22	07660702082	12	07660702613	5	07660703886	27	07660704738	25
07660700356	6	07660701650	22	07660702206	21	07660702616	5	07660703887	27	07660704746	15
07660700357	6	07660701651	22	07660702207	21	07660702617	5	07660703888	27	07660704747	15
07660700358	6	07660701652	22	07660702208	21	07660702618	5	07660703889	27	07660705249	34
07660700365	6	07660701654	17	07660702209	21	07660702619	5	07660703890	27	07660705251	34
07660700935	12	07660701655	17	07660702225	30	07660702620	5	07660703891	27	07660705278	23
07660700936	12	07660701656	17	07660702226	30	07660702621	5	07660703892	27	07660705279	32
07660700937	12	07660701683	25	07660702227	30	07660702622	5	07660703893	27	07660705281	32
07660700938	12	07660701693	25	07660702228	30	07660702623	9	07660703894	27	07660705282	32
07660700939	12	07660701703	25	07660702229	30	07660702624	9	07660703895	27	07660705285	31
07660700941	16	07660701715	16	07660702230	30	07660702625	9	07660703896	27	07660705287	31
07660700944	16	07660701717	30	07660702231	30	07660702626	9	07660703897	27	07660705289	14
07660700946	13	07660701720	32	07660702233	31	07660702627	9	07660703963	66	07660705291	14
07660700947	13	07660701721	32	07660702234	31	07660702628	9	07660703968	21	07660705292	14
07660700948	13	07660701722	32	07660702235	31	07660702629	9	07660703970	38	07660705300	48
07660700949	13	07660701726	46	07660702236	31	07660702630	9	07660703987	34	07660705301	48
07660700950	13	07660701727	46	07660702237	31	07660702631	9	07660703988	34	07660705311	5
07660700964	31	07660701728	46	07660702238	31	07660702632	5	07660703991	30	07660705312	5
07660700968	31	07660701729	46	07660702239	31	07660702633	5	07660703992	30	07660705313	5
07660700969	31	07660701740	31	07660702240	31	07660702636	5	07660703993	30	07660705314	5
07660701110	13	07660701741	31	07660702241	31	07660702637	5	07660703995	30	07660705320	20
07660701113	66	07660701742	31	07660702242	31	07660702638	5	07660703996	30	07660705322	20
07660701146	28	07660701743	31	07660702243	31	07660702639	5	07660703997	30	07660705324	20
07660701147	28	07660701744	31	07660702244	31	07660702640	5	07660703999	30	07660705326	20
07660701148	28	07660701745	31	07660702245	31	07660702641	5	07660704000	30	07660705344	33
07660701149	28	07660701809	22	07660702246	31	07660702642	5	07660704001	30	07660705347	65
07660701194	33	07660701811	22	07660702253	26	07660702670	12, 67	07660704003	30	07660705364	40
07660701201	33	07660701812	22	07660702255	12	07660702678	36	07660704004	30	07660705386	5
07660701208	15	07660701815	22	07660702256	12	07660702704	28	07660704005	30	07660705411	40
07660701209	15	07660701845	16	07660702257	12	07660702705	28	07660704013	26	07660705412	40
07660701217	26	07660701860	15	07660702263	16	07660702706	28	07660704015	26	07660705413	40
07660701222	16	07660701861	15	07660702266	66	07660702707	28	07660704016	33	07660705414	40
07660701223	8	07660701862	15	07660702269	65	07660702757	34	07660704017	33	07660705421	40
07660701224	8	07660701863	15	07660702270	65	07660702769	6	07660704018	33	07660705422	40
07660701225	8	07660701864	15	07660702271	65	07660702770	6	07660704022	33	07660705441	6
07660701226	8	07660701875	12	07660702272	65	07660702771	6	07660704023	33	07660705442	6
07660701230	33	07660701885	13	07660702273	65	07660702772	6	07660704025	48	07660705444	6
07660701293	9	07660701886	16	07660702275	6	07660702780	33	07660704030	13	07660705445	6
07660701294	9	07660701887	15	07660702284	16	07660702784	33	07660704031	13	07660705446	6
07660701295	9	07660701888	15	07660702285	16	07660702785	33	07660704032	13	07660705447	6
07660701296	9	07660701889	6	07660702286	13	07660702786	33	07660704033	20	07660705452	6
07660701300	16	07660701909	26	07660702296	66	07660702787	33	07660704034	20	07660705453	6
07660701301	16	07660701910	26	07660702299	15	07660702788	33	07660704035	20	07660705454	6
07660701302	15	07660701911	26	07660702314	28	07660702789	33	07660704036	20	07660705455	22
07660701303	15	07660701912	26	07660702315	28	07660702790	33	07660704037	20	07660705456	22
07660701304	15	07660701913	26	07660702316	28	07660702791	33	07660704038	20	07660705466	26
07660701305	15	07660701914	26	07660702317	28	07660702792	33	07660704041	20	07660705472	30
07660701307	10	07660701915	26	07660702318	28	07660702793	33	07660704056	21	07660705473	30
07660701308	10	07660701916	26	07660702320	21	07660703074	13	07660704057	21	07660705474	30
07660701309	10	07660701919	15	07660702343	8	07660703075	13	07660704058	21	07660705475	33
07660701311	16	07660701920	15	07660702344	8	07660703076	13	07660704059	21	07660705484	20, 58
07660701312	16	07660701921	15	07660702345	8	07660703077	13	07660704060	21	07660705486	20, 58
07660701511	9	07660701966	32	07660702388	27	07660703078	13	07660704061	21	07660705487	20, 58
07660701512	9	07660701967	66	07660702389	27	07660703205	24	07660704062	21	07660705488	20, 22, 58
07660701513	9	07660701973	23	07660702390	27	07660703206	24	07660704063	21	07660705489	20, 22, 58
07660701514	9	07660701975	23	07660702391	27	07660703207	24	07660704064	21	07660705490	20, 22
07660701515	9	07660701981	23	07660702395	27	07660703211	24	07660704065	13	07660705493	38
07660701516	9	07660701986	23	07660702396	27	07660703212	24	07660704066	13	07660705494	38
07660701517	9	07660701987	23	07660702397	27	07660703213	24	07660704067	13	07660705495	38
07660701518	9	07660701989	23	07660702398	27	07660703214	24	07660704068	13	07660705496	38
07660701579	7	07660701991	23	07660702399	27	07660703215	24	07660704069	13	07660705504	7
07660701580	7	07660701994	23	07660702400	27	07660703216	24	07660704070	13	07660705505	7
07660701581	7	07660701996	23	07660702401	27	07660703217	24	07660704145	6	07660705506	7
07660701582	7	07660701998	23	07660702411	18	07660703218	20	07660704146	6	07660705507	7
07660701583	7	07660702001	21	07660702412	18	07660703219	20	07660704147	6	07660706038	48
07660701584	7	07660702003	21	07660702450	45	07660703220	20	07660704148	6	07660706048	14
07660701616	34	07660702005	21	07660702451	45	07660703221	20	07660704153	6	07660706049	14
07660701617	34	07660702007	21	07660702452	45	07660703222	20	07660704154	6	07660710101	67
07660701618	34	07660702045	26	07660702453	45	07660703223	20	07660704155	6	07660710466	40
07660701620	34	07660702046	26	07660702463	17	07660703224	20	07660704157	65	07660719359	59
07660701621	34	07660702047	26	07660702464	17	07660703225	20	07660704169	16	07660721525	29
07660701622	34	07660702048	26	07660702465	17	07660703226	20	07660704171	16	07660721527	29

UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE
07660721529	29	07660748675	32	07660749507	12	07660768282	49	07660788262	40	63642506128	59
07660721532	29	07660748690	32	07660749600	30	07660768283	15	07660788263	40	63642506129	59
07660721534	29	07660748710	31	07660749602	30	07660768284	15	07660788265	40	63642506130	59
07660721536	29	07660748725	31	07660749604	30	07660768285	15	07660788270	40	63642506131	59
07660721546	29	07660748740	31	07660749610	30	07660768286	15	07660788275	40	63642506132	59
07660721548	29	07660748780	22	07660749611	30	07660768288	12	07660788280	40	63642506133	59
07660721550	29	07660748795	22	07660749612	30	07660768289	12	07660788281	40	63642506134	59
07660721581	31	07660748835	22	07660749613	30	07660768290	12	07660788282	40	63642506135	59
07660721582	31	07660748906	22	07660768100	15	07660768300	17	07660788283	40	63642506136	59
07660721583	31	07660748907	22	07660768101	15	07660768305	44	07660788285	40	63642506137	59
07660721602	28	07660748908	22	07660768102	15	07660768306	44	07660788286	40	63642506138	59
07660721763	16	07660748909	22	07660768103	15	07660768307	44	07660788290	40	63642506139	59
07660721764	16	07660748910	22	07660768104	18	07660768308	44	07660788295	40	63642506140	59
07660721765	16	07660748911	22	07660768105	18	07660768318	16	07660789000	37	63642506141	59
07660721766	16	07660748919	22	07660768106	18	07660768319	16	07660789005	37	63642506142	59
07660721767	16	07660748932	66	07660768107	18	07660768320	16	07660789010	37	63642506143	59
07660721775	12	07660749008	48	07660768108	6	07660768321	16	07660789050	37	63642506144	59
07660721886	67	07660749126	6	07660768109	6	07660775936	36	07660789055	37	63642506145	59
07660721888	67	07660749127	6	07660768110	6	07660775937	36	07660789070	37	63642506146	59
07660721890	67	07660749128	6	07660768111	6	07660775938	36	07660789086	37	63642506149	59
07660721891	67	07660749129	6	07660768119	29	07660775940	36	07660789088	37	63642506198	54
07660724376	39	07660749155	21	07660768120	29	07660775942	36	07660789089	37	63642506199	54
07660724419	39	07660749156	21	07660768121	29	07660775956	36	07660789096	37	63642506200	57
07660724549	39	07660749157	21	07660768122	29	07660782063	11	07660789097	37	63642506202	57
07660724564	39	07660749158	21	07660768123	29	07660782064	11	07660789098	37	63642506203	57
07660743135	22	07660749159	21	07660768124	29	07660782065	11	07660789275	35	63642506204	57
07660743140	6	07660749165	21	07660768125	29	07660782066	11	07660789384	37	63642506375	57
07660747710	6	07660749166	21	07660768126	29	07660782067	11	07660789387	37	63642506376	57
07660747720	6	07660749209	21	07660768127	29	07660782068	11	07660789390	39	63642506377	57
07660747725	6	07660749210	21	07660768128	29	07660782069	11	07660789391	39	63642535316	47
07660747735	6	07660749211	21	07660768129	29	07660782070	11	07660789392	39	63642536313	13
07660747740	6	07660749212	21	07660768139	11	07660782071	11	07660789395	39	63642536314	13
07660747750	6	07660749213	21	07660768140	11	07660782072	11	07660789399	38	63642542089	60
07660747765	6	07660749214	21	07660768141	11	07660782073	11	07660789400	38	63642542772	55
07660747767	37	07660749215	21	07660768142	44	07660782074	11	07660789401	38	63642543112	59
07660747769	37	07660749216	21	07660768143	44	07660782075	11	07660789405	38	63642543421	25
07660747805	7	07660749217	21	07660768156	5	07660782076	11	07660789430	36	63642543422	25
07660747820	7	07660749218	21	07660768157	5	07660782077	11	07660789431	36	63642543423	25
07660747835	7	07660749219	21	07660768158	5	07660782078	11	07660789432	36	63642543425	25
07660747855	7	07660749220	21	07660768159	5	07660782079	11	07660789451	37	63642543426	25
07660747965	7	07660749221	21	07660768160	5	07660782080	11	07660789453	37	63642543704	59
07660747980	7	07660749222	21	07660768161	5	07660782081	11	08834190172	24	63642543712	59
07660747990	7	07660749223	21	07660768162	5	07660782082	11	08834190767	24	63642543714	59
07660748010	7	07660749224	21	07660768163	5	07660782083	11	08834190933	24	63642552868	13
07660748025	7	07660749225	21	07660768164	5	07660782084	11	08834193649	24	63642552869	13
07660748052	8	07660749231	22	07660768165	5	07660782085	11	08834193650	24	63642552870	13
07660748053	8	07660749232	22	07660768166	5	07660782086	11	08834193651	24	63642552871	13
07660748054	8	07660749236	22	07660768167	5	07660782088	11	08834193652	24	63642555799	47
07660748055	8	07660749237	22	07660768168	5	07660782089	60	08834193725	24	63642557600	47
07660748058	8	07660749238	22	07660768171	5	07660784002	6	08834194360	24	63642557602	47
07660748060	8	07660749239	22	07660768172	5	07660784024	6	08834194362	24	63642557604	47
07660748080	8	07660749240	22	07660768173	5	07660784025	6	08834194514	24	63642557606	47
07660748090	8	07660749242	22	07660768174	5	07660784042	6	61463687795	64	63642557608	47
07660748110	8	07660749244	22	07660768175	5	07660784250	6	61463687800	64	63642557611	47
07660748130	6	07660749246	22	07660768177	5	07660784251	6	61463687830	64	63642557612	47
07660748132	6	07660749247	6	07660768182	5	07660784252	6	61463687840	64	63642557613	47
07660748143	14	07660749248	6	07660768183	5	07660785316	64	61463687845	64	63642557616	47
07660748144	14	07660749249	6	07660768184	5	07660787520	64	63642502122	25	63642558864	59
07660748145	14	07660749250	6	07660768185	5	07660787600	64	63642502161	60	66243411393	37
07660748146	46	07660749251	6	07660768186	26	07660787730	64	63642502162	60	66243411395	37
07660748147	46	07660749252	6	07660768187	26	07660787933	64	63642502538	13	66243411402	37
07660748148	46	07660749254	6	07660768188	26	07660787934	64	63642502768	60	66243510512	36
07660748295	6	07660749256	30	07660768189	26	07660787935	64	63642502842	60	66243510627	37
07660748300	6	07660749258	30	07660768190	26	07660787936	64	63642502981	55	66243510628	37
07660748301	6	07660749259	30	07660768221	11	07660787937	64	63642503111	60	66243510629	37
07660748302	6	07660749262	30	07660768230	30	07660787938	64	63642503117	60	66243510630	37
07660748310	6	07660749264	30	07660768231	30	07660787939	64	63642503121	60	66243510645	37
07660748325	6	07660749265	30	07660768232	30	07660787940	64	63642503147	60	66243510647	37
07660748335	6	07660749266	30	07660768233	30	07660788201	60	63642503726	60	66243510650	37
07660748353	6	07660749268	30	07660768234	30	07660788202	40	63642505457	60	66243510651	37
07660748354	6	07660749270	30	07660768235	30	07660788205	40	63642505990	57	66243510654	37
07660748355	6	07660749271	30	07660768236	30	07660788210	40	63642505991	57	66243510655	37
07660748430	31	07660749272	30	07660768237	17	07660788215	40	63642505992	57	66243510658	37
07660748450	31	07660749274	30	07660768238	17	07660788225	40	63642505993	57	66243510659	37
07660748465	31	07660749276	30	07660768239	6	07660788230	40	63642505994	57	66243527955	34
07660748490	31	07660749277	30	07660768240	6	07660788235	40	63642505995	57	66243527956	34
07660748505	31	07660749278	30	07660768241	18	07660788240	40	63642505996	57	66252801864	36
07660748520	31	07660749282	28	07660768242	15	07660788245	40	63642505997	57	66252801865	36
07660748521	31	07660749283	28	07660768243	15	07660788246	40	63642505998	57	66252809376	35
07660748600	31	07660749284	28	07660768245	6	07660788247	40	63642505999	57	66252823599	34
07660748620	31	07660749502	12	07660768276	11	07660788248	40	63642506000	57	66252823600	34
07660748630	31	07660749503	12	07660768277	11	07660788250	40	63642506001	57	66252823601	34
07660748631	31	07660749504	12	07660768279	20	07660788255	40	63642506002	57	66252823602	34
07660748660	32	07660749505	12	07660768280	49	07660788260	40	63642506126	59	66252823603	34
07660748665	32	07660749506	12	07660768281	49	07660788261	40	63642506127	59	66252823604	34

UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE
66252830587	34	66252843331	35	66254487396	10	66261123576	56	66261130239	58	66261131524	57
66252830886	38	66252843332	35	66254487397	10	66261123577	56	66261130240	58	66261131526	57
66252833483	42	66252843334	35	66254487398	10	66261123578	56	66261130241	58	66261131527	57
66252833487	42	66252843590	36	66254487399	10	66261123580	56	66261130242	58	66261131528	57
66252833488	42	66252843591	36	66254487400	10	66261123582	56	66261130243	58	66261131532	57
66252833489	42	66252843593	36	66254487415	54	66261123584	56	66261130244	58	66261131533	57
66252833490	42	66252843594	36	66254487417	54	66261123588	57	66261130245	58	66261131534	57
66252833491	42	66252843596	36	66254487418	54	66261123589	57	66261130250	58	66261131535	57
66252833492	41	66252843598	36	66254487440	54	66261123590	57	66261130251	58	66261131536	57
66252833493	41	66252843599	36	66254487441	54	66261123591	57	66261130253	58	66261131537	57
66252833494	41	66252843600	36	66254487442	54	66261123592	57	66261130255	58	66261131538	57
66252833496	41	66252843601	36	66254487443	54	66261123593	57	66261130258	55	66261131539	57
66252833497	41	66252843602	36	66254487444	54	66261123596	58	66261130259	55	66261131541	57
66252833947	41	66252843604	34	66254487446	54	66261123598	58	66261130260	55	66261131542	57
66252833948	43	66252843605	36	66254487447	54	66261124977	53	66261130261	55	66261131543	57
66252833949	43	66252843607	36	66254487448	54	66261125244	56	66261130262	55	66261131544	57
66252833950	43	66252843609	36	66254487449	54	66261125307	56	66261130263	55	66261131545	57
66252833951	43	66252843611	36	66254487450	54	66261125436	56	66261130264	55	66261131546	57
66252833952	43	66252843613	36	66260148820	46	66261125444	57	66261130265	55	66261131547	57
66252833953	43	66252843614	36	66261008108	46	66261125573	53	66261130266	55	66261131548	57
66252833954	43	66252843615	36	66261045600	46	66261125615	23	66261130268	55	66261131549	57
66252837187	40	66252843616	36	66261047583	46	66261125616	23	66261130271	55	66261131550	57
66252837190	40	66252843624	37	66261052254	57	66261125684	57	66261130272	55	66261131551	57
66252837191	40	66252912626	34, 36	66261052255	57	66261126266	14	66261130273	55	66261131552	57
66252837192	40	66252917880	35	66261052267	57	66261126267	14	66261130274	55	66261131553	57
66252837193	40	66252917881	35	66261052268	57	66261126268	14	66261130275	55	66261131554	57
66252837194	40	66252938854	35	66261052270	57	66261126269	14	66261130276	55	66261131555	57
66252841939	34	66252938855	35	66261065293	54	66261126270	14	66261130331	10	66261131556	57
66252842001	35	66252939184	35	66261074000	46	66261126271	14	66261130332	10	66261131558	57
66252842002	35	66252939207	36	66261074700	46	66261126272	14	66261130333	10	66261131559	57
66252842003	35	66252939259	36	66261074800	46	66261126273	14	66261130334	10	66261131560	57
66252842004	35	66252940098	36	66261079600	46	66261126274	14	66261131449	56	66261131561	57
66252842005	35	66252940148	36	66261085302	59	66261126275	14	66261131450	56	66261131562	57
66252842010	36	66252942300	40	66261100245	10	66261126276	14	66261131451	54	66261131563	57
66252842011	36	66252942301	40	66261100285	10	66261126277	14	66261131452	54	66261131564	57
66252842013	36	66252942302	40	66261100290	10	66261126279	14	66261131453	54	66261131565	57
66252842014	36	66253021633	35	66261100295	10	66261126280	14	66261131454	54	66261131566	57
66252842015	34	66253021634	35	66261100315	10	66261126281	14	66261131456	54	66261131571	58
66252842016	36	66253044087	40	66261100320	10	66261126282	14	66261131457	54	66261131573	58
66252842017	36	66253044534	40	66261100325	10	66261126283	14	66261131458	54	66261131575	58
66252842018	36	66253044535	40	66261100330	10	66261126284	14	66261131459	54	66261131577	58
66252842019	36	66253048896	35	66261100335	10	66261126285	14	66261131460	54	66261131578	58
66252842025	34	66253048897	35	66261100915	16	66261126286	14	66261131461	54	66261131579	58
66252842026	34	66253048983	36	66261100920	16	66261126287	14	66261131462	54	66261131580	58
66252842036	34	66253048991	36	66261100935	16	66261126288	14	66261131463	54	66261131581	58
66252842177	35	66253048994	36	66261100940	16	66261126289	14	66261131464	54	66261131582	58
66252842178	35	66253049066	36	66261100945	16	66261126290	14	66261131465	56	66261131583	58
66252842179	36	66253049104	36	66261100950	16	66261126291	14	66261131466	56	66261131584	58
66252842180	34	66253144536	40	66261100955	16	66261126292	14	66261131467	56	66261131585	58
66252842202	34	66253160366	40	66261100960	16	66261126293	14	66261131468	54	66261131586	58
66252843171	37	66253207554	38	66261101150	10	66261126294	14	66261131469	54	66261131587	58
66252843172	37	66253263054	40	66261101155	10	66261126295	14	66261131470	54	66261131588	58
66252843173	37	66253263055	40	66261101160	10	66261126296	14	66261131471	54	66261131590	58
66252843174	37	66253263056	40	66261101165	10	66261126297	14	66261131473	54	66261131592	58
66252843175	37	66253263359	40	66261101170	10	66261126298	14	66261131474	54	66261131593	58
66252843176	36	66253263360	40	66261101175	10	66261126299	14	66261131475	54	66261131595	58
66252843177	36	66253268081	64	66261101255	10	66261126300	10	66261131476	54	66261131596	58
66252843178	36	66253268082	64	66261101380	10	66261126331	10	66261131477	54	66261131597	58
66252843179	36	66253306627	36	66261101385	10	66261126332	10	66261131478	54	66261131598	58
66252843208	34	66253410183	39	66261101390	10	66261126333	10	66261131479	54	66261131599	58
66252843209	34	66253410198	38	66261101488	10	66261126334	10	66261131480	54	66261131600	58
66252843210	34	66254401221	54	66261101489	10	66261126335	10	66261131481	54	66261131609	54
66252843211	36	66254419963	24	66261101490	10	66261126336	10	66261131487	55	66261131612	54
66252843212	36	66254419978	24	66261101495	10	66261126337	10	66261131488	55	66261131613	54
66252843213	36	66254419984	24	66261101500	10	66261126338	10	66261131490	55	66261131614	54
66252843214	36	66254419987	24	66261101505	10	66261126339	10	66261131492	55	66261131615	54
66252843215	36	66254419994	24	66261101525	10	66261126340	10	66261131493	55	66261131617	54
66252843216	36	66254419996	24	66261101530	10	66261127278	14	66261131494	55	66261131618	10
66252843217	36	66254419997	24	66261101535	10	66261127279	14	66261131495	55	66261131619	10
66252843218	36	66254420004	24	66261101555	10	66261127280	14	66261131496	55	66261131620	10
66252843233	36	66254420006	24	66261101560	10	66261127281	14	66261131497	55	66261131621	10
66252843234	36	66254420007	24	66261101570	10	66261127282	14	66261131498	55	66261131622	10
66252843235	36	66254420008	24	66261101861	10	66261127283	14	66261131503	55	66261131624	10
66252843236	36	66254420010	24	66261101862	10	66261128688	57	66261131505	55	66261131626	10
66252843244	36	66254420012	24	66261104714	15	66261130224	57	66261131507	55	66261131627	10
66252843245	36	66254420013	24	66261104716	15	66261130226	58	66261131508	55	66261131628	10
66252843246	36	66254421217	54	66261104717	15	66261130227	58	66261131509	55	66261131629	10
66252843247	36	66254421221	57	66261104718	15	66261130230	58	66261131510	55	66261131630	10
66252843254	38	66254480230	54	66261104719	15	66261130231	58	66261131511	55	66261131631	10
66252843321	35	66254480231	54	66261107265	14	66261130232	58	66261131512	55	66261131632	10
66252843322	35	66254480232	57	66261107270	14	66261130233	58	66261131513	55	66261131633	10
66252843323	35	66254480233	57	66261107275	14	66261130234	58	66261131514	55	66261131634	10
66252843324	35	66254487393	10	66261123573	56	66261130235	58	66261131515	55	66261131661	57
66252843326	35	66254487394	10	66261123574	56	66261130236	58	66261131519	57	66261131662	57
66252843328	35	66254487395	10	66261123575	56	66261130238	58	66261131521	57	66261131681	

UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE	UPC-A	PAGE
66261131683	6	66261138592	25	66261149842	54	66623357281	26	66623390706	49	70184684546	33
66261131685	6	66261138593	25	66261149847	54	66623357282	26	66623390707	49	77696007745	50
66261131686	6	66261138594	25	66261149864	57	66623357283	26	66623390708	49	77696007753	50
66261131687	6	66261138600	25	66261149865	57	66623357284	26	66623390709	49	77696007755	50
66261131688	6	66261138601	25	66261149866	57	66623357285	26	66623390710	49	77696007756	50
66261131689	6	66261139360	10	66261149867	57	66623357286	26	66623390711	49	77696007757	50
66261131690	6	66261139361	10	66261149870	53	66623357287	26	66623390712	49	77696007760	50
66261131692	14	66261139362	10	66261149871	53	66623357288	26	66623390713	49	77696007762	50
66261131693	14	66261139363	10	66261149872	53	66623357289	26	66623390714	49	77696007763	50
66261131694	14	66261139364	10	66261149873	53	66623362921	54	66623390715	49	77696007765	50
66261131695	14	66261139365	10	66261149874	53	66623362922	54	69936602003	41	77696007768	50
66261131696	14	66261139366	10	66261149876	53	66623362923	54	69936605965	41	77696007770	50
66261131697	14	66261139367	10	66261149879	53	66623362924	54	69936606145	43	77696007773	50
66261134425	17	66261139377	10	66261149899	57	66623362925	54	69936606275	42	77696007774	50
66261135900	57	66261139378	10	66261149900	57	66623362926	54	69936606277	42	77696007775	50
66261136350	23	66261139379	10	66261149902	57	66623362927	54	69936606278	42	77696007776	50
66261136351	23	66261139380	10	66261149903	57	66623362928	54	69936606279	43	77696007777	50
66261136352	23	66261139381	10	66261149904	57	66623362929	54	69936653306	42	77696007778	50
66261136354	23	66261140385	57	66261149905	57	66623362930	54	69936653309	43	77696007781	50
66261136355	23	66261140498	54	66261149906	57	66623362931	54	69936653310	43	77696007784	50
66261136368	54	66261140499	54	66261149907	57	66623362932	54	69936653316	43	77696007785	50
66261136369	54	66261140500	54	66261149908	57	66623362933	54	69936653317	43	77696007786	50
66261136370	54	66261140501	54	66261149909	57	66623362934	54	69936653324	42	77696007787	50
66261136372	54	66261140502	54	66261149910	57	66623362935	54	69936653326	42	77696007788	50
66261136373	54	66261140508	54	66261149911	57	66623362936	54	69936653327	42	77696007791	50
66261136375	54	66261140509	54	66261149912	57	66623362937	54	69936653329	42	77696007793	50
66261136376	54	66261140510	54	66261149913	57	66623362938	54	69936653331	42	77696007795	50
66261136576	23	66261140511	54	66261149914	57	66623362939	54	69936653333	42	78072720875	32
66261136581	23	66261140512	54	66261149915	57	66623362940	54	69936653336	41	78072720885	32
66261136582	23	66261140515	58	66261149916	57	66623362941	57	69936653340	41	78072720890	32
66261136583	23	66261140517	58	66261155373	54	66623362942	57	69936653341	41	78072720895	32
66261136584	23	66261140518	57	66261155374	54	66623362943	57	69936653345	41	78072720900	32
66261136585	23	66261140519	57	66261155375	54	66623362944	57	69936653346	41	78072720905	32
66261136586	23	66261140520	57	66261155376	54	66623362945	57	69936653347	41	78072720910	32
66261136587	23	66261140521	57	66261155377	54	66623362946	57	69936653348	41	78072727932	31
66261136588	23	66261140522	57	66261155378	54	66623362947	57	69936653349	41	78072727933	31
66261136589	23	66261140527	58	66261155379	54	66623362948	57	69936653350	42	78072727934	31
66261136592	23	66261140528	57	66261155380	54	66623362949	57	69936653351	42	78072727935	31
66261136593	23	66261140529	57	66261156659	17	66623362950	57	69936653352	42	78072727936	31
66261136594	23	66261140530	57	66261158171	17	66623362951	57	69957348198	56	78072727937	31
66261136595	23	66261140531	57	66623305608	54	66623362952	57	69957348200	56	78072727942	31
66261136596	23	66261140532	57	66623311870	10	66623362953	57	69957348201	56	78072727943	31
66261136600	23	66261142474	54	66623311871	10	66623362954	57	69957348202	56	78072727944	31
66261136601	23	66261144926	57	66623311872	10	66623362955	57	69957348203	56	78072727945	31
66261136602	23	66261147434	57	66623311873	10	66623362956	57	69957348204	56	78072727946	31
66261136604	23	66261148340	54	66623311874	10	66623362957	57	69957348205	56	78072727947	31
66261136606	23	66261149537	57	66623311875	10	66623362958	57	69957348206	56	78072727947	31
66261136607	23	66261149538	57	66623311876	10	66623362959	57	69957348223	56	78072727957	32
66261136613	23	66261149540	57	66623311877	10	66623362960	57	69957352447	54	78072727958	32
66261136614	23	66261149541	57	66623311878	10	66623362961	57	70184623029	38	78072727959	32
66261136615	23	66261149542	57	66623311879	10	66623365598	25	70184645926	33	78072727960	32
66261136620	23	66261149543	57	66623353306	26	66623365600	25	70184645927	33	78072727961	32
66261136625	23	66261149546	57	66623353309	26	66623365788	57	70184681309	33	78072727962	32
66261136630	23	66261149553	58	66623353310	26	66623365789	57	70184681383	33	78072727963	32
66261136635	23	66261149553	58	66623353311	26	66623366015	25	70184681779	33	78072727964	32
66261136995	57	66261149821	54	66623353312	26	66623366071	58	70184682555	33	78072727962	32
66261136996	57	66261149822	54	66623353313	26	66623366073	58	70184682586	33	78072727963	32
66261137307	53	66261149823	54	66623353314	26	66623366074	58	70184682593	33	78072727964	32
66261137308	53	66261149824	54	66623355578	25	66623366075	58	70184682595	33	78072727965	32
66261137309	53	66261149825	54	66623355594	25	66623366077	58	70184682596	33	78072727966	32
66261137310	53	66261149826	54	66623355595	25	66623366078	58	70184683611	33	78072727967	32
66261137322	53	66261149827	54	66623355596	25	66623366079	58	70184683612	33	78072727968	32
66261137323	53	66261149828	54	66623355597	25	66623366080	58	70184683613	33	78072727969	32
66261137325	53	66261149829	54	66623355598	25	66623366081	58	70184683614	33	78072727970	32
66261137333	53	66261149830	54	66623355599	25	66623366082	58	70184683615	33	78072727971	32
66261138452	25	66261149831	54	66623355600	25	66623366083	58	70184683616	33	78072727972	32
66261138453	25	66261149832	54	66623355601	25	66623366084	58	70184683617	33	78072727973	32
66261138454	25	66261149833	54	66623355602	25	66623366085	58	70184683618	33	78072727974	32
66261138456	25	66261149834	54	66623355603	25	66623366086	58	70184683619	33	78072727975	32
66261138457	25	66261149835	54	66623355604	25	66623366087	58	70184683620	33	78072727976	32
66261138561	25	66261149836	54	66623355605	25	66623366088	58	70184683621	33	78072727977	32
66261138562	25	66261149837	54	66623355606	25	66623366089	58	70184683622	33	78072727978	32
66261138563	25	66261149838	54	66623355607	25	66623366090	58	70184683623	33	78072727979	32
66261138590	25	66261149839	54	66623355608	25	66623366091	58	70184683624	33	78072727980	32
66261138591	25	66261149840	54	66623355609	25	66623366092	58	70184683625	33	78072727981	32
		66261149841	54	66623357276	26	66623366093	58	70184683626	33	78072727982	32
				66623357277	26	66623366094	58	70184683627	33	78072727983	32
				66623357278	26	66623366095	58	70184683628	33	78072727984	32
				66623357279	26	66623366096	58	70184683629	33	78072727985	32
				66623357280	26	66623366097	58	70184683630	33	78072727986	32
						66623366098	58	70184683631	33	78072727987	32
						66623366099	58	70184683632	33	78072727988	32
						66623366100	58	70184683633	33	78072727989	32
						66623366101	58	70184683634	33	78072727990	32
						66623366102	58	70184683635	33	78072727991	32
						66623366103	58	70184683636	33	78072727992	32
						66623366104	58	70184683637	33	78072727993	32
						66623366105	58	70184683638	33	78072727994	32
						66623366106	58	70184683639			

# NORTON DO-IT-YOURSELF AND CONTRACTOR MARKET



## Flexibility and Conformability in the Palm of Your Hand.

Norton ProSand has every angle covered with various shapes, sizes and grit combinations of sanding sponges. Last longer than sandpaper.



## Bulk Up Fast with Norton WallSand.

Packaged in bulk, Norton WallSand bulk drywall sheets meet the unique needs of drywall contractors and deliver flawless walls and ceilings with fewer trips to the store to stock up.



## It's Time to Clean the Air.

Norton ProSand Multi-Air Cyclonic Discs feature a multi-hole design pattern that maximizes dust extraction for all 5" & 6" random orbital sanders. For all surfaces and coatings.



## Fast and Tough for the Most Demanding Jobs.

Norton Diamond Blades are the choice of professionals vs. abrasive blades with faster cut rate, constant depth of cut and less downtime.



## Norton Has You Covered.

Norton Painter's Plastic protects virtually any area from sanding dust and paint overspray with ease - even after repositioning. Mono films and linear low density plastics (LLDPE) don't compare.



## Time is Money. Spend it Wisely.

Designed with the professional woodworker in mind, Norton Red Heat belts feature a self-sharpening ceramic alumina grain which allows them to sand all species of wood from the softest pines to extremely hard woods.

## SANDING MADE **EASIER**™

[www.facebook.com/NortonDIYContractor](https://www.facebook.com/NortonDIYContractor) | [www.youtube.com/NortonDIYContractor](https://www.youtube.com/NortonDIYContractor) | [nortonabrasives.com](http://nortonabrasives.com)

### CUSTOMER SERVICE:

Toll Free Phone: 1 800 551-4415  
Phone: 1 254 918-2306  
Fax: 1 254 918-2309

### FORM #340 REV. 02/17

© Saint-Gobain February 2017.

Norton, "Sanding Made Easier" and "Reshaping Your World" are registered trademarks of Saint-Gobain Abrasives.

