2019 Catalogue



INDASA

best choice for surface preparation

#BeBetterPrepared



CONTENTS

ABRASIVES

- 8 Lines Forms
- 9 Abrasive Plan
- 10 The Components Fastening Systems FEPA Grit
- 11 Safety Recommendations

Discs

- 12 Rhynogrip HT Line Ultravent
- 14 Rhynogrip HT Line
- 15 Rhynogrip Film Line Ultravent
- Rhynogrip Film Line 17 Rhynocell
- Rhynofinish
- 18 Rhynogrip Red Line Rhynogrip Plus Line Ultravent
- 19 Rhynogrip Plus Line
- 21 Rhynogrip White Line Rhynostick White Line
- 22 Rhynostick MFS Rhynofibre Silver
- 23 Nylon Web Quickfix

Strips

- 24 Rhynogrip HT Line
- 25 Rhynogrip Plus Line
- 26 Rhynostick White Line

Sheets

- 27 Rhynowet Plus Line28 Rhynowet White Line
- Rhynalox Plus Line Rhynowood
- 29 Rhynoblue Rhynosoft

Rolls

- 30 Rhynostick White Line
- 31 Rhynalox Plus Line
- Rhynolite Yellow Line
- 32 Rhynolite Heavy Line
- 33 Rhynosoft Nylon Web

Sponges & Web

- 34 Double Sided Sanding Sponge Pads
- 35 Rhyno Sponge Sanding Pads Four Sided Sanding Blocks

Belts

36 Rhynobelt Rhyno X/Z

TOOLS

- 38 Sanders
- 40 Polishers
- 41 Belt Sanders
- 42 Vacuum Extraction
- 43 MBX System
- 45 Specialised Tools

ANCILLIARIES

- 48 Backing Pads 51 Hand Blocks
- 52 Blades & Drill Bits
- 53 Bodyshop Ancillaries
- 55 Workstation PRO

SEALANTS, ADHESIVES & COATINGS

- 57 Sealants
- 58 Plastic Repair
- 59 Anti-Corrosion
- Sound Deadening
- 60 Aerosol Coatings
- 61 Applicators & Nozzles
- 62 Autofill
- 64 Evercoat
- 66 LORD Fusor

POLISHING

- 68 Autogloss Plus
- 70 Autogloss Mops & Cloth

TECHNICAL TAPES

- 72 Masking Tapes
- 73 Masking Cover Rolls74 Masking Foam
- Specialised Tapes
- 78 Terms & Conditions

INDASA professional sanding systems



Founded in 1979, Indasa is now one of Europe's leading manufacturers of high performance coated abrasives.

From its headquarters in Aveiro, Portugal, the company specialises in the production of innovative sanding materials and systems that deliver market specific solutions to a wide range of manufacturing and service industries.

An ongoing program of investment has resulted in the manufacturing plant becoming one of the most modern production facilities in Europe, with increased capacity to respond to the growing demands of the global market for Indasa's Rhyno brand of abrasive products. The consistently high standards of development, production and marketing of coated abrasives has earned the company a number of globally recognized accreditations over the years.

The Indasa Group consists of 8 wholly owned subsidiaries that are located in Spain, UK, France, Germany, Poland, Brazil, USA and Italy.

Export markets have been established in over 100 countries worldwide with a network of key distribution partners that service local market demand and promote continued business development.



Over the past 40 years, Indasa has successfully positioned itself as one of the leading coated abrasives brands in the UK. With a commitment to our customers and innovative product range, Indasa has become synonymous with performance, satisfaction and quality. Indasa offers a wide range of abrasives and accessories for your needs, regardless of your industry. We strive to continually develop and supply a wide range of quality products and systems to meet all of the strict and ever-changing market needs.







In 1994 Indasa implemented a Quality Assurance System according to the NP EN ISO 9002 which was a natural step to strengthen and standardise our manufacturing capabilities. Indasa extended its certification to ISO 9001 in 2000, including development, manufacturing and distribution of flexible abrasives.

The company's management system is currently certified for the "development, manufacturing and selling of flexible abrasives and complementary products."

INDASA CORE VALUES

MANUFACTURING

We have been at the forefront of manufacturing abrasives for almost 40 years. Fundamental to our strategic goal is our desire to continuously fulfil the highest quality and performance standards.

An essential component of our work ethic is our manufacturing expertise, which is a direct result of the investment in the personal development of the Indasa employee. This collaborative synergy ensures that we manufacture and operate with customer value and market specific solutions in mind.

QUALITY AND R&D

Our commitment to deliver an inspired and valued range of products, is one that can only be achieved by a company whose culture strives for excellence. We utilise our key areas of expertise in the manufacturing process to ensure that nothing but the highest quality product leaves our production plant and represents our brand.

Through highly competent internal resources, unique partnerships with key suppliers, universities and R&D centres, we have created a business and operating model that differentiates us from other renowned global players.

Our ability to challenge traditional concepts in an ever-evolving industry positions us as a leading provider for performance products, materials and service.

CORPORATE RESPONSIBILITY

It's becoming increasingly evident that responsible business practices are imperative for a successful future.

Corporate responsibility and sustainability drives our business development and innovation - ultimately it shapes the way in which we operate.

ENVIRONMENTAL SUSTAINABILITY

Recognition of our environmental sustainability is gaining momentum throughout the business operation, from energy resource or waste generation to commercial mileage consumption.

We believe that having a positive reputation exemplifies our proposition for our customers, employees, shareholders and business partners alike.





RESEARCH & DEVELOPMENT







Research & Development plays a crucial role in the ongoing development of technically advanced, high performance abrasive materials. Only the highest quality raw materials and FEPA compliant mineral grains are used, thus providing consistency of performance and efficiency across the abrasive grit range.

Indasa ultilises its key areas of expertise to offer complete systems for surface treatment, preparation and finishing, across diverse market sectors such as automotive, marine & composite, woodworking and building & decorative trades.

DVANCED DUST FREE SOLUTION



Indasa has developed a unique and highly advanced dust free sanding solution with the ability to transform the future of machine sanding. The extraction capacity of the new Ultravent system virtually eliminates abrasive clogging, prolongs performance and provides a clean, healthy working environment. The superior dust free sanding process produces a highly consistent finish, maximizes operator efficiency and optimises bodyshop key performance indicators (KPI's).



INNOVATIVE CELL TECHNOLOGY by INDASA

Indasa launched the Rhynocell abrasive system that brings a new dimension to specialised surface preparation for compound and high gloss polishing applications. It is a system resulting from a collaboration between our R&D department and leading paint and polish companies. This prepolishing process incorporates an innovative cell technology developed by Indasa. The uniformity and consistency of scratch delivers the optimum surface for compound/polish applications and offers a labour efficient and material savings polishing process.

You can see it in the finish.



Opened in January 2016, the Indasa Academy welcomes customers from all over the world serving the broadest spectrum of industry markets. The Academy represents not only a major investment in the facility but also the commitment and delivery of technical expertise and instruction.


The application of best working practice is a key essential in driving efficiency for the workforce and business operation. Our team of experienced technicians instruct delegates in the very latest process and application techniques utilising Indasa's innovative range of abrasive system technologies. The bespoke and tailored training programmes develop the customer's skill base and optimise efficiencies in the workplace.







ABRASIVES BEST CHOICE FOR SURFACE PREPARATION





PRODUCTIndasa's flexible abrasive materials integrate a full range of product
for the most demanding sanding processes.

HT Line	Faster and sustained power Increased flexibility Prolonged performance
FilmLine	Flexible film backing Micro finishing grain Consistent scratch pattern
PlusLine	Flexible paper backing Excellent clog resistance Longer working life
Red Line	High performance abrasive grain Latex paper backing Lubricant coating minimises loading
WhiteLine	High performance abrasive grain Latex paper backing Lubricant coating minimises loading
Heavy Line	Heavy duty paper backing Aluminium oxide mineral grain Durable cutting performance

VT KAVEľ ADVANCED DUST FREE SOLUTION

PRODUCT TYPE





P16 P24 P24 P24 P24 P36 P36 P36 P40 P60 P60 P80 P30 P30 P30 P30 P30 P40 P60 P80 P30 P30 P30 P30 P30 P40 P41 P41 P41 P41 P42 P41 P42 P41 P42 P

DESCRIPTION	BACKING	ABRASIVE							Fepa-	P GRI	TS	İ							GR	ITS			APF	LICATI	ON SU	GGEST	IONS								SUBS	STRATE	:						PROD	UCT T'	'PE
Rhynogrip Film Line	Polyester Film	Special Alum. Oxide							Π	•	•		•	• •	• •														Π		• •						•		•	•	• •				\square
Rhynogrip HT Line	D / B Paper Latex	Special Alum. Oxide					• •	• •		• •			•	• •	• •							•									• •						•		•	• •	• •	• • •	•		[]]
Rhynocell	Sponge Microcellular	Special Alum. Oxide																			•				•						•											•			
Rhynogrip Red Line	D Paper / B Paper Latex	Aluminum Oxide					• •	• •		• •		• •	•	•	• •																• •			•		•	• •	•	•	• •	• •	• • •	•	•	
Rhynogrip Plus Line	D Paper / C / B Paper Latex	Aluminum Oxide					• •	•		• •		•	•		• •																• •					•	•			• •	• •	• • •	•	•	
Rhynogrip White Line	D / C Paper	Aluminum Oxide					• •	• •		• •		•	•																		• •			•		•	•		•	• •	• •	• • •	•	•	\square
Rhynogrip Heavy Line	E Paper	Aluminum Oxide					• •	• •		• •																										•	• •	• •	•	• •	• •	•			\square
Rhynalox White Line	D Paper	Aluminum Oxide					• •																																	• •	• •	• • /	• •	•	\square
Rhynodry White Line	D / C Paper	Aluminum Oxide					• •	•		• •		•																						•								1	• •	•	\square
Rhynodry Red Line	D Paper / B Paper Latex	Aluminum Oxide					• •	• •		• •		•	•		• •																• •						•			• •	• •	• •	• •	•	
Rhynowet Red Line	C / A Paper Latex	Aluminum Oxide / Silicon Carbide				•	• •	•		•	•	•	•	•	• •	•	• •					•	•							•	• •	•	•						• •	•	• •		•		
Rhynowet Plus Line	C / A Paper Latex	Aluminum Oxide / Silicon Carbide					• •	• •		•	•	•	•	•	• •	•	• •					•	•							•	• •	•	•						• •	•	• •		•		
Rhynalox Plus Line	D / C / B Paper Latex	Aluminum Oxide					•	• •		• •		•																			• •					•	•		•	• •	• •	•		•	
Rhynostick Heavy Line	E Paper	Aluminum Oxide					• •	• •		• •																											• •			• •	• •	•			\square
Rhynostick White Line	D / C Paper	Aluminum Oxide					• •	•		• •		•																								•	•			• •	• •	• •	•	•	
Rhynostick Plus Line	D / C / B Paper Latex	Aluminum Oxide					• •	•		• •		•			• •																• •					•	•			• •	• •	•		•	
Rhynostick Red Line	D / C Paper	Aluminum Oxide					• •	•		• •		•																			• •					•	• •	• •		• •	• •	• • •	•	•	
Rhynofibre 'A' Silver	Vulcanized Fibre	Aluminum Oxide	• •			• •	• •															• •						•						• •								•			
Rhynofibre 'Z' Silver	Vulcanized Fibre	Zirconium	•			• •	•															• •						•						• •								•			
Rhynogrip SiC	F Paper	Silicon Carbide	•				•																													•		•	•			•			
Rhynoblue	Cloth Blue	Aluminum Oxide				• •	• •	• •																										•											
Rhynowood	B Paper	Aluminum Oxide					• •	• •		• •																										•	•					•			
Rhynosoft Plus / Red Line	B / C Latex + Sponge	Aluminum Oxide					•	• •		•	•																				• •					•	• •			•	• •	•		•	
Rhynobelt	Cloth X	Aluminum Oxide				• •	•	•																												•						•			
Nylon Web	Nylon Web	Aluminum Oxide / Silicon Carbide																	•	• •				•		•				•	• •			•			•		•	•	• •		•	•	
Sponge Auto	Sponge	Aluminum Oxide																		•	• •										• •			•		•	•			•	• •				
Sponge Double Sided	Sponge	Silicon Carbide				•	•	•																												•	•			•		•			
4 Sided Block	Sponge	Aluminum Oxide					•	• •																												•	•					•			
Daisy Discs	C Paper Latex	Silicon Carbide															• •							•							• •											•			
Locking Discs	Cloth X	Aluminum Oxide / Zirconium / Ceramic				• •	•															• •						•	•					• •								•			
			P16 P20	P24 P30	P40		P30	P120	P180	P220 - P240 -	P280	P320 -	P400	009d	- P1000	P1200	P2500	MF 3000	Very fine XZ	Ultra fine	Super fine Micro fine	Ę	Sanding / preparation	Sanding for blending	Pre-polisihing	Scutting / key paint work _ Surface conditioning _	Sanding _ Adhesive & tape removal	Rust and paint removal		Primers	Top coats _	Fibre glass	Gel coat Solid surface	Metal burrs & welding seems _ Metal _	Hard metal _ Leather and shoes _	Glass Soft and resinous wood	Hard wood _ Wood coatings _	Wooden floors Walls and dry walls	Stone & concrete Painted surface	Primed surface Polyester filler	Composite	DISCS	STRIPS	ROLLS .	BELTS SPONGES

THE COMPONENTS




RHYNO ABRASIVE SYSTEMS

Rhyno products offer the optimum performance and durability for all refinishing operations. Developed specifically to meet the exact standards of the professionals and to keep pace with advanced refinishing techniques. they perform quicker and last longer while producing the ideal surface for the next stage of the work process.

ABRASIVES

High performance mineral grains: Aluminum oxide Silicon carbide



As a 3rd coating, a clog resistant lubricant technology is used in specific products for dry sanding operations.

BACKINGS

PAPER The most used are the following premium backing papers: ABCDEGH

Resistance

The waterproof latex papers incorporate a synthetic polymer which also increases flexibility.

CLOTH

flexibility

F¹ X^1 Y^2 flexibility Resistance


Is used in abrasive discs for very

POLYESTER FILM

Used for finishing operations performed with microfine grits.

FASTENING SYSTEMS

THE TAB SYSTEM



removal of the release paper from the Rhynostick discs.



of the Rhynogrip discs from the machine's backing pad for reuse.

Indasa abrasives systems are at

the forefront of coated abrasive

development of our products

are always in response to

the needs of our customers

and in trend with the latest

recognition of our brand

surface treatment techniques.

resulting in the unquestionable

Indasa's offering includes a

complete range of accessories

for the autobody professionals.

The investments in the

technology.

worldwide.

The brushed nylon

enables the removal

"Grip" system

THE GRIP SYSTEM



Indasa coated abrasives are manufactured using the highest quality raw materials and in compliance with FEPA grit standards.

FEPA-P Grit	(micra)
P16	1324
P24	764
P30	642
P36	538
P40	425
P50	336
P60	269
P80	201
P100	162
P120	125
P150	100
P180	82
P220	68
P240	58.5 ±2.0
P280	52.2 ±2.0
P320	46.2 ±1.5
P360	40.5 ±1.5
P400	35.0 ±1.5
P500	30.2 ±1.5
P600	25.8 ±1.0
P800	21.8 ±1.0
P1000	18.3 ±1.0
P1200	15.3 ±1.0
P1500	12.6 ±1.0
P2000	10.3 ±0.8
P2500	8.4 ±0.5

DRY SANDING SPECIAL COATING

VULCANIZED FIBRE

heavy duty applications.

¹ Cotton ² Polyester



Ensure that the working area is clean and tidy. Wear protective ear and eye equipment. Wear suitable respiratory equipment when working with hazardous materials. Wear protective gloves. Follow the correct procedures for handling and storage. Make sure that the abrasive selected is suitable for its intended use. Avoid clogging to ensure the abrasive works efficiently. Let the abrasive stop naturally. not by applying pressure to its surface.

As the majority of coated abrasive backings are hygroscopic, they cause different superficial tensions with the resin layer. This phenomenon might cause positive (convex) or negative (concave) flexing. In order to maintain the abrasives in their natural form (straight), it is recommended that they be stored at a temperature between 64-70 F and a relative humidity of 55-60%.









WEAR EYE PROTECTION



WEAR A RESPIRATOR



WEAR GLOVES



PROTECTION



ONLY PERMITTED WITH A BACK-UP PAD



NOT PERMITTED FOR Hand-Held Machines



NOT PERMITTED FOR WET GRINDING



NOT PERMITTED FOR FACE GRINDING



DO NOT USE IF DAMAGED



DISCS



DISCS

RHYNOGRIP HT LINE ULTRAVENT

Advanced dust extraction \rightarrow Cleaner working environment Increased efficiency \rightarrow Maximises productivity High flexibility \rightarrow Adaptable to curves & contoured surfaces High initial cutting action \rightarrow Rapid stock removal Uniformity of scratch pattern \rightarrow Optimum substrate preparation High strength resin bond \rightarrow Minimal grit shedding







150mm											
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX							
C56333	P80	50	10	24.13							
C56331	P120	50	10	24.13							
C56330	P150	50	20	23.03							
C56329	P180	50	20	23.03							
C56207	P240	50	20	23.03							
C56209	P320	50	20	23.03							
C56211	P400	50	20	23.03							
C56212	P500	50	20	23.03							
C56213	P600	50	20	23.03							
C56214	P800	50	20	23.03							
C56215	P1000	50	20	23.03							
C55369	P1200	50	20	23.03							
C55370	P1500	50	20	23.03							
C55371	P2000	50	20	23.03							



21 Holes 57 Holes



Advanced dust free solution

Indasa has developed a unique and highly advanced dust free sanding solution with the scope to transform the future of machine sanding.



Surface preparation is one of the most labour intensive and time consuming phases of the painting process.



ULTRAVENT adds value by saving time and providing a cleaner working environment.





RHYNOGRIP HT LINE



High flexibility → Adaptable to curves & contoured surfaces High initial cutting action → Rapid stock removal Uniformity of scratch pattern → Optimum substrate preparation High strength resin bond → Minimal grit shedding Advanced technology clog resistant coating → Extended working performance






	RHY
	P 32
	TRANKALINO .

		75mm		
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C55952	P40	50	10	13.19
C55953	P60	50	10	13.19
C55954	P80	50	10	11.79
C55956	P120	50	10	11.79
C55958	P180	50	20	11.79
C55960	P240	50	20	11.79
C55962	P320	50	20	11.79
C55964	P400	50	20	11.79
C55965	P500	50	20	11.79
C55966	P600	50	20	11.79
C55967	P800	50	20	11.79
C55968	P1000	50	20	11.79
C55969	P1200	50	20	11.79
C55970	P1500	50	20	11.79
C55971	P2000	50	20	11.79

	7	'5mm 3l	ł	
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C55972	P40	50	10	13.19
C55973	P60	50	10	13.19
C55974	P80	50	10	11.79
C55976	P120	50	10	11.79
C55978	P180	50	20	11.79
C55980	P240	50	20	11.79
C55982	P320	50	20	11.79
C55984	P400	50	20	11.79
C55985	P500	50	20	11.79
C55986	P600	50	20	11.79
C55987	P800	50	20	11.79
C55988	P1000	50	20	11.79
C55989	P1200	50	20	11.79
C55990	P1500	50	20	11.79
C55991	P2000	50	20	11.79



	150mm 15H											
PART #	GRIT	QTY P/ Box	QTY P/ CASE	PRICE PER BOX								
C51126	P40	50	10	28.18								
C51127	P60	50	10	28.18								
C51128	P80	50	10	24.13								
C51130	P120	50	10	24.13								
C51131	P150	50	20	23.03								
C51132	P180	50	20	23.03								
C51134	P240	50	20	23.03								
C51136	P320	50	20	23.03								
C51138	P400	50	20	23.03								
C51139	P500	50	20	23.03								
C51140	P600	50	20	23.03								
C51141	P800	50	20	23.03								
C51142	P1000	50	20	23.03								
C51143	P1200	50	20	23.03								
C51144	P1500	50	20	23.03								
C51145	P2000	50	20	23.03								




RHYNOGRIP FILM LINE ULTRAVENT



Advanced dust extraction → Cleaner working environment Increased efficiency → Maximises productivity Flexible film backing → Crease & tear resistant Uniformity of scratch pattern → Optimum substrate preparation High strength resin bond → Minimal grit shedding Advanced technology clog resistant coating → Extended working performance



PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C56853	P600	50	5	37.71
C56296	P800	50	5	37.71
C56297	P1000	50	5	37.71
C56298	P1200	50	5	37.71
C56299	P1500	50	5	37.71





RHYNOGRIP FILM LINE

Flexible film backing → Crease & tear resistant Uniformity of scratch pattern → Optimum substrate preparation High strength resin bond → Minimal grit shedding Advanced technology clog resistant coating → Extended working performance





		75mm		
Part #	GRIT	QTY P/ Box	QTY P/ Case	PRICE PER BOX
C39040	P600	50	5	19.68
C39041	P800	50	5	19.68
C48616	P1000	50	5	19.68
C39042	P1200	50	5	19.68
C38562	P1500	50	5	19.68

75mm 3H QTY P/ B0X

50

50

50

50

50

P600

P800

P1000

P1200

P1500

C42696

C42697

C49067

C42618

C42619

QTY / CAS

5

5

5

5

5

PRICE


19.68

19.68

19.68

19.68

19.68







150mm 15H											
PART #	GRIT	QTY P/ Box	QTY P/ CASE	PRICE PER BOX							
C40758	P600	50	5	37.71							
C40565	P800	50	5	37.71							
C48620	P1000	50	5	37.71							
C40566	P1200	50	5	37.71							
C40567	P1500	50	5	37.71							



DISCS

Ο

RHYNOCELL YOU CAN SEE IT IN THE FINISH



Fully integrated 1 → 2 system 4 ← 3

Faster polishing time using less material



Dry use for a cleaner and faster process



Microcell construction for a longer working life



Excellent tear resistance and shape retention





DASA

NG MAD

INNOVATIVE CELL TECHNOLOGY by INDASA

www.indasa-abrasives.com

RHYNOCELL



Fully integrated surface finishing system → Continuity of process

Significant reduction of P1500 sanding scratches \rightarrow Faster polishing time and less material usage Dry use \rightarrow Cleaner, faster and easier







INNOVATIVE CELL TECHNOLOGY by INDASA

RHYNOFINISH

RHYNOFINISH



Flexible foam backing with nylon grip backing system Ideal for paint rectification and pre-polish applications Uniformity of grit eliminates rogue scratches



150mm

QTY P/ BOX

10

PRICE

31.84



150mm											
Part #	GRIT	QTY P/ Box	QTY P/ Case	PRICE Per Box							
C42363	Super Fine	20	5	39.73							
C42364	Micro Fine	20	5	39.73							

DISCS

Ο

RHYNOGRIP RED LINE



 \bigcirc

OTHER INDUSTRIES RHYNOGRIP DISCS



High flexibility → Adaptable to curves & contoured surfaces

Uniformity of scratch pattern → Optimum substrate preparation

High initial cutting action → Rapid stock removal

High strength resin bond \rightarrow Minimal grit shedding

Clog resistant coating → Long lasting sanding

150mm 15H					
PART #	GRIT	QTY P/ Box	QTY P/ CASE	PRICE PER BOX	
C39243	P40	50	10	27.62	
C39244	P60	50	10	27.62	
C39166	P80	50	10	23.64	
C39245	P100	50	10	23.64	
C39164	P120	50	10	23.64	
C39246	P150	50	20	22.56	
C39247	P180	50	20	22.56	
C39249	P240	50	20	22.56	
C39167	P320	50	20	22.56	
C39168	P400	50	20	22.56	
C38667	P500	50	20	22.56	
C38668	P600	50	20	22.56	
C38669	P800	50	20	22.56	
C38670	P1000	50	20	22.56	
C38671	P1200	50	20	22.56	
C38672	P1500	50	20	22.56	
C38673	P2000	50	20	22.56	

RHYNOGRIP PLUS LINE ULTRAVENT

Advanced dust extraction \rightarrow Cleaner working environment Increased efficiency \rightarrow Maximises productivity High flexibility \rightarrow Adaptable to curves & contoured surfaces Uniformity of scratch pattern \rightarrow Optimum substrate preparation Clog resistant coating \rightarrow Long lasting sanding





	150	mm 21/	57H	
PART #	GRIT	QTY P/ Box	QTY P/ Case	PRICE PER BOX
C56844	P80	50	10	21.60
C56845	P100	50	10	21.60
C56846	P120	50	10	21.60
C56847	P150	50	20	21.60
C56848	P180	50	20	21.60
C55360	P240	50	20	21.60
C55362	P320	50	20	21.60
C55364	P400	50	20	21.60
C55365	P500	50	20	21.60





21 Holes 57 Holes

RHYNOGRIP PLUS LINE

AUTOMOTIVE AUTOMOTIVE COMPOSITES WOOD VOOD BUILDING & DECORATION



High flexibility \rightarrow Adaptable to curves & contoured surfaces **Uniformity of scratch pattern** \rightarrow Optimum substrate preparation **Clog resistant coating** \rightarrow Long lasting sanding

		75mm		
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C37394	P40	50	10	12.94
C37395	P60	50	10	12.94
C37380	P80	50	10	11.28
C37414	P120	50	10	11.28
C37415	P150	50	20	11.28
C37381	P180	50	20	11.28
C37383	P240	50	20	11.28
C37385	P320	50	20	11.28
C37387	P400	50	20	11.28
C37388	P500	50	20	11.28





75mm 3H				
#	GRIT	QTY P/ BOX	QTY P/ Case	PRICE PER BOX
76	P40	50	10	12.94
77	P60	50	10	12.94
78	P80	50	10	11.28
79 F	P100	50	10	11.28
80 F	P120	50	10	11.28
81 F	P150	50	20	11.28
82 F	P180	50	20	11.28
84 F	P240	50	20	11.28
86 F	°320	50	20	11.28
88 F	P400	50	20	11.28
89 F	2500	50	20	10.84
	76 77 78 79 F 80 F 81 F 82 F 84 F 86 F 88 F	# GRIT 76 P40 77 P60 78 P80 79 P100 80 P120 81 P150 82 P180 84 P240 86 P320 88 P400	# GRIT QTY P/B0X 76 P40 50 77 P60 50 78 P80 50 79 P100 50 80 P120 50 81 P150 50 82 P180 50 84 P240 50 86 P320 50 88 P400 50	# GRIT QTY P/BOX QTY P/CASE 76 P40 50 10 77 P60 50 10 78 P80 50 10 79 P100 50 10 80 P120 50 10 81 P150 50 20 82 P180 50 20 84 P240 50 20 86 P320 50 20 88 P400 50 20



		125mm		
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C32266	P40	50	10	21.64
C32267	P60	50	10	21.64
C32268	P80	50	10	19.97
C29965	P120	50	10	19.97
C30171	P150	50	20	19.97
C32265	P180	50	20	19.97
C32488	P240	50	20	19.97
C30343	P320	50	20	19.97
C28374	P400	50	20	19.97
C28375	P500	50	20	19.97





125mm 8H					
PART #	GRIT	QTY P/ BOX	QTY P/ Case	PRICE PER BOX	
C22206	P40	50	10	21.64	
C22207	P60	50	10	21.64	
C22208	P80	50	10	19.97	
C22209	P100	50	10	19.97	
C22210	P120	50	10	19.97	
C22211	P150	50	20	19.97	
C22212	P180	50	20	19.97	
C22214	P240	50	20	19.97	
C22216	P320	50	20	19.97	
C22193	P400	50	20	19.97	
C23328	P500	50	20	19.97	


DISCS

Ο

RHYNOGRIP PLUS LINE



BUILDING & DECORATION







			150mm		
	PART #	GRIT	QTY P/ Box	QTY P/ CASE	PRICE PER BOX
	C22259	P40	50	10	25.39
	C22258	P60	50	10	25.39
	C22260	P80	50	10	21.60
	C22261	P100	50	10	21.60
	C22262	P120	50	10	21.60
Ĩ	C22217	P150	50	20	21.60
l	C22218	P180	50	20	21.60
	C22220	P240	50	20	21.60
	C22222	P320	50	20	21.60
	C22224	P400	50	20	21.60
	C22225	P500	50	20	21.60



150mm 7H					
PART #	GRIT	QTY P/ Box	QTY P/ CASE	PRICE PER BOX	
C33919	P40	50	10	25.39	
C33920	P60	50	10	25.39	
C33921	P80	50	10	21.60	
C33922	P100	50	10	21.60	
C33923	P120	50	10	21.60	
C34131	P150	50	20	21.60	
C34132	P180	50	20	21.60	
C34134	P240	50	20	21.60	
C34136	P320	50	20	21.60	
C34138	P400	50	20	21.60	
C34139	P500	50	20	21.60	



150mm 9H					
PART #	GRIT	QTY P/ BOX	QTY P/ Case	PRICE PER BOX	
C22226	P40	50	10	25.39	
C22228	P80	50	10	21.60	
C22232	P180	50	20	21.60	
C22234	P240	50	20	21.60	
C22236	P320	50	20	21.60	
C22239	P500	50	20	21.60	

RHYNOGRIP WHITE LINE



High initial cutting action \rightarrow Rapid stock removal Clog resistant coating \rightarrow Long lasting sanding Durable paper backing \rightarrow Tear resistant



	1	50mm 7	H	
Part #	GRIT	QTY P/ BOX	QTY P/ Case	PRICE PER BOX
C34749	P40	50	5	22.43
C42208	P60	100	5	44.85
C42209	P80	100	5	38.07
C42210	P100	100	5	38.07
C42211	P120	100	5	38.07
C42212	P150	100	5	38.07
C42213	P180	100	5	38.07
C42215	P240	100	5	38.07
C42217	P320	100	5	38.07
C42219	P400	100	5	38.07
C42220	P500	100	5	38.07





RHYNOSTICK WHITE LINE



High initial cutting action \rightarrow Rapid stock removal Clog resistant coating \rightarrow Long lasting sanding Protective release paper \rightarrow Maximum adhesion to backing pad

> 150mm QTY P/ B0 QTY / CAS PER BOX C00150 P40 50 10 19.19 C00151 P60 50 10 16.88 C00152 P80 100 10 30.90 C00153 P100 100 10 30.68 100 C00154 P120 10 30.68 C00364 P150 100 10 25.98 C00365 P180 100 10 25.98 C00367 P240 100 10 25.98 C00369 P320 100 10 25.98 C00371 P400 100 10 25.98 C00620 P500 100 10 25.98



150mm 6H					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C00164	P40	50	10	19.19	
C00165	P60	50	10	16.88	
C00166	P80	100	10	30.90	
C00167	P100	100	10	30.68	
C00168	P120	100	10	30.68	
C00382	P150	100	10	25.98	
C00383	P180	100	10	25.98	
C00385	P240	100	10	25.98	
C00387	P320	100	10	25.98	
C00389	P400	100	10	25.98	
C15622	P500	100	10	25.98	



RHYNOSTICK MFS



Latex backing paper \rightarrow Waterproof & crease resistant Uniformity of scratch pattern \rightarrow Optimum surface preparation 36mm disc size \rightarrow Ideal for SMART repair and rectification






1000	11	2	
	1		
	1		
			A DE LE COLORIZACIÓN DE LE COLOR

		36mm		
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
096MFS	P2000	100	10	22.82
097MFS	P2500	100	10	22.82

RHYNOFIBRE SILVER



Heavy duty vulcanised fibre backing \rightarrow Crease & tear resistant High initial cutting action \rightarrow Rapid stock removal High strength resin bond \rightarrow Eliminates grit shedding









115 x 23mm							
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX			
C27280	P24	25	5	23.83			
C26798	P36	25	5	23.26			
C27362	P60	25	5	21.71			
C27490	P80	25	5	21.17			



127 x 23mm						
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX		
C27244	P24	25	5	25.34		
C27245	P36	25	5	24.77		
C27247	P60	25	5	23.72		
C27248	P80	25	5	23.16		
	C27244 C27245 C27247	PART # GRIT C27244 P24 C27245 P36 C27247 P60	PART # GRIT QTY P/B0X C27244 P24 25 C27245 P36 25 C27247 P60 25	PART # GRIT QTY P/BOX QTY P/CASE C27244 P24 25 5 C27245 P36 25 5 C27247 P60 25 5		



180 x 23mm						
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX		
C27253	P24	25	5	40.94		
C27254	P36	25	5	39.70		
C26794	P60	25	5	37.58		
C27257	P80	25	5	37.17		

ABRASIVES

NYLON WEB





Abrasive impregnated nylon web \rightarrow Consistent scratch

Extremely flexible & conformable \rightarrow Ideal for hard to reach areas

Quicker, stronger & prolonged cut → Ideal for keying paintwork & profile sanding

150mm						
PART #	GRIT	QTY P/ BOX	QTY P/ Case	PRICE PER BOX		
C57769	Very Fine	10	8	11.86		
C57467	Ultra Fine	10	8	11.86		

QUICKFIX



Quickfix locking system Heavy duty cloth backing with zirconium mineral grain Overlapping flap construction minimises heat build up

50mm - FLEXIDISC					
PART #		QTY P/ B0X	QTY P/ CASE	PRICE PER BOX	
C97718	P40	10	5	46.35	
C97719	P60	10	5	46.35	
C97720	P80	10	5	46.35	
C97721	P120	10	5	46.35	

50mm - MINIDISC						
PART #		QTY P/ BOX	QTY P/ CASE	PRICE PER BOX		
C97722	P40	10	5	46.35		
C97723	P60	10	5	46.35		
C97724	P80	10	5	46.35		
C97725	P120	10	5	46.35		

DISCS

Ο

STRIPS

S


RHYNOGRIP HT LINE



High flexibility \rightarrow Adaptable to curves & contoured surfaces High initial cutting action \rightarrow Rapid stock removal Uniformity of scratch pattern → Optimum substrate preparation High strength resin bond → Minimal grit shedding Advanced technology clog resistant coating → Extended working performance







C55925	P60	50	10	27.50		
C53311	P80	50	10	27.10		
C53312	P120	50	10	25.45		
C53314	P180	50	10	24.98		
C55927	P240	50	10	24.98		
C53316	P320	50	10	24.98		
C55930	P400	50	10	24.98		
C55931	P500	50	10	24.98		
70 x 420mm 23H						
PART #	GRIT	QTY P/ Box	QTY PER CASE	PRICE PER BOX		
055028	D10	50	10	54.22		

QTY P/ B0

50

QTY P/ CAS

10

PRICE PER BO

28.26




70 x 420mm 23H							
PART #	GRIT	QTY P/ Box	QTY PER CASE	PRICE PER BOX			
C55938	P40	50	10	54.33			
C55939	P60	50	10	52.85			
C53305	P80	50	10	52.11			
C53306	P120	50	10	47.98			
C53308	P180	50	10	47.11			
C55941	P240	50	10	47.11			
C53310	P320	50	10	47.11			
C55944	P400	50	10	47.11			
C55945	P500	50	10	47.11			

RHYNOGRIP PLUS LINE



High flexibility \rightarrow Adaptable to curves & contoured surfaces **Uniformity of scratch pattern** \rightarrow Optimum substrate preparation **Clog resistant coating** \rightarrow Long lasting sanding



70 x 125mm						
PART #	GRIT	QTY P/ Box	QTY P/ Case	PRICE PER BOX		
C21572	P40	50	10	14.19		
C21573	P60	50	10	14.12		
C21574	P80	50	10	13.98		
C21576	P120	50	10	12.73		
C21577	P150	50	10	12.73		
C21578	P180	50	10	12.73		
C21580	P240	50	10	12.73		
C21582	P320	50	10	12.73		
C21584	P400	50	10	12.73		
C21585	P500	50	10	12.73		



	70 x 127mm 11H						
PART #	GRIT	QTY P/ Box	QTY P/ Case	PRICE PER BOX			
C45665	P40	50	10	14.19			
C45666	P60	50	10	14.12			
C45667	P80	50	10	13.98			
C45669	P120	50	10	12.73			
C45670	P150	50	10	12.73			
C45671	P180	50	10	12.73			
C45673	P240	50	10	12.73			
C45675	P320	50	10	12.73			
C45677	P400	50	10	12.73			
C45678	P500	50	10	12.73			



	70 x 198mm 11H						
PART #	GRIT	QTY P/ Box	QTY P/ Case	PRICE PER BOX			
C43425	P40	50	10	25.92			
C43426	P60	50	10	25.24			
C43427	P80	50	10	24.86			
C43429	P120	50	10	22.88			
C43430	P150	50	10	22.88			
C43431	P180	50	10	22.88			
C43432	P240	50	10	22.88			
C43433	P320	50	10	22.88			
C43434	P400	50	10	22.88			
C43435	P500	50	10	22.88			



70 x 420mm					
PART #	GRIT	QTY P/ BOX	QTY P/ Case	PRICE PER BOX	
C28391	P40	50	10	49.82	
C28392	P60	50	10	47.36	
C28393	P80	50	10	45.30	
C28395	P120	50	10	43.14	
C28397	P180	50	10	43.14	
C28399	P240	50	10	43.14	
C28401	P320	50	10	43.14	
C28403	P400	50	10	43.14	
C28404	P500	50	10	43.14	



RHYNOGRIP PLUS LINE



High flexibility \rightarrow Adaptable to curves & contoured surfaces **Uniformity of scratch pattern** \rightarrow Optimum substrate preparation **Clog resistant coating** \rightarrow Long lasting sanding





	70 x	420mm	23H	
PART #	GRIT	QTY P/ BOX	QTY P/ Case	PRICE PER BOX
C45693	P40	50	10	49.82
C45694	P60	50	10	47.36
C45397	P80	50	10	45.30
C45398	P120	50	10	43.14
C45696	P150	50	10	43.14
C45697	P180	50	10	43.14
C45698	P240	50	10	43.14
C45700	P320	50	10	43.14
C45702	P400	50	10	43.14
C45703	P500	50	10	43.14




115 x 230mm 22H						
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX		
C45704	P40	50	10	60.72		
C45705	P60	50	10	60.15		
C45706	P80	50	10	59.90		
C45708	P120	50	10	55.45		
C45709	P150	50	10	55.45		
C45710	P180	50	10	55.45		
C45712	P240	50	10	55.45		
C45714	P320	50	10	55.45		
C45716	P400	50	10	55.45		
C45717	P500	50	10	55.45		

RHYNOSTICK WHITE LINE



OTHER INDUSTRIES High initial cutting action \rightarrow Rapid stock removal Clog resistant coating \rightarrow Long lasting sanding Protective release paper \rightarrow Maximum adhesion to block





STRIPS

SHEETS

 \square

SHEETS

ide in P

K


TIS

RHYNOWET PLUS LINE

Durable latex backing paper \rightarrow Waterproof sanding Uniformity of scratch pattern \rightarrow Optimum surface preparation High performance silicon carbide grain \rightarrow Micro-finishing



AUTOMOTIVE



230 x 280mm					
PART #	GRIT	QTY P/ Pack	QTY P/ CASE	PRICE PER PACK	
C00018	P60	25	20	29.70	
C00019	P80	25	20	26.32	
C00021	P120	25	20	19.19	
C00022	P150	25	20	18.09	
C00023	P180	25	20	14.69	
C00025	P240	25	20	14.69	
C00027	P320	25	20	14.69	
C00029	P400	25	20	14.69	
C00030	P500	25	20	14.69	
C00031	P600	25	20	14.69	
C00032	P800	25	20	14.69	
C00033	P1000	25	20	14.69	
C00034	P1200	25	20	14.69	







	140 x 230mm						
	PART #	GRIT	QTY P/ Pack	QTY P/ Case	PRICE PER PACK		
	C21225	P1500	50	10	19.20		
	C21226	P2000	50	10	19.20		
_	C21227	P2500	50	10	19.20		

RHYNOWET WHITE LINE



Durable backing paper \rightarrow Crease & tear resistant Aluminium oxide grain \rightarrow Fast sanding action Clog resistant \rightarrow Longer lasting cut



_		
		. 8
EN		en r

		23	0 x 280n	nm	
	PART #	GRIT	QTY P/ Pack	QTY P/ Case	Price Per Pack
	C42806	P60	25	20	16.78
	C42807	P80	25	20	16.38
	C42809	P120	25	20	12.54
	C42810	P150	25	20	12.43
	C42811	P180	25	20	11.14
	C42813	P240	25	20	11.14
	C42815	P320	25	20	11.14
	C42817	P400	25	20	11.14
	C42819	P600	25	20	11.14
	C42820	P800	25	20	11.14
	C42821	P1000	25	20	11.14
	C42822	P1200	25	20	11.14






RHYNALOX PLUS LINE



OTHER INDUSTRIES High flexibility \rightarrow Adaptable to curves & contoured surfaces Uniformity of scratch pattern \rightarrow Optimum substrate preparation Clog resistant coating \rightarrow Long lasting sanding



230 x 280mm						
PART #	GRIT	QTY P/ PACK	QTY P/ CASE	PRICE PER PACK		
C22152	P40	50	10	31.61		
C22153	P60	50	10	29.58		
C22154	P80	50	10	26.92		
C22155	P100	50	10	26.92		
C22156	P120	50	10	26.92		
C22568	P150	50	10	26.92		
C22569	P180	50	10	26.92		
C22571	P240	50	10	26.92		
C22573	P320	50	10	26.92		
C22575	P400	50	10	26.92		
C22576	P500	50	10	26.92		



 \square

RHYNOWOOD



Durable B weight paper \rightarrow Tear resistant Aluminium oxide mineral grain → Fast cutting action Dry sanding/finishing applications → Ideal for woodwork

BUILDING & DECORATION



230 x 280mm					
GRIT	QTY P/ Pack	QTY P/ Case	PRICE Per Pack		
P40	50	10	21.70		
P60	50	10	20.27		
P80	50	10	19.59		
P100	50	10	17.68		
P120	50	10	17.68		
P150	50	10	17.68		
P180	50	10	17.68		
P240	50	10	17.68		
P320	50	10	17.68		
	GRIT P40 P60 P80 P100 P120 P120 P150 P180 P240	QTY P40 QTY P7ACK P40 50 P60 50 P80 50 P100 50 P120 50 P150 50 P180 50 P150 50 P180 50 P180 50	QTY P/PACK QTY P/CASE P40 50 10 P60 50 10 P80 50 10 P80 50 10 P100 50 10 P100 50 10 P120 50 10 P150 50 10 P180 50 10 P180 50 10 P180 50 10		



SHEETS

 \square


RHYNOBLUE



Hard wearing cloth backing → Ideal for metal sanding Extremely flexible → Curved & contoured surfaces Aluminium oxide grain → Fast sanding action

			2
			A LAN
đ	121	10.3	

230 x 280mm						
PART #	GRIT	QTY P/ Pack	QTY P/ Case	Price Per Pack		
C27816	P40	25	10	26.99		
C27818	P60	25	10	24.83		
C27819	P80	25	10	23.52		
C27821	P120	25	10	22.38		



ROLLS

RHYNALOX PLUS LINE



High flexibility \rightarrow Adaptable to curves & contoured surfaces Uniformity of scratch pattern \rightarrow Optimum substrate preparation Clog resistant coating \rightarrow Long lasting sanding







115mm x 50m						
PART #	GRIT	QTY	PRICE PER ROLL			
C22486	P40	1	60.37			
C22700	P60	1	50.94			
C22487	P80	1	50.60			
C22307	P100	1	50.60			
C22701	P120	1	50.60			
C22498	P150	1	50.60			
C22499	P180	1	50.60			
C22501	P240	1	50.60			
C22503	P320	1	50.60			
C22505	P400	1	50.60			
C22506	P500	1	50.60			

RHYNALOX PLUS LINE



High flexibility \rightarrow Adaptable to curves & contoured surfaces **Uniformity of scratch pattern** \rightarrow Optimum substrate preparation **Clog resistant coating** \rightarrow Long lasting sanding



115mm x 10m					
PART #	GRIT	QTY	PRICE PER ROLL		
C49861	P40	1	13.04		
C49862	P60	1	11.02		
C49863	P80	1	10.61		
C49864	P100	1	10.61		
C49865	P120	1	10.61		
C47665	P150	1	10.61		
C47662	P180	1	10.61		
C47663	P240	1	10.61		
C47664	P320	1	10.61		
C49869	P400	1	10.61		
C49870	P500	1	10.61		

115mm x 5m					
PART #	PRICE PER ROLL				
C41639	P80	1	6.29		
C41640	P120	1	6.29		
C50086	P180	1	6.29		
C50088	P240	1	6.29		
C50090	P320	1	6.29		
C50092	P400	1	6.29		
C50093	P500	1	6.29		

RHYNOLITE YELLOW LINE



Durable E & D weight paper \rightarrow Crease & tear resistant **High strength resin bond** \rightarrow Prevents grit shedding **Aluminium oxide mineral grain** \rightarrow Fast cutting action **Excellent clog resistance** \rightarrow Longer working life

100

115mm x 50m					
PART #	GRIT	QTY	PRICE PER ROLL		
C32420	P40	1	36.62		
C32421	P60	1	33.37		
C32422	P80	1	29.14		
C32423	P100	1	27.52		
C32424	P120	1	25.94		
C32425	P150	1	25.30		
C32426	P180	1	23.31		
C32427	P240	1	22.34		

115mm x 10m					
PART #	GRIT	QTY	PRICE PER ROLL		
C48829	P40	1	9.36		
C48830	P60	1	8.53		
C48831	P80	1	7.45		
C48832	P100	1	7.06		
C48833	P120	1	6.64		
C48834	P150	1	6.48		
C48835	P180	1	5.97		
C48836	P240	1	5.74		



RHYNALOX! @

SYSTEM

ROLLS

RHYNOLITE YELLOW LINE





Durable E & D weight paper → Crease & tear resistant High strength resin bond → Prevents grit shedding Aluminium oxide mineral grain → Fast cutting action Excellent clog resistance → Longer working life



115mm x 5m					
PART #	GRIT	QTY	PRICE PER ROLL		
C41508	P40	1	5.52		
C40492	P60	1	5.03		
C40184	P80	1	4.39		
C40185	P100	1	4.15		
C39099	P120	1	3.90		
C42705	P150	1	3.81		
C42664	P180	1	3.52		
C42706	P240	1	3.37		

RHYNOLITE HEAVY LINE



Heavy duty E weight paper → Crease & tear resistant High strength resin bond → Prevents grit shedding Anti-static → Excellent clog resistance







	115mm x	50m	
PART #	PRICE Per Roll		
C00308	P40	1	76.28
C00309	P60	1	68.71
C00310	P80	1	65.65
C00311	P100	1	60.77
C00312	P120	1	59.71

115mm x 10m					
PART #	PRICE Per Roll				
C37343	P40	1	20.34		
C37344	P60	1	18.49		
C37345	P80	1	17.52		
C37346	P100	1	16.22		
C30389	P120	1	15.92		

SPONGES

GFS &

RHYNOSOFT

 \mathbf{T}

OTHER INDUSTRIES

High flexibility \rightarrow Adaptable to curves & contoured surfaces Foam backing → Prevents oversanding Tear resistant → Ideal for hand sanding hard to access areas



115mm x 25m						
	Part #	GRIT	QTY P/ Box	QTY P/ CASE	PRICE PER BOX	
	C29368	P180	1	1	48.40	
	C29369	P240	1	1	48.40	
	C29370	P320	1	1	48.40	
	C29371	P400	1	1	48.40	
	C29935	P500	1	1	48.40	
	C29372	P600	1	1	48.40	
	C29373	P800	1	1	48.40	
	C29374	P1200	1	1	48.40	

115 x 140mm					
PART #	GRIT	QTY P/ BOX	PRICE PER BOX		
C29512	P180	20	8.65		
C29513	P240	20	8.65		
C29514	P320	20	8.65		






DOUBLE SIDED SPONGE SANDING PADS







General purpose hand sanding applications Extremely flexible \rightarrow For curved & contoured surfaces Highly conformable \rightarrow Ideal for hard to reach areas



122 x 98 x 13mm					
PART #	GRIT	QTY P/ Box	QTY P/ Case	PRICE PER BOX	
CSP-60	- P60	10	5	7.17	
CSPBULK-60	FUU	250	-	173.90	
CSP-80	- P80	10	5	7.17	
CSPBULK-80	FOU	250	-	173.90	
CSP-100	- P100	10	5	7.17	
CSPBULK-100	P100	250	-	173.90	
CSP-120	- P120	10	5	7.17	
CSPBULK-120	F120	250	-	173.90	
CSP-150	P150	10	5	7.17	
CSP-180	D100	10	5	7.17	
CSPBULK-180	- P180	250	-	173.90	
CSP-220	0000	10	5	7.17	
CSPBULK-220	- P220	250	-	173.90	
CSP-240	040	10	5	7.17	
CSPBULK-240	- P240	250	-	173.90	
001 0011-240		200		110.00	

SPONGE SANDING PADS



High flexibility \rightarrow Adaptable to curves & contoured surfaces Sponge backing \rightarrow Prevents oversanding Tear resistant \rightarrow Ideal for hand sanding hard to access areas

> 115 x 140 x 5mm PER BO CSPONGE-M Medium 20 5 21.56 CSPONGE-F 20 5 21.56 Fine Super CSPONGE-SF 20 5 21.56 Fine Micro CSPONGE-MF 20 5 21.56 Fine







High density foam block \rightarrow Ideal for sanding edges and corners High strength resin bond \rightarrow Minimal grit shedding

100 x 70 x 25mm PER BOX 9/ BO) C46299 P60 33.58 50 1 C46300 P100 50 1 33.58 C46301 P180 50 1 33.58 C46302 P220 50 1 33.58



NYLON WEB

AUTOMOTIVE AUTOMOTIVE MARINE & COMPOSITES WOOD WOOD WOOD



Abrasive impregnated nylon web \rightarrow Consistent scratch

H/	ANDPADS 15	0 x 230mn	n
PART #	GRIT	QTY P/ BOX	PRICE PER BOX
C45908	Medium	20	14.10
C45909	Very Fine	20	14.10
C45910	Ultra Fine	20	14.10





	ROLL 115mm x 10m						
PART # GRIT QTY PRICE P/ BOX PER BOX							
	C44067	Medium	1	33.67			
	C44064	Very Fine	1	33.67			
	C44065	Ultra Fine	1	33.67			



DISC 150mm				
PART # GRIT QTY PRICE P/ Box Per Bo				
C57769	Very Fine	10	11.86	
C57467	Ultra Fine	10	11.86	

BELTS

BELTS

RHYNO X/Z



Polyester X weight cloth backing \rightarrow Tear resistant Zirconium mineral grain \rightarrow Self sharpening for longer life Heat resistant resin bond \rightarrow Prevents grit shedding



10 x 330mm						
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX		
C52724	P40	10	10	11.00		
C52729	P60	10	10	10.58		
C52730	P80	10	10	10.39		
C52732	P120	10	10	10.14		

20 x 520mm						
PART # GRIT QTY QTY PRICE P/ BOX P/ CASE PER BOX						
C52733	P40	10	10	25.66		
C52734	P60	10	10	23.52		
C52735	P80	10	10	23.07		
C52738	P120	10	10	22.62		

POWER FOR SURFACE FINISHING





INDASA ORBITAL PALM SANDER



AUTOMOTIVE AUTOMOTIVE MARINE & COMPOSITES Robust & versatile orbital palm sander

DASA

Ergonomic design \rightarrow For one handed operation

Lightweight composite engineering → Maximises sanding performance

Variable speed regulator → Fingertip control

Vacuum dust extraction \rightarrow Cleaner working environment Compatible with Rhynogrip abrasive systems \rightarrow 75mm 3 hole / 150mm 15 hole extraction

		75 / 150	mm		
PART #	DIMENSION	ORBIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BO
426722	75mm	2.5mm	1	1	197.25
435748	150mm	5mm	1	1	204.45





STORM GEAR DRIVEN SANDER



Epicycloidal orbit → Rapid stock removal Two handed operation → For operator comfort Variable speed regulator → Fingertip control 6 hole vacuum dust extraction → Cleaner working environment

Compatible with Rhynogrip abrasive systems

150mm				
PART #	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
2HG-C6	1	1	269.98	



STORM RANDOM ORBIT SANDER



Ergonomic design \rightarrow For two handed operation **Lightweight composite body** \rightarrow Minimises vibration **Variable speed regulator** \rightarrow Fingertip control **7 hole vacuum dust extraction** \rightarrow Cleaner working environment **Compatible with Rhynogrip abrasive systems**

		150mm		
PART #	ORBIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
2HS-C6	5mm	1	1	204.38



TEX ORBITAL PALM SANDER

ALTOMOTIVE ALTOMOTIVE MARINE & COMPOSITES WOOD WOOD WOOD OTHER IDDUSTRIES



High performance orbital sander \rightarrow Optimised sanding efficiency

7 hole vacuum dust extraction → Cleaner working environment

Ergonomic design \rightarrow For one handed operation **Lightweight composite body** \rightarrow Minimises vibration

Compatible with Rhynogrip abrasive systems

Variable speed regulator → Fingertip control

		150mm		
PART #	ORBIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
NCNA-130	5mm	1	1	184.78

TEX HI SPEED SANDER



Lightweight & compact design \rightarrow For hard to reach areas Compatible with Quickfix discs \rightarrow Metal grinding & blending Supplied with 50mm Quickfix backing pad



TEX DUAL ACTION SANDER

Robust dual action sander Roller release throttle mechanism



TOOLS



	1	50mm		
PART #	ORBIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
NCNA-39	10mm	1	1	64.37

INDASA ELECTRIC SANDER





Fully compatible with Rhynogrip abrasive system \rightarrow 15 hole extraction
Variable speed regulator → Optimum working speed
Brushless motor \rightarrow Low maintenance and down time
E-series technology → Portable throughout the workplace
Ergonomic design \rightarrow One handed operation and ease of use
Low noise and vibration → Improved operator comfort



INDASA ELECTRIC POLISHER



40 INDASA 2019 CATALOGUE

Advanced composite materials \rightarrow Optimum operator comfort Ergonomic design \rightarrow Improved polishing efficiency Variable speed regulator \rightarrow Optimum working speed Double gear reduction \rightarrow Optimised power delivery





328.55

1

1

TEX MINI POLISHER



Ideal for SMART repair systems Pistol grip \rightarrow With roller release throttle Variable speed regulator \rightarrow Fingertip control Compatible with Autogloss mop system

	PART #	P/ B(
-200025	NCNA-126	1

TEX BELT SANDER



Lightweight & compact design \rightarrow Ideal for hard to access areas 360° adjustment on sanding arm Quick release belt change mechanism Compatible with Rhyno X/Z belts

PART #	DIMENSION	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
NCNA-79	10 x 330mm	1	1	111.50
NCNA-115	20 x 520mm	1	1	237.37

QTY / Cas

1

PER BO

236.99



MOBILE VACUUM UNIT



AUTOMOTIVE Ð MARINE & COMPOSITES \odot WOOD



TOOLS



delivering a cleaner working environment

VACUUM UNIT 30 L	ITRE (Part # 581308)
TECHNICAL DATA	
Power	1200 W
Air flow rate	165 m3/h EN60335-2-69
Weight	10.2kg
Noise level	70dB(A) EN 60704-3
Filter surface area	1m ²
Container capacity	30 litre
Dimensions (cm)	H x 43 W x 42.5 D x 51

Powerful dust extraction on demand → Maximising the efficiency of your Rhynogrip sanding system and

Accessories supplie	d
ITEM	Part #
Antistatic Hose (4m)	581797
Fleece Dust Bags (5pk)	558799
Rotating Connector	581735
Hose Adaptor	567654










VACUUM UNIT 45 L	.ITRE (Part # 558775)
TECHNICAL DATA	
Power	1200 W
Power output	2400 W
Weight	13.5kg
Air flow rate	165m²/h EN 60335-2-69
Feed pressure	6 bar
Noise level	67dB(A) EN 60704-3
Filter surface area	1m ²
Container capacity	45 litre
Dimensions (cm)	H x 63.5 W x 45 D x 45











VA	ACUUM UNITS & ACCES	SORIE	S
PART #	DESCRIPTION	PACK QTY	PRICE Per Pack
558775	Vacuum Unit 45 litre	1	716.63
558799	Vacuum Dust Bags	5	51.26
558805	Hose Assembly	1	130.02
567661	Hose Gauge Adaptor	1	15.90
567654	Threaded Hose Adaptor	1	8.98
558782	Two Way Hose Union	1	25.64
581308	Vacuum Unit 30 litre	1	519.75
581735	Rotating Connector	1	38.52

MBX SYSTEM



Effective removal of rust, underbody coatings, old paint, bonded sealants and tapes Produces a clean surface finish for painting Brush belt size 11mm or 23mm Hardened steel bristles → Easily resharpened Colour coded brush belts → 3 grades (1 of each supplied with tool) Eraser wheel for adhesive/tape removal Free speed: 3500rpm Also available with electric motor (110v or 220v) Low vibration and noise Free speed: 3200rpm

PART #	DESCRIPTION
NCNA-145	Pneumatic
NCNA-143	Electric (110v)
NCNA-140	Electric (220v)

BRUSH BELTS FOR MBX SYSTEM





	11 / 23mm BRUSH	BELTS	
PART #	DIMENSION	QTY P/ Pack	Price Per Pack
DCA-54	23mm Fine	10	195.03
DCA-55	23mm Medium	10	195.03
DCA-56	23mm Coarse	10	195.03
DCA-59	23mm S/Steel	1	253.10
DCA-94	11mm Fine	10	177.93
DCA-95	11mm Medium	10	177.93
DCA-96	11mm Coarse	10	177.93
DCA-97	11mm S/Steel	10	195.03
DCA-99	11mm S/Steel Knee	10	195.03

PACK QTY

1

1

1

PRICE Per Paci

467.39

467.39

467.39

MBX DIE BLASTER



Designed for use in extremely hard to reach areas Patented accelerator bar maximises the bristle speed 11mm belt width \rightarrow Coarse grade Left & right sided belts for narrow channel access Free speed: 2600rpm

PART #	ТҮРЕ	QTY P/ PACK	Price Per Pack
NCNA-146	Die Blaster c/w 5 belts	1	467.39
DCA-111	Die Blaster belts 11mm	5	214.06
DCA-112	Die Blaster belts 11mm - right	5	149.81
DCA-113	Die Blaster belts 11mm - left	5	149.81



BELT HOUSING FOR MBX SYSTEM



ERASER WHEEL FOR MBX SYSTEM



BUILDING & DECORATION

TEX WAX INJECTION KIT



Pressure feed applicator gun for underbody wax Supplied with probe for cavity injection Cup capacity 1400cc





TEX MINI SANDER




Variable speed regulator 32 and 75mm grip backing pad Free speed: 16000rpm

PART #	DIMENSION	QTY	PRICE
NCNA-113	32mm	1	194.12
NCNA-135	75mm	1	167.93





ANCILLIARIES INNOVATIVE PRODUCTS FOR SMARTER WORKING





RHYNOGRIP BACKING PAD ULTRAVENT







Ultravent dust extraction system → Optimises extraction capacity

Eliminates abrasive clogging → Extends peak sanding efficiency

Cleaner working environment → Keeps contaminants out of repair process

Innovative design → Utilises high flow vent channels

	150mn	n ULTRAV	/ENT
I	Part #	QTY	PRICE
	561836	1	41.65


RHYNOGRIP BACKING PAD



BUILDING & DECORATION


15 hole dust extraction → Cleaner working environment Compatible with Rhynogrip abrasive systems Medium foam density → Lightweight & balanced for smooth operation Packing and 252609 . Supplied with a universal adaptor

Backing pad 353608 \rightarrow Supplied with a universal adaptor



150)mm 15	ł
PART #	QTY	PRICE
454657	1	38.43
353608	1	41.65
	•	

RHYNOSTICK BACKING PAD



Medium foam density \rightarrow Lightweight & balanced for smooth operation Heat bonded stud assembly \rightarrow Secure fixing

		150mm	
PRICE	QTY	DIMENSION	PART #
38.53	1	150mm	36103
38.53	1	150mm 6H	436110



AUTOMOTIVE

MARINE & COMPOSITES

 $\overline{\mathbf{O}}$



TEX SELF STICK BACKING PAD



5/16" thread size Heat bonded stud assembly → Secure fixing



TEX GRIP BACKING PAD



Nylon grip backing system → Quick & easy to fit

75 / 125 / 150mm					
PART #	DIMENSION	QTY	PRICE		
ACC-3715	75mm	1	21.35		
GCA-46	125mm 8H	1	40.24		
GCA-50	150mm 15H	1	46.00		
GCTA-04	150mm	1	22.32		




QUICKFIX BACKING PAD



AUTOGLOSS BACKING PAD



Nylon grip backing system \rightarrow Quick & easy to fit 120mm backing pad \rightarrow Allows a soft edge on the foam pad





SOFTFORM ADAPTOR PAD



Compatible with Rhynogrip abrasive systems

31.75 / 75 / 150mm						
PART		DESCRIPTION	DIMENSION	QTY	PRICE	
GCA-	64	Cushion Pad	31.75mm	1	4.31	
4336	69		75mm 3H	1	6.10	
5758	33	Softform	150mm x 5mm Ultravent	1	8.42	
5618	43	Adaptor Pad	150mm x 10mm Ultravent	1	8.42	
GCA-	32		150mm x 10mm 15H	1	8.42	





RHYNOGRIP BLOCK BOARD





PART #	QTY	PRICE
DCA-8B	1	80.15

RHYNOGRIP BLOCK



Durable composite body → Hard wearing Rigid baseplate → Optimises sanding efficiency Vacuum dust extraction → Cleaner working environment Ergonomic design → Operator comfort Tailpiece regulator → Variable extraction control



PART #	DIMENSION	HOLES LAYOUT	QTY	PRICE
449257	70 x 125mm 11H		1	53.12
435175	70 x 198mm 11H		1	56.19
449271	70 x 400mm 23H		1	64.90
449288	115 x 230mm 22H		1	57.82

HAND SANDING BLOCKS



	36mm	
PART #	QTY	PRICE
GCA-98	1	9.31
70 :	x 127m	m
PART #	QTY	PRICE
DCA-04	1	16.8
70	100	
	x 400m	
PART #	QTY	PRICE
435182	1	42.6

CONTOUR BASE



Rhynogrip block profile for sanding contours Compatible with Rhynogrip abrasive strips & blocks

PART #	DIMENSION	QTY	PRICE
DCA-102	70 x 125mm 11H	1	7.24
DCA-103	70 x 192mm 11H	1	10.13
DCA-87	70 x 420mm	1	21.91
DCA-104	70 x 420mm 23H	1	18.72

CIRCULAR BLADES



Oscillating cutting blades

MARINE & COMPOSITES
BUILDING & DECORATION


ANCILLIARIES



PART #	DIMENSION	QTY	PRICE
DCA-25	75mm	1	34.22
DCA-25/60	60mm	1	32.56

SPOT WELD DRILL BITS











AIR SAW BLADE



Reciprocating saw blades 80mm Bi-flex steel

PART #	TPI	QTY	QTY P/PACK	Price Per Pack	
P9AA005	32	1	10	31.61	
P9AA011	24	1	10	31.61	





PAINT SCRAPER

Effective removal of paint & coatings from timber Lightweight ergonomic handle design Fitted with hard wearing tungsten carbide blade Quick release mechanism Reversible 50mm blade



50mm						
PART # TYPE QTY PRICE P/PACK PER PACK						
R-TCS50	Scraper	1	12.87			
R-TCB5	Blades	5	32.02			

INDASA LOW TACK CLOTH



Resealable foil bag → Prolongs cloth effectiveness

Low tack adhesive → No streaking or residue transfer Non woven lint free cloth → Excellent dust absorption

400 x 400mm					
PART #	QTY P/ Pack	QTY P/ CASE	PRICE Per case		
436783	15	20	195.52		



ERASER WHEEL



Fast removal of adhesive residue 6mm spindle size Natural rubber



	90mm)	(15mm	
Part #	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
DCA-49	1	1	14.67

RHYNO MIXING BOARD



Clean mixing surface \rightarrow Contamination free mixing Rigid backing board \rightarrow Easy to mix filler Non-porous paper sheet \rightarrow Single sheet usage Easy tear \rightarrow No wastage



Part #	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
408339	20	1	104.60

100g

DRY GUIDE COAT



Maximises coverage on filler/primer \rightarrow Effective detection of surface imperfections **Black powder coating** \rightarrow No masking, no overspray, no drying time **Supplied with hand applicator** \rightarrow Quick & easy to apply



PRICE PER CTI

99.86

6



INDASA WORKSTATION PRO



Dimension → 1336mm x 1043mm x 643mm (H x W x D) Weight → 54 kg





	ACCESORIES	6	
PART #	DESCRIPTION	QTY P/ Pack	Price Per Pack
593905	Extra Metal Hook (A)	4	25.60
593202	Paper Roll Holder (B)	1	71.10
593219	Extra Shelf (C)	1	45.20

SEALANTS, ADHESIVES & COATINGS

FOR THE BODY REPAIR PROCESS





SEALANTS, ADHESIVES & COATINGS

Comprehensive range of performance body repair materials for key areas of panel sealing and bonding, anti-corrosion, plastic repair and aerosol coatings Refer to technical data sheet for product specifications

CARTRIDGE SEALANTS



POLYURETHANE SEALANT



High strength adhesive sealant \rightarrow Excellent bonding properties Fast drying moisture cure \rightarrow Can be painted when fully dry Resistant to UV, water and oil \rightarrow Forms a tough permanently flexible seal

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
472576	Black		12	15.48
472583	Grey	310ml	12	15.48
472590	White	-	12	15.48

MS POLYMER SEALANT



High solids sealant adhesive \rightarrow Superior strength adhesive properties Fast drying moisture cure \rightarrow Can be painted wet on wet Isocyanate and silicone free \rightarrow Compliant use in the bodyshop

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
472637	Black	200ml	12	16.10
472644	White	– 290ml	12	16.10

MS SPRAYABLE SEALANT



High solid sealant adhesive \rightarrow Superior strength adhesive properties **Extremely versatile** \rightarrow Apply as spray seam, extruded bead, brush seam and spray coating **Textured spray finish** \rightarrow Replicates OEM finish on joints and bulkheads

PART #	COLOUR	PACK SIZE	CTN QTY	Price Per Pack
472675	Grey	– 290ml	12	20.75
472682	Beige	290111	12	20.75

CAR BODY SEALANT



Synthetic rubber base general purpose seam sealant Good adhesion to bare or painted metal Quick drying and paintable when cured

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
472552	Grey	310ml	12	9.18

DIRECT GLAZING SEALANT



One part PU sealant adhesive for bonded windscreen Excellent adhesive bond to glass, metal and painted surfaces High shear strength and UV resistance Use in conjunction with cleaner and primer

Part #	TYPE	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
472620	Sealant	Black	310ml	1	18.80
472606	Cleaner		30ml	1	10.20
472569	Primer	Black	30ml	12	13.35

BRUSHABLE SEAM SEALANT



Synthetic based sealant for welded or bolted seams Replicates OEM finish on overlap seams and joints Brushes out without stringing or sagging



PART #	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
472545	Grey	1kg	12	22.82

PLASTIC REPAIR ADHESIVES

PLASTIC REPAIR ADHESIVE



2 part PU adhesive \rightarrow Exceptional bond strength

1 or 5 minute application/work time \rightarrow High speed cure rate Automatic one step mixing nozzle \rightarrow Easy extrusion and beading

Repair and bond on rigid and semi rigid plastics

PART #	TYPE	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
472767	1 min	Black	50ml	1	29.47
472774	1 min	Clear	50ml	1	29.47
493953	5 min	Black	50ml	1	29.47



POWER WELD



2 part methacrylate adhesive → Excellent shear strength Fast fixing and cure rate → Can be painted after 1 hour Automatic one step mixing nozzle → Easy extrusion and beading Bonds & seals simultaneously → Provides for excellent corrosion resistance

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
472781	Black	50ml	1	26.80



ANTI-CORROSION

UNDERBODY COATING



Bitumen based protective coating → Spray gun application Excellent adhesion properties → Long term resistance to corrosive elements Flexible/elastic coating → Protects against stone chip penetration Available in aerosol for small repair & touch up coverage

Wax based protective coating \rightarrow Spray gun application

PACK SIZE	CTN QTY	PRICE Per Pack
1lt	12	8.59
500ml	12	11.64

17.68

STONE CHIP COATING



Synthetic rubber based protective coating \rightarrow Replicates OEM finish Excellent adhesion properties \rightarrow Long term resistance to stone chip penetration Textured finish achieved by application \rightarrow Can be painted once fully cured Available in aerosol for small repair & touch up coverage

472200

472132

472217

Bitumen

Aerosol

Wax

Black

Black

Black

1lt

12

PART #	TYPE	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
472514		Black	1lt	12	14.42
472521		Grey	1lt	12	14.42
472538		White	1lt	12	14.42
472484	Aerosol	Black	500ml	12	17.01
472491	Aerosol	Grey	500ml	12	17.01
472507	Aerosol	White	500ml	12	17.01



CAVITY WAX



Wax coating for cavity & box section bodywork \rightarrow Resistant to corrosive elements Excellent penetration \rightarrow Maximum coverage & protection Amber or clear \rightarrow Replicates OEM finish Available in aerosol for small repair & touch up coverage

PART #	TYPE	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
472118	Aerosol	Amber	500ml	12	13.41
472149		Amber	1lt	12	15.65
472156		Amber	5lt	12	77.20
472125	Aerosol	Clear	500ml	12	13.41
472170		Clear	1lt	12	15.65
472187		Clear	5lt	12	77.20


SOUND DEADENING



MARINE & COMPOSITES

Self adhesive sound absorption pads replicate OEM finish Easy to cut to shape & apply Elame retardant compliance EMVS302

Flame retardant compliance FMVS302



PAR	T #	TYPE	SIZE	PACK SIZE	CTN QTY	PRICE Per Pack
461	273	Pattern	500 x 500mm	4	1	38.25
461	280	Pattern	200 x 500mm	10	1	38.25
461	297	Smooth	500 x 500mm	4	1	47.35
461	303	Smooth	200 x 500mm	10	1	47.35



AEROSOL COATINGS

HIGH BUILD PRIMER AEROSOL



Versatile one pack acrylic based primer Excellent adhesion to prepared substrates Quick drying

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
472927	Dark grey	500ml	12	16.58
472934	Grey	500ml	12	16.58
472941	White	500ml	12	16.58

ETCH PRIMER AEROSOL



Primer & adhesion promoter for bare metal Excellent anti-corrosion properties High build for superior coverage

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
472958	Beige	400ml	12	16.58
472965	Grey	400ml	12	16.58

ZINC WELD PRIMER AEROSOL



MARINE & COMPOSITES

Zinc rich weldable primer for mig or spot weld applications Excellent anti-corrosion properties Fast drying

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
472972	Grey	400ml	12	15.05

ACRYLIC TOPCOAT AEROSOL



MARINE & COMPOSITES

Hard, durable topcoat paint finish Excellent build and coverage Quick drying High gloss clearcoat Fade out thinner for blend repairs











PLASTIC COATING AEROSOL



Refinish coatings for plastic components Concise range covers popular colours Compatible with compliant refinish systems

	PART #	COLOUR	PACK SIZE	CTN QTY	PRICE Per Pack
-	481899	Light Grey	400ml	12	16.63
	481905	Mid Grey	400ml	12	16.63
	481912	Dark Grey	400ml	12	16.63
	481929	Black	400ml	12	16.63
	481936	Fine Texture Black	400ml	12	16.63
	481943	Primer Grey	400ml	12	16.63
	481967	Plastic Preparation	400ml	12	16.63
	481950	Adhesion Promoter	400ml	12	16.63



APPLICATORS & NOZZLES



Pneumatic & manual equipment for sealants & anti-corrosion coatings Nozzles & accessories



PART #	ТҮРЕ	PACK QTY	Price Per Pack
473047	Pneumatic Gun for MS Spray Sealant	1	425.13
473030	Pneumatic Gun For MS Polymer	1	334.11
473054	Cavity Wax Spray Gun	1	49.77
473061	Underbody Coating Spray Gun	1	49.77
472897	2 Part Adhesive Cartridge Gun	1	64.49
472712	Inner Nozzle For 473047	1	2.14
472729	Narrow Nozzle For 473047	1	5.86
472736	Wide Nozzle For 473047	1	5.86
472866	Mixer Nozzle For 472897	12	20.94
481127	Cartridge Sealant Nozzle Guide 310ml	1	47.90
481134	Cartridge Nozzle 310ml Flat Bead	12	25.46
593974	Butterfly Nozzle for 310ml Cartridge	12	22.52

AUTOFILL





A concise range of high performance fillers, stoppers and glazes for the professional refinisher Formulated to deliver maximum substrate adhesion, ease of application and effortless sanding Rapid curing to minimise repair down time and maximise operator productivity Excellent sag, shrink and bleed through resistance



	AUTOFILL								
PART #	ТҮРЕ	FORM	PACK SIZE	CTN QTY	PRICE Per Pack				
507193	Gold - Premium Filler		3lt	4	48.75				
543320	Gold Ultra (D) - Optimum Repair Filler		2.9kg	6	45.60				
507216	Silver - Easy Sand Filler		3lt	4	36.56				
525135	XF - Lightweight Filler	Tin	3lt	4	36.56				
507254	K-Tech - Reinforced Filler	1111	1.8kg	4	31.99				
540497	Fibre - Glass Fibre Filler		3.5kg	4	51.18				
507247	Glaze - Finishing Glaze		470ml	6	18.67				
540480	Plas-Tech - Plastic Filler		1kg	6	27.34				
509425	Spreader	Pack	10	100	3.02				
507278	Hardener	Tube	78g	1	4.28				

Innovative Repair Solutions that Perform

EVERCOAT

THE RAGE® ULTRA EXPRESS

REPAIR PROCESS IS SAVING MORE BODYSHOPS MORE TIME AND MORE MONEY THAN YOU COULD EVER POSSIBLY BELIEVE...



CONTAINS ECORESIN™ EXCLUSIVE EVERCOAT PATENTED TECHNOLOGY







A single application prevents micro-pinholes and scratches, then conditions the surface for enhanced primer coverage

The fastest process for panel repair and prep

sales@evercoat.co.uk Distributed by INDASA



EVERCOAT





Market leading range of surface preparation materials Specialist in automotive crash repair applications Growing number of unique and patented products Innovative Repair Solutions that Perform Refer to technical data sheet for product specification



PART #	ТҮРЕ	COLOUR	FORM	PACK SIZE	CTN QTY	PRICE Per Pack
101341	Rage Ultra - Universal Lightweight Filler	Beige	_	3lt	4	56.09
100144	Rage Ultra Xtra - Lightweight Filler			3lt	4	57.18
104106	Rage Gold - Premium Lightweight Filler	Yellow	Tin	3lt	4	47.20
101667	Z-Grip - Lightweight Filler	White	-	3lt	4	39.52
101342	EZ Ultra Lite - Ultra Lightweight Filler	Grey		3lt	4	28.30
104425	Metal Glaze Ultra - Flowable Fine Filler		_	880ml	6	26.67
101669	Easy Sand - Flowable Finishing Putty	White	Pump dispenser	880ml	6	22.63
104411	Polyflex - Flexible Finishing Putty		dioportoor	880ml	6	29.97
104116	Fiber Tech - Reinforced Repair Filler	Purple	Pouch	814g	6	20.69
104708	Slick Sand - Polyester Primer Surfacer	Grey	Tin	946ml	6	33.52
104709	Slick Sand - Polyester Philler Suffacer	Gley	1111	3.78lt	4	119.34
104415	440 Express - Micro Pinhole Eliminator		Bottle	118ml	12	14.74
104440		-	DULLIE	473ml	6	50.83
101355	Hardener	Blue	Tube	78g	24	4.28

FUSOR[®] Aftermarket Repair Adhesives

LORD Fusor[®] Automotive Repair Adhesives are used to return vehicles to are used to return vehicles to pre-accident condition. These adhesives are specially formulated to repair all types of automotive substrates, using the same proven adhesive technology that is delivered to the OEMs.





Crash tested, OEM-approved assembly and repair adhesives

Fusor[®] PERFORMANCE PRODUCTS

- Collision focused repair adhesives, sealers & sound control
- Proprietary technology for OEM specification and replication
- Outstanding performance delivering reduced cycle times, faster curing for quicker painting and increased productivity
- Compact product range incorporating the very latest in acrylic, urethane and epoxy adhesive technologies

Metal adhesives

Plastic adhesives

Sealers & Foam



LORD provides valuable expertise in adhesives and coatings, vibration and motion control. Innovative and responsive in an ever-changing marketplace, we are focused on providing solutions for our customers worldwide. Our UK distribution partner (Indasa Abrasives) has been chosen to deliver the highly specialised products, technical support and customer service.... Ask Us How.

LORD FUSOR



AUTOMOTIVE AUTOMOTIVE MARINE & COMPOSITES Collision focused repair adhesives and sealers

The very latest in acrylic, urethane and epoxy adhesive technologies

Proprietary technology and OEM replication

Outstanding performance delivering reduced cycle times, faster curing for quicker painting

and increased productivity

Refer to technical data sheet for product specifications

METAL ADHESIVES

PART #	ТҮРЕ	PACK SIZE	PACK QTY	PRICE Per Pack
FUSOR108BE	Metal Bonding Adhesive (medium)	225ml	1	74.81
FUSOR110B	Metal Bonding Adhesive (Fast)	225ml	1	74.81
FUSOR208B	Panel Bonding Adhesive (Slow)	300ml	1	85.36
FUSOR2098	Crash durable structural adhesive	195ml	1	88.44

PLASTIC ADHESIVES

PART #	ТҮРЕ	PACK SIZE	PACK QTY	PRICE Per Pack
FUSOR132	Plastic Repair Adhesive (Super Fast)	300ml	1	78.72
FUSOR133	Plastic Repair Adhesive (Super Fast)	50ml	1	38.51
FUSOR142	Plastic Repair Adhesive (Fast)	300ml	1	78.72
FUSOR143	Plastic Repair Adhesive (Fast)	50ml	1	38.51
FUSOR152	Plastic Repair Adhesive (Medium)	300ml	1	78.72
FUSOR140	Clear Plastic Bonding Adhesive (Fast)	50ml	1	38.51
FUSOR114LG	Plastic Finishing Adhesive (Fast)	300ml	1	85.36

SEALERS

PART #	ТҮРЕ	PACK SIZE	PACK QTY	PRICE Per Pack
FUSOR129	Controlled Flow Seam Sealer (Fast)	300ml	1	81.87

ACCESSORIES

PART #	ТҮРЕ	PACK SIZE	PACK QTY	PRICE Per Pack
FUSOR300	Manual Dispensing Gun 50ml Cartridge		1	79.98
FUSOR302	Manual Dispensing Gun 300/225ml Cartridge		1	130.28
FUSOR304	Pneumatic Dispensing Gun 300/225ml Cartridge		1	474.88
FUSOR400	50ml Cartridge Mixing Tips		12	23.41
FUSOR401	300/225ml Cartrigde Mixing Tips		12	28.89
FUSOR420	195ml Cartridge Mixing Tips		12	28.89
FUSOR602EZ	Surface Modifier	255ml	1	34.02
FUSOR700	Reinforcing Mesh 102mm x 3.7m	102mm x 3.7m	1	22.99
FUSOR702	Fibreglass Cloth 102mm x 3.7m	102mm x 3.7m	1	35.40
FUSOR703	Adhesion Prep/Cleaner	946ml	1	31.56
FUSOR704	Saturation Roller 76mm		1	40.85
571231	Magnetic Lining Strip	12.7mm x 1.5mm x 3m	1	4.36
577974	Sealant Profile Spreader		5	15.76

POLISHING YOU CAN SEE IT IN THE FINISH





AUTOGLOSS COMPOUND PLUS



Fast cutting abrasive power \rightarrow Permanent removal of P1500 scratch marks Dry use \rightarrow Cleaner and quicker process, no excessive dusting or splatter Silicone free formulation \rightarrow Safe for the bodyshop

Single stage process → Superior system efficiency to achieve gloss finish



AUTOGLOSS HIGH-GLOSS PLUS



Dry use → Cleaner and quicker process, no excessive dusting or splatter Silicone free formulation → Safe for the bodyshop Protective properties → Produces a durable, water repellent glaze Colour restoration → Professional showroom finish

PART #	SIZE	QTY	PRICE
578124	1lt	1	30.40

578094

1kg

1

30.40



AUTOGLOSS COMPOUND PLUS & HIGH-GLOSS PLUS

NDAS

NDASA

DAS



TOELOSS

GIOSS PILS

OSS

AUTOGLOSS MOP



Soft / medium / hard density → Smear free polishing / increased flexibility / long lasting performance **Removes swirl marks** → Restores high gloss finish Nylon grip backing system → Quick & easy to fit

580141

580158

580165

580172

580189

580196

Open cell foam → Minimises heat build up

80mm diameter → Ideal for smart repair applications





PRICE Per Paci

32.11

21.91

32.11

21.91

32.11

21.91

QTY P/ PAC

5

2

5

2

5

2

80mm

150mm

80mm

150mm

80mm

150mm

White

Yellow

Black





AUTOGLOSS MICRO FIBRE CLOTH





PART #	SIZE	QTY P/ Pack	PRICE Per Pack
484029	410mm x 410mm	2	7.04

TECHNICAL TAPES

ADHESIVE FIXING & MASKING SOLUTIONS





MASKING TAPE - MTG

Ideal for general paint masking and industrial applications Extremely flexible and conformable \rightarrow Easy to tear Excellent adhesion good mechanical strength



GENERAL PURPOSE				
PART #	SIZE	BOX QTY	PRICE PER BOX	
MTG-25	25mm x 45m	36	30.66	
MTG-38	38mm x 45m	24	30.66	
MTG-50	50mm x 45m	20	33.77	
MTG-75	75mm x 45m	12	30.66	

MASKING TAPE - MTE



Excellent adhesion \rightarrow Good mechanical strength **Flexible** \rightarrow Easy to shape on contours **Easy/clean removal** \rightarrow Leaves no residue **Solvent resistant** \rightarrow Paint will not bleed **Consistency of thickness** \rightarrow Uniform paint edge **Easy roll release** \rightarrow Easy to apply **80°C temp rating** \rightarrow Low bake refinishing



LOW BAKE			
PART #	SIZE	BOX QTY	PRICE PER BOX
MTE-18	18mm x 50m	48	37.57
MTE-24	24mm x 50m	36	37.57
MTE-36	36mm x 50m	24	37.57
MTE-48	48mm x 50m	20	41.77
MTE-72	72mm x 50m	12	37.57

MASKING TAPE MTE - RED



Assured tack adhesion → No lifting through bake cycle Extremely flexible and conformable → Easy to tear Natural rubber resin adhesive → Eliminates adhesion transfer 100°C temperature ratings (30 mins)

> ASSURED PERFORMANCE
>
>
> PART #
> SIZE
> BOX OTY
> PRICE PER BOX
>
>
> 580370
> 24mm x 50m
> 36
> 39.34
>
>
> 580387
> 36mm x 50m
> 24
> 39.34
>
>
> 580394
> 48mm x 50m
> 20
> 43.76



0.70ini z 50e

MINIE

MASKING TAPE - MTY



Excellent adhesion → Good mechanical strength Flexible → Easy to shape on contours Solvent resistant → Paint will not bleed Consistency of thickness → Uniform paint edge Easy roll release → Easy to apply Waterproof backing → Indoor & outdoor use 110°C temp rating → High bake refinishing UV resistant → Easy clean removal without adhesive transfer



PREMIUM REFINISH GRADE				
Part #	SIZE	BOX QTY	PRICE PER BOX	
556740	18mm x 50m	48	59.94	
565957	24mm x 50m	36	59.94	
556771	36mm x 50m	24	59.94	
563199	48mm x 50m	20	66.58	

MASKING TAPE - MTX



Superior adhesion \rightarrow Excellent mechanical strength 120°C temperature rating Excellent UV resistance \rightarrow Up to 14 days Water resistant backing \rightarrow Indoor/outdoor applications



HIGH TEMPERATURE				
PART # SIZE BOX QTY PRICE Per Bo				
MTX-24	24mm x 50m	36	71.79	
MTX-36	36mm x 50m	24	71.79	
MTX-48	48mm x 50m	20	78.74	

MASKING COVER ROLLS



High density polyethylene masking film (9 micron) Decorator's grade crepe paper masking tape Static cling for easy application Pre-folded for convenient dispensing Easy roll release



BUILDING & DECORATION



PART #	SIZE	BOX QTY	PRICE Per Roll
460559	350mm x 25m	50	2.03
460566	600mm x 25m	50	2.45
462973	1200mm x 25m	25	4.32
460573	1800mm x 25m	25	5.46



RHYNO MASKING FOAM



Foam tape for masking apertures Eliminates paint build up & hard edge Low tack adhesion for easy application Box dispenser for dust free storage



PART #	SIZE	BOX QTY	PRICE PER BOX
320587	13mm x 5m x 10	1	18.42
322789	19mm x 5m x 7	1	18.42





DOUBLE SIDED BADGE TAPE



High strength adhesive \rightarrow Good holding power Medium density foam \rightarrow Absorbs vibration Ideal for mounting badges & trim





PART #	SIZE	QTY	PRICE PER ROLL
MBT-6	6mm x 10m	1	1.92
MBT-9	9mm x 10m	1	2.41
MBT-12	12mm x 10m	1	3.04
MBT-19	19mm x 10m	1	4.37
MBT-25	25mm x 10m	1	5.58
MBT-50	50mm x 5m	1	5.36

FINE LINE TAPE (BLUE)



Increased flexibility \rightarrow Easy to shape on contours Extremely flat PVC backing \rightarrow Leaves a clean sharp edge Easy and clean removal \rightarrow Leaves no residue Temperature resistant \rightarrow Low bake refinishing

MARINE & COMPOSITES



PART #	SIZE	QTY	PER ROLL
570968	3mm x 55m	1	4.60
570975	6mm x 55m	1	7.52
570982	9mm x 55m	1	11.52
570999	12mm x 55m	1	12.26
571002	19mm x 55m	1	18.04



FINE LINE TAPE (GREEN)



Extremely flat PVC backing \rightarrow Leaves a clean sharp edge Easy and clean removal \rightarrow Leaves no residue Temperature resistant \rightarrow Low bake refinishing




	PART #	SIZE	QTY	Price Per Roll
	566237	3mm x 55m	1	2.91
	566244	6mm x 55m	1	4.43
	566251	9mm x 55m	1	5.75
	566268	12mm x 55m	1	7.74
1				

ACRYLIC FIXING TAPE



High density acrylic foam tape \rightarrow Produces a flush fixing Superior strength adhesive bond UV & moisture resistant





TRIM MASKING TAPE



Masks & protects windscreen rubber & trim Perforated for easy tear & application Eliminates the risk of paint overspray & hard edge

PART #	SIZE	QTY	PRICE PER ROLL
566329	45mm x 10m	1	16.53



FAST FIX TAPE





Excellent adhesion → Long lasting bonding Produces a flush adhesive fix on rubber/plastic trim

Extremely versatile and easy to apply → Transparent tape for multiple applications Multifunctional double sided tape → Versatility in use

PART #	SIZE	QTY	PRICE PER ROLL
566336	12mm x 10m	1	5.55
566343	19mm x 10m	1	7.23

BADGE AND EMBLEM ADHESIVE



Adhesive transfer strip for vehicle badges High tack adhesive secures a permanent bond **Replicates OEM finish**





ANTI-SLIP TAPE



Provides anti-slip tread on stairs & treads

Hard wearing mineral coating → Excellent adhesion to most surfaces Low profile → Flush fitting

Suitable for indoor & outdoor application → Available in black and black & yellow

566374

566381



MARINE & COMPOSITES







Black

Black & Yellow

50mm x 18.3m

50mm x 18.3m



PRICE Er rol

21.00

22.34


1

1

ALUMINIUM FOIL TAPE



High temperature resistance (infrared curing) Acrylic adhesive backing → Extremely flexible Good mechanical strength



MULTI-PURPOSE WATERPROOF CLOTH TAPE



High strength adhesive \rightarrow Easy to unwind & tear Waterproof for indoor & outdoor use Reinforced cloth weave \rightarrow Available in black or silver



 PART #
 COLOUR
 SIZE
 QTY
 PRICE PER ROLL

 538463
 Black
 48mm x 50m
 1
 9.64

 538487
 Silver
 48mm x 50m
 1
 9.64









TERMS & CONDITIONS

1. GENERAL

All Tenders for products, materials or equipment to be supplied by or through Indasa Abrasives (UK) Ltd (hereinafter referred to as "the Company") are offered subject to the following express terms and conditions, which shall be deemed to exclude all conditions, warranties and guarantees implied or provided by common law, statute, trade, custom or otherwise including the Conditions of Purchase (if any) notified to the Company by the Customer.

2. PRICES

- **2.01** Unless otherwise expressly agreed in writing by us all quotations, prices and conditions are subject to revision without notice. The Company reserves the right to increase prices at any time prior to acceptance of any order placed.
- **2.02** In the case of the products of the Company's manufacture, except where expressly stated otherwise, a shortage or surplus, charged pro rata, not exceeding 10 per cent will be considered due execution of any order.

3. DELIVERY

- **3.01** Where contracts provide for a single delivery goods shall be delivered and accepted as soon as ready.
- **3.02** Where contracts provide for deferred deliveries such deliveries shall be accepted as specifed in the contract (or as soon thereafter as ready) provided that all deliveries shall be accepted within six months from the date specified for the first delivery. In the event of failure to accept any delivery the balance remaining undelivered shall be invoiced (payment for such balance immediately thereupon becoming due) and storage costs charged to Customer's account, the goods being held at Customer's risk.
- **3.03** The times given for delivery are approximate and without guarantee, and the Company whilst using its best endeavours to comply with these times accept no liability to failure to deliver any goods on a stated date.
- **3.04** All goods are delivered in accordance with the rules determined by ICC Incoterms 2010 Delivered at Place (DAP) unless otherwise stated.

4. DEFECTS The Company will at its option either repair free of charge or replace free of charge any product which is found to the satisfaction of the Company to be defective as a result of faulty design, manufacture or workmanship provided that:

- (a) The Products are returned properly packed carriage paid to the Company at the Customer's risk within a period of 1 month from the date of delivery; and
- (b) where the products are made to Customer's specification, defects are not a result of errors in such specification;
- (c) the Products have not been modified in any way by the Customer; and
- (d) the Products have not been used for any purpose other than that for which they were designed or otherwise mis-used.

Repaired or replaced goods will be returned free of charge to destinations on the mainland of the United Kingdom or delivered F.O.B. U.K. Port for other destinations.

5. PAYMENT

- **5.01** Payment shall be net cash not later than end of month following date of invoice.
- **5.02** The Company reserves the right to charge interest at the rate of 2% per annum above the base rate of National Westminster Bank Limited from time to time ruling on any sums from time to time payable to the Company in accordance with the provisions of 5.01.
- **5.03** In the event of a Customer failing to make payment against any invoice at the proper time the Company shall be entitled to delay, suspend or cancel any further deliveries to the Customer to retain any of that Customer's goods in its hands without prejudice to any other rights to which the Company may be entitled.

6. RETENTION OF TITLE

The risk in the goods shall pass from the seller to the buyer upon delivery of such goods to the buyer. However, notwithstanding delivery and the passing of risk in the goods, title and property in the goods, including full legal and beneficial ownership, shall not pass to the buyer until the seller has received in cash or cleared funds payment in full for all goods delivered to the buyer under this and all other contracts between the seller and the buyer for which payment of the full price of the goods thereunder has not been paid.

7. CLAIMS AND DISPUTES

- 7.01 Any Customer wishing to make a claim alleging shortage in weight or numbers in respect of products, materials or equipment supplied by the Company shall give notice in writing within three days of delivery of the goods stating fully the grounds of that claim.
- **7.02** Claims for non delivery shall be made in writing within one month of the invoice date. The Company will obtain and supply proof of delivery (P.O.D) on written request received within the period stipulated above.
- 7.03 The Contract or Sale between the Company and the Customer shall be adjudicated in the event of dispute in accordance with the Law of England.

8. FORCE MAJEURE

The performance of all contracts is subject to variation or cancellation by the Company owing to any Act of God, war, strikes, lock-outs, fire, flood, drought, tempest or any other cause beyond the control of the Company or owing to the inability by the Company to procure materials required in the manufacture of products to be supplied by the Company under the contract.

HEADQUARTER



INDASA - Indústria de Abrasivos. S.A.

Apartado 3005 3801-101 Aveiro. Portugal Tel. +(351) 234 303 600 Fax +(351) 234 303 605 Email: indasa@indasa-abrasives.com

FROM PORTUGAL TO THE 5 CONTINENTS

AFILLIATES

INDASA-Ind. Abrasivos España. S.A.U

Ctra. Santiga. 100-108. naves 21 a 24 Pol. Ind. Els Pinetons Apartado de Correos 104 08291 Ripollet. Barcelona Tel: +(34) 9358630300 Fax: +(34) 935863381 E-mail: indasa@indasa.es



INDASA - Abrasives (UK) Ltd.

Viking Works Greenstead Road Colchester. Essex. C01 2ST

INDASA FRANCE

P.A. de l'Hippodrome 4 Rue de l'Artifice 69140 Rillieux la Pape Tel: + (33) 4 78 88 58 32 Fax: + (33) 4 78 88 56 65 E-mail: contact@indasa.fr

Tel: + (44) 1206 870366 Fax: + (44) 1206 860525 E-mail: office@indasa.co.uk



INDASA Schleifmittel GmbH

Monzastraße 4D 63225 Langen Tel: +(49) 6103 388 99 0 Fax: +(49) 6103 388 99 60 E-mail: info@indasa.de



INDASA Brasil. Ltda.

Rua Sérgio Jungblut Dieterich. 930/940 Bairro São João Porto Alegre / RS CEP 91060-410 Tel: +(55) 51 3350 5090 Fax: +(55) 51 2131 0917 E-mail: vendasbr@indasabrasil.com.br




INDASA Polska SP. zo.o.

UI. Astronomów 10 80-299 Gdansk Tel: +(48) 58 554 02 00 Fax: +(48) 58 522 94 61 E-mail: indasa@indasa.pl



INDASA USA. INC. 23 Madison Road Fairfield - NJ 07004



INDASA ITALIA S.r.I Strada del Portone 127/B 10095 Grugliasco (TO) Tel: +39 011 4278321 info@indasaitalia.it www.indasaitalia.it



Indasa Corporate Video INDASA best choice for surface preparation

INDASA - Abrasives (UK) Ltd. Viking Works

Viking Works Greenstead Road Colchester. Essex. CO1 2ST Tel: + (44) 1206 870366 Fax: + (44) 1206 860525 E-mail: office@indasa.co.uk

Find us on Facebook & LinkedIn @IndasaUK

