

sia Abrasives Product Catalog



blue line



sia Abrasives offers you over 130 years of abrasives experience and all the expertise of a leading international abrasives manufacturer. Our unsurpassed quality and high standards for all of our services are assured by an ISO 9001:2000 / ISO 14001:2004 / OHSAS 18001:2007 certified quality management system.

Our customers and partners associate with sia Abrasives due to the reliability and precision of a high-performance Swiss company. This commitment sets strong personal ties with our customers and our worldwide family of subsidiary companies. This proximity, closeness, and understanding of market needs, enables sia Abrasives to constantly update, develop, and expand our expertise, which leads to innovation, brings added benefits, and promotes our user-oriented philosophy.

As a surface treatment specialist, sia Abrasives not only offers you products, but also blue line benefit-focused sanding systems based on flexible abrasives, matching accessories and process-oriented user advice. Blue line is a unique, comprehensive and perfectly coordinated sanding system, which guarantees cost-effective products and success in every sanding application.

Whether it's our innovative siafast hook 'n loop system for discs, or our full line of coated and nonwoven abrasives, we continue to lead the way in working with our customers and partners to always provide

Your Key to a Perfect Surface.

Customer Service

Phone 800.459.3534 Fax 800.459.3524

www.sia-abrasives.com

Terms and Conditions

PRICES... although sia Abrasives attempts to give 30 days notice on price and discount changes; both are subject to change without notice. All bids and quotes are firm for 30 days only. All prices exclude freight, sales, use, occupation, license, excise and other taxes in respect of manufacture, sale or delivery and export or import duties, all of which shall be paid by the Buyer, unless otherwise agreed and specified in writing. Deviation from standard pricing may result in change of term and conditions.

MINIMUM QUANTITY... see specific items for minimum order. Total order amount must be \$100.00 to a single destination.

PAYMENT... in consideration for any extension of credit, Buyer agrees to the terms hereof and to the conditions of sale set forth on each invoice. Invoices not paid within terms are considered delinquent and all other orders are subject to placement on hold. A 1-1/2% finance charge (18% annually or the maximum allowable rate under state statute) will be computed on the unpaid delinquent balance until the account is paid in full. The Buyer also agrees to pay reasonable collection and attorney fees on all accounts placed for collection. You may prepay an order by company check if you do not have an account established with us.

FREIGHT... on orders of \$500.00 or more, sia Abrasives will ship your single order free of charge by any means of transportation or routing of our choice to one destination in the continental United States. If Buyer requires a more expensive means of transportation or routing, Buyer shall bear any additional expenses thus incurred. On orders under \$500.00 shipping UPS, RPS or courier, freight and handling charges will be added to our invoice.

DELIVERY... sia Abrasives will at all times, use its best efforts to ship and deliver orders promptly; however, all orders accepted by sia Abrasives are subject to labor disputes, strikes or lockouts, accidents, fires, delays in manufacturing, transportation and/or delivery of materials, weather, other acts of God, embargos, government action, wars and any other causes beyond our control. sia Abrasives shall not be responsible to Buyer for any losses or damages due to delay resulting from such causes.

DAMAGES AND RISK OF LOSS... ownership and all costs and risks of loss of, damage to and destruction of the goods shall pass and be borne by Buyer according to the shipping terms F.O.B. Shipping point, even though sia Abrasives may have selected the carrier, notwithstanding arrangements for delivery and payment of freight.

QUANTITY VARIATIONS... due to the impossibility of predicting the quantity of goods that will be lost or gained in processing operations when sia Abrasives is delivering goods, Buyer agrees that payment will be made of quantities delivered and that sia Abrasives may deliver quantities that vary within plus or minus 10% of the quantity ordered.

LIMITED WARRANTY... sia Abrasives warrants that all of its products will be free from defects in material and workmanship. The remedy for defective products shall be return and replacement of the defective product. All claims for defective products must be made within ninety (90) days of receipt of shipment. EXCEPT FOR THE LIMITED WARRANTY PROVIDED FOR IN THIS PARAGRAPH, sia Abrasives MAKES NO WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO ANY OF ITS PRODUCTS, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

LIMITATION OF LIABILITY... sia Abrasives liability for any defects in its products shall not exceed the total charges which have been paid in connection with the order or orders involving such defects. sia Abrasives shall not in any event be liable for any lost profits, nor for claims demanded against its customers by third parties. sia Abrasives shall not be liable for incidental or consequential damages under any circumstances even if it has been advised of the possibility of such damages.

RETURNED GOODS... please request written consent (in the form of an RGA) in the rare case of a return. sia Abrasives will not accept returns without prior written consent, as many items are special order and non-returnable. Products are only returnable within 90 days of invoice date. All authorized returns are subject to a 20% restocking fee. Authorization to return product may be withheld based upon ability to resell, condition or obsolescence.

TRADEMARKS... Buyer shall not use the product designation of sia Abrasives, especially trademarks belonging to or licensed by sia Abrasives, in connection with goods made with or from products of sia Abrasives, in the packages used for such goods, and in printed literature and advertising materials referring to such goods, without the express written permission of sia Abrasives.

	Getting to know sia Abrasives	3
	Terms and Conditions	4
	Table of Contents	5-6
	Application Information	7-14
	Material Cross Reference	15-20
	Belts	21-63
	Cloth Belts	21-52
	Paper Belts	53-60
	Portable Belts	61
	Pump Sleeves	62-63
	Profile Sanding	64-65
	Discs	66-84
	Paper siafast Hook 'n Loop Discs	66-71
	Paper siastik PSA Discs	71-74
	Locking Discs	75-77
	Cloth Discs	78
	Specialty Discs	79
	Resin Fibre Discs	80-82
	Flap Discs	83-84


Table of Contents

Nonwoven	85-93
SCM Surface Conditioning Belts/Discs	85-88
siastrip/ siafleece Discs	88-89
Unitized Wheels	90
siatech Convolute Wheels	91-92
siafleece Flapwheels/siafleece Handpads	92
siafleece Rolls	93
Sheets	94-99
Paper Sheets Plain	94-95
Paper Sheets siafast Hook 'n Loop	96
Paper Sheets Waterproof	97
Cloth/Foam Sheets	98
Longboard Sheets	99
Rolls	100-103
Solid Surface	104-108
Polishing	106-108
Sponges	109-110
Accessories	111-117
Specialties	118-123
siastar	124-126


SIA ABRASIVES	steel	stainless	titanium, alloys	non-ferrous metals	hardwood	softwood	wood based panels (PB, MDF)	paint, sealer, lacquer	glass, stone	solid surface composites	Grain	Grit Range	Backing	Ext. Backing	Coating	Special	Applications
1400 sianor					●	●					Garnet	P80-P280	A-wt paper	plain	Open/ Closed	Glue bond	Hand sanding on solid wood and veneer. Excellent finishing product.
1600 sianor	●	●		●							Emery	150-2000 (excl. 280, 1500)	B-wt paper	plain	Closed	Hide glue, elutriated	Micro finishing of all metals. Polishing and micro finish of very high quality precious metals (watches and jewelry). Microfinish/microsection of mineralogical and metallurgical laboratory specimens. Polishing work on precision parts.
1701 sialac								●			SC	P80-P400	A-wt paper	plain	Open/ Closed	Glue bond, stearated	Intermediate sanding on stain, sealer and lacquer. Little loading thanks to non-fill coating.
1707 siapar					●						SC	P16-P150	F-wt paper Y-wt cotton	plain	Open	Resin over resin bond	Hand machine sanding on wood, plaster, and concrete. High performance product thanks to strong and heavy backing.
1718 siapan					●	●	●				SC	P60-P220	G-wt paper	plain	Closed	Resin over resin, antistatic	Stationary belt machine sanding. Product is designed for sectional belts. Excellent finishing product. Use on Particle board, MDF and Fiber board.
1727 siawat	●	●		●				●	●	●	SC	P80-P1200 (excl. P360)	C-wt paper Latex wet/dry	plain, siafast	Closed	Resin over resin bond, waterproof	Hand sanding of filler, primer, lacquer, glass, and stone. Product can be used wet or dry, available with or without siafast.
1729 sialac TopTec					●	●	●				SC	P220-P800	E-wt paper	plain	Closed	Synthetic resin, stearated	Intermediate sanding of UV and PUR varnish systems. Polishing preparation for high-gloss surfaces.
1748 siarexx fine					●	●	●		●		SC	P150-P400	A-wt paper	plain, siafast	Open	Resin bond, stearated	Hand and machine sanding on stain, sealer, lacquer and composites. Little loading thanks to no-fill. Available with and without siafast fastening system. Also available with foam backing for sanding of profiles.
1749 sialar	●	●	●		●	●	●	●	●	●	SC	P36-P400	F-wt paper	plain, siafast	Closed	Resin over resin, antistatic	Hand or stationary belt machine sanding on wide range of products. Excellent and consistent finishing results. Heavy F-weight paper for outstanding life.

Stocked Made to Order Available upon request

Application Information


		steel	stainless	titanium, alloys	non-ferrous metals	hardwood	softwood	wood based panels (PB, MDF)	paint, sealer, lacquer	glass, stone	solid surface composites	Grain	Grit Range	Backing	Ext. Backing	Coating	Special	Applications
1796	sialac					●	●					SC	P180-P800	E-wt Paper	plain	Closed	Hide Glue, electrostatic	Keying and dulling of primers. Intermediate sanding of thin varnishes. Final sanding to prepare for polishing.
1815	siatop	●	●	●	●				●			Zirconia/AO	P24-P150	0.38mm fibre/F-wt paper	siafast	Closed	Resin over resin, grinding agents	Hand machine grinding on aluminum, non-ferrous metals, steel, composites. Grinding agents in size coat extend lifetime. Available with siafast fastening system. Can be used in place of fibre discs.
1820	siamet	●	●	●	●							Zirconia/AO	P40-P400	F-wt paper	plain	Closed	Resin over resin, grinding agents	Stationary belt machine grinding on wide variety of metals and non-ferrous metals. Heavy F-weight paper for excellent life. Grinding agents prolong life time.
1913	siawat							●				AO/SC	P60-P2500	C-wt paper, Latex, Wet/Dry	plain, siafast	Closed	Resin over resin bond, waterproof	Hand sanding on filler, primer and paint. Product can be used wet or dry. Available with or without siafast fastening system.
1919	siawood				●	●	●	●				SC	P240-P800	D-wt paper	plain	Closed	Synthetic resin bond, stearted	Keying and dulling of primers. Intermediate sanding of thin varnishes. Final sanding to prepare for polishing.
1919	siawood TopTec				●	●	●					AO	P36-P220	F-wt paper	plain	Open/Closed	Resin over resin bond, TopTec	Stationary belt machine sanding on wood, sealer and lacquer. Heavy F-weight paper in coarse grits for excellent stock removal. TopTec technology.
1920	siawood TopTec				●	●						AO	P60-P400	F-wt paper	plain	Closed	Resin over resin bond, TopTec	Stationary belt machine sanding on wood. Heavy F-weight paper for excellent life. Closed coating for superb finish. TopTec technology.
1939	siawood TopTec				●	●	●					AO	P60-P220	F-wt paper	plain	Open	Resin over resin bond, TopTec, stearted	Stationary belt machine sanding on wood and lacquer. Heavy F-weight paper for excellent life. Open coating and steartate prevents loading. TopTec technology.
1940	siacar				●	●	●	●				AO	P40-P500 (excl. 360)	D-wt paper A-wt paper	plain, siafast	Open	Resin bond, stearted	Hand and machine sanding on paint, lacquer, filler and resin composite materials, and solid surface. Steartate extends lifetime. Available with and without siafast fastening system.

Stocked Made to Order Available upon request

		steel	stainless	titanium, alloys	non-ferrous metals	hardwood	softwood	wood based panels (PB, MDF)	paint, sealer, lacquer	glass, stone	solid surface composites	Grain	Grit Range	Backing	Ext. Backing	Coating	Special	Applications
1947	●			●	●	●	●	●				AO	P60-P400	B-wt paper, C-wt paper	PSA	Open	Resin bond, stearated	Hand machine sanding on wood, paint, lacquer, filler and resin composite materials. Stearate coating extends lifetime. Available only with pressure sensitive adhesive (PSA).
1950 siaspeed siafast	●			●	●	●	●	●			●	Semi-friable AO	P40-P600	Paper	siafast	Open	Synthetic resin, electrostatic	Sanding of wood, solid surface, metal, composites, filler compound and polyester. Shaping of primer filler. Producing a mat finish on lacquers. Smoothing of transitions, sanding out of rust spots and stone chips. Keying of new parts and factory primer.
1950 siaspeed siasoft	●			●	●	●	●	●			●	Semi-friable AO	P150-P600 (excl. 360)	Paper	Foam	Open	Synthetic resin, electrostatic	Keying of new parts and factory primer. Fine sanding of round edge, contours for wood, metals and composites. Fine sanding of primer filler. Sanding for blending.
1951 siawat								●				AO	P80-P1200	C-wt paper A-wt paper	plain, siafast	Closed	Resin over resin	Flattening body filler, primer filler and lacquers. Scuffing of lacquers.
1960 siaexx cut					●	●	●	●			●	AO	P40-P600 (excl. P50)	C-wt paper B-wt paper	plain, siafast	Open/ Closed	Resin bond, stearated	Hand and machine sanding on wood, paint, sealer, lacquer, filler, and composite materials. Stearate coating extends lifetime. Available in plain or with siafast fastening system.
1990 siamic siafast	●							●			●	Semi-friable AO	P800-P1500	A-wt paper	siafast	Closed	Synthetic resin	Sanding for blending. Scuffing of old and new lacquers. Rectifying top coats (dust inclusions, orange-peel effect).
2503 siabite	●	●	●	●	●							Ceramic/AO	P36-P120	Y-wt poly	plain	Closed	Resin over resin bond, 2nd size coat w/ highly active grinding agents	Stationary belt machine grinding on stainless steel, alloys, and high alloys. Excellent performance and cool running thanks to highly active grinding agents.
2510 siabite	●	●	●	●	●							Ceramic/AO	P50-P120	Y-wt poly cotton	plain	Closed	Resin over resin bond, 2nd size coat w/ highly active grinding agents	Stationary belt machine grinding on stainless steel, alloys, and high alloys. Excellent performance and cool running thanks to highly active grinding agents. Designed for low to mid pressure applications, dry.
2515 siabite	●	●	●	●	●							Ceramic/AO	P24-P80	Y-wt poly	plain	Closed	Resin over resin bond, 2nd size coat w/ highly active grinding agents	Stationary belt machine grinding on stainless steel, alloys, and high alloys. Excellent performance and cool running thanks to highly active grinding agents. Designed for high pressure applications, dry.

Stocked Made to Order Available upon request

Application Information


		steel	stainless	titanium, alloys	non-ferrous metals	hardwood	softwood	wood based panels (PB, MDF)	paint, sealer, lacquer	glass, stone	solid surface composites	Grain	Grit Range	Backing	Ext. Backing	Coating	Special	Applications
2546	siabite	●	●	●								Ceramic/AO	P60-P320	JJ-wt cotton	plain	Closed	Resin over resin bond, 2nd size coat with highly active grinding agents	Stationary belt machine grinding on stainless steel, alloys, and high alloys. Very flexible backing. Cool running thanks to highly active grinding agents.
2601	sianor	●	●	●								Emery	PO (Special designation corresponding to grit 600)	J-wt cloth, cotton	plain	Elutriated	Hide Glue	Polishing all metallic materials. Breaking of fine edges.
2707	siawat	●	●	●	●	●	●	●	●	●	●	SC	P60-P600	Y-wt cloth/poly	plain, PSA	Closed	Resin over resin bond, waterproof	Stationary belt machine grinding on wide variety of metals, woods, glass and composites. Excellent finishing product. Can be used wet or dry. Suitable for sectional belts.
2718	siapan TopTec	●	●	●	●	●	●	●	●	●	●	SC	P24-P180	Z-wt poly	plain	Open/Closed	Resin over resin bond, waterproof, antistatic	Stationary belt machine sanding. Product is designed for sectional belts. Excellent performance and finish on all wood based panels such as MDF, PB. Dust free properties.
2747	siatur	●	●	●	●	●	●	●	●	●	●	SC	P60-P400 (excl. P150)	J-wt cotton JJ-wt cotton	plain	Closed	Resin over resin bond, grinding agents	Stationary belt machine grinding on non-ferrous metals, steel, stainless, and wood profiles. Flexible cotton backing. Grinding agents prolong lifetime of product.
2800	siaron	●	●	●	●							Zirconia Alumina /semi-friable AO	P24-P400	Y-poly grits 24-80, X-wt poly grits 100-400	plain	Closed	Electrostatic	Grinding down aluminum casting seams. Grinding down plastic protrusions. Descaling, flat grinding or various machine components.
2803	siaron	●	●	●	●							Zirconia	P36-P080	Y-wt poly-cotton grits 36-100, X-wt poly-cotton grits 120-180	plain	Closed	Resin over resin bond, 2nd size coat w/ highly active grinding agents	Stationary belt machine grinding on steel, stainless, high alloys, and non-ferrous metals such as aluminum. Very high performance and durability. Highly active grinding agents reduce glazing and prolong lifetime.
2812	sialar					●	●	●			●	Zirconia/SC Mixed Grains	P16-P220 (excl. P20, P30, P50, P180)	Y-wt cotton and X-wt cotton	plain	Closed	Resin over resin bond	Stationary belt machine sanding on wood, wood related products, and composites. Very good performance.
2815	siaron	●	●	●	●							Zirconia/AO	P24-P80 (excl P60)	Y-wt poly	plain	Closed	Resin over resin bond	Stationary belt machine grinding on steel and non-ferrous metals. Product is made with grinding agents, which prolong life time. Designed for low to mid pressure, dry.

Stocked	Made to Order	Available upon request
---------	---------------	------------------------

SIA ABRASIVES	steel	stainless	titanium, alloys	non-ferrous metals	hardwood	softwood	wood based panels (PB, MDF)	paint, sealer, lacquer	glass, stone	solid surface composites	Grain	Grit Range	Backing	Ext. Backing	Coating	Special	Applications
	2820 siamet	●	●		●						●	Zirconia/AO	P36-P400	Y-wt poly-cotton grits 36-60 X-wt poly-cotton grits 80-400	plain	Closed	Resin over resin bond, grinding agents
2824 siaflap	●	●		●						●	Zirconia/AO	P36-P120	X-wt cotton	plain	Closed	Resin over resin bond, grinding agents	Hand machine grinding on non-ferrous metals, aluminum, and steel. Grinding agents in size coat extend lifetime. Only available as siaflap discs.
2828 siaflap stingray	●	●	●								Zirconia	P40-P120	X-wt cloth	plain	Closed	Synthetic resin	Deburring and edge breaking. Excellent for stainless steel deburring.
2829 siaron	●	●	●	●	●						Zirconia/AO	P24-K120	Y-wt cloth polyester	plain	Closed	Resin over resin bond, grinding agents	Stationary belt machine grinding on stainless, steel, wood, high alloys, and non-ferrous metals such as aluminum. Very high performance and durability. Active grinding agents in size coat reduce glazing and prolong lifetime.
2915 siarol	●	●		●	●	●				●	AO	P40-P400	J-wt cotton	plain	Closed	Resin over resin bond	Hand sanding and polishing on non-ferrous metals and steel. Flexible cotton backing makes product perform well on shapes and profiles.
2918 siaapan TopTec					●	●	●				Semi-friable AO	P36-P120	Z-wt cloth poly	plain	Open/Closed	Synthetic resin	Industrial coarse sanding of various types of solid wood. Coarse to medium sanding in plywood production. Coarse to fine sanding of glued solid wood panels. Product designed for sectional belts. Washable.
2920 siaewood TopTec					●	●				●	AO	P16-P320 (excl. P20, P280)	X-wt cotton Y-wt cotton	plain	Open/Closed	Resin over resin bond, TopTec	Hand machine and stationary belt machine sanding on hard and soft woods. Open coating prevents loading. Strong X-weight backing for good performance. TopTec technology.
2921 siaewood					●	●					Semi-friable AO	P36-P120	X-wt cloth, cotton	plain	Open	Synthetic resin	Sanding off old varnish and paint. Flush sanding of edges and rabbets. Sanding off solid wood.
2925 sialoX	●	●		●	●					●	AO	P24-P400	X-wt cotton X-wt poly Y-wt poly-cotton	plain, PSA	Closed	Resin over resin bond, grinding agents, waterproof	Stationary belt and disc machine grinding on non-ferrous metals, steel, and hardwood. Excellent all purpose metalworking product. Grinding agents in size coat reduce heat buildup. Can be used wet or dry.

Stocked Made to Order Available upon request

Application Information


		steel	stainless	titanium, alloys	non-ferrous metals	hardwood	softwood	wood based panels (PB, MDF)	paint, sealer, lacquer	glass, stone	solid surface composites	Grain	Grit Range	Backing	Ext. Backing	Coating	Special	Applications
2928	siaral	●				●	●				●	AO	P36-P120	X-wt cotton	plain	Semi Open	Resin over resin bond	Stationary belt machine sanding on hard and soft woods, steel and composites. Very good performance and aggressive cut.
2933	siatur TopTec					●	●	●				AO	P60-P220	J-wt cotton	plain	Open	Resin over resin bond, TopTec	Hand and stationary belt machine sanding on hard and soft woods, as well as wood related products. Flexible backing makes product suitable for profile sanding applications. Open coating prevents premature loading. TopTec technology.
2936	siatur					●	●	●				AO	P60-P320	JJ-wt cotton	plain	Closed	Resin over resin bond	Hand and stationary belt machine sanding on hard and soft woods, as well as wood related products. Very flexible JJ-cloth backing makes product very suitable for profile sanding applications. Very good and consistent performance.
2938	siawat	●			●	●	●				●	AO	P60-P120	Y-wt poly	plain	Closed	Resin over resin bond, waterproof	Stationary belt machine grinding and sanding on non-ferrous metals, steel, composites and wood. Heavy and durable Y-weight backing guarantees very good performance. Can be used wet or dry. Suitable for sectional belts.
2943	siatur					●	●	●				AO	P80-P240 (excl. P220)	H-wt cloth mixed fabric	siafast	Closed	Resin over resin bond, stretchable backing	Sanding of wide range of profiles on stationary machines (CNC routers, shapers), wood and wood related products. Only stretchable abrasive in the world. Available with siafast fastening system.
2945	siatur	●	●	●	●							AO	P60-P400	J-wt cotton	plain	Closed	Resin over resin bond, grinding agents	Stationary belt machine grinding on non-ferrous metals, steel, stainless steel and alloys. Flexible J-weight backing performs well on shapes. Grinding agents extend life time.
2946	siatur	●	●	●	●							AO	P60-P600	JJ-wt cotton	plain	Closed	Resin over resin bond, grinding agents	Stationary belt machine grinding on non-ferrous metals, steel, stainless steel and alloys. Very flexible JJ-weight backing performs well on shapes. Grinding agents extend life time.
2948	siatur	●	●	●	●							Special AO	P80-P120, P180, P240-P400, P600	JJ-wt cloth cotton	plain	Closed	Synthetic resin, 2nd size coat w/ highly active ingredients	Grinding of surgical instruments and implants. Grinding of turbine blades. Grinding of knives. Grinding of cutlery.
2951	siatur	●	●		●	●	●	●				AO	P40-P600 (excl. P50, P500)	H-wt cotton	plain	Closed	Resin over resin bond	Stationary belt machine grinding and sanding on non-ferrous metals, steel, wood and wood based products. Highly flexible H-weight backing adapts and performs well on shapes.

Stocked Made to Order Available upon request


SIA ABRASIVES	steel	stainless	titanium, alloys	non-ferrous metals	hardwood	softwood	wood based panels (PB, MDF)	paint, sealer, lacquer	glass, stone	solid surface composites	Grain	Grit Range	Backing	Ext. Backing	Coating	Special	Applications
	2980 siafin	●	●	●								3-DAO agglomerate	P50-P600	Y-wt cloth, polyester water- resistant	plain	Closed	Resin over resin
3708 siapan					●	●	●				SC	P36-P150	Heavy combination: paper/cloth	plain	Closed	Resin over resin	Long lifetime, calibration and medium sanding, key product-meets extreme requirements for surface quality. Fine sanding pattern with few belts changes thanks to stable backing. Protects the sanding pad. Designed for sectional belts.
4515 siabite	●	●	●								Ceramic AO, Semi- Friable AO	P36-P120 (excl. 40)	0.84/0.8mm fibre	plain	Closed	Resin over resin, active ingredients, 2nd size coat with active ingredients	Heavy duty, aggressive cut. Very good on Stainless and Titanium.
4550 siastrip Plus Red	●	●	●	●							AO	P24	Nylon Fleece	na	na		Cleaning welds. Non-smearing.
4700 sialar				●			●	●	●		SC	P16-P320 (excl. P50, P180, P240, P280)	0.84/0.8mm fibre	plain	Closed	Resin over resin bond	Hand machine grinding of non-ferrous metals, stone, glass, and composites. Very good performance thanks to fibre backing. Only available in fibre discs.
4815 siacut	●	●	●	●							Zirconia/ AO	P24-P150, (excl. P40)	0.84/0.8mm fibre	plain	Closed	Resin over resin bond, 2nd size coat w/ highly active grinding agents	Hand machine grinding of steel, stainless, non-ferrous metals, and alloys. Very aggressive and high performance thanks to fibre backing. Highly active grinding agents in size coat prevent glazing. Only available in fibre discs.
4819 siaron	●			●							Zirconia/ AO	P24-P120	0.84/0.8mm fibre	plain	Closed	Resin over resin bond, active grinding agents	Hand machine grinding of steel, and non-ferrous metals. Aggressive and good performance thanks to fibre backing. Grinding agents in size coat extend lifetime. Only available in fibre discs.
4919 sialar	●			●							AO	P16-P120	0.84/0.8mm fibre	plain	Closed	Resin over resin bond, grinding agents	Hand machine grinding of steel, and non-ferrous metals. Aggressive and good performance thanks to fibre backing. Grinding agents in size coat prevent glazing and extend lifetime. Only available in fibre discs.
6120 siafleece speed	●	●	●	●			●	●			AO SC SC AO	very fine ultra fine med micro fine green GP	Nylon Fleece	na	na	synthetic resin	Keying of E-coat. Keying of solid color paint. Final sanding of primer filler (with DA sander). Matting of sensitive paint and lacquer. Matting of lacquer or metallic color coats. Matting of water soluble lacquers and bright metallic color coats.

Stocked Made to Order Available upon request


Application Information


		steel	stainless	titanium, alloys	non-ferrous metals	hardwood	softwood	wood based panels (PB, MDF)	paint, sealer, lacquer	glass, stone	solid surface composites	Grain	Grit Range	Backing	Ext. Backing	Coating	Special	Applications
6130 Heavy Duty		●	●		●							AO / SC AO / SC AO / SC	medium fine very fine	Nylon Fleece	na	na	synthetic resin	Grain finishing on stainless steel - matte finish. Satin finishing on non-ferrous metals. Preparation for coating/plating.
6140 Super Duty (high strength)		●	●	●	●							AO	medium fine very fine	Nylon Fleece	na	na	resin bond	Grain finishing on stainless steel, titanium, non-ferrous metals and steel. Very durable, long life.
6220 sia SCM		●	●	●	●							AO / SC	CRS MED VFA S-SFN	Nylon Fleece / Scrim	na		synthetic resin	Grain finishing on stainless steel - matte finish. Satin finishing on non-ferrous metals. Preparation for coating/plating.
6250 sia SCM		●	●	●	●							AO	X-CRS CRS H-MED MED VFA	Nylon Fleece / Scrim	na		synthetic resin	Cleaning, finishing and graining metal surfaces.
6260 sia SCM ultradisc		●	●	●	●							AO	X-CRS CRS MED FN VFA	Nylon Fleece / Scrim	na		synthetic resin	Blending and finishing. Provides consistent cut and uniform finishes. Surface finishes and light deburring.
6300 siastrip		●	●									SC	P36	Nylon Fleece	na		synthetic resin	Scale, rust and coatings removal.
7240 siacarat velvet								●	●	●		Diamond	P500, P1000, P2000, P3000	Foam	siafast	Special Process	Open, woven structure	Hand machine sanding on nano and scratch resistant paint and lacquer. Available with siafast backing.
7242 siacarat cut								●	●			Diamond	P1500, P2000	Film	siafast	Special Process	Synthetic Resin	Sanding out of dust inclusions on conventional, scratch-resistant UV lacquers. In order to achieve maximum service life, we recommend using siacarat cut in a wet state.
7940 siaair velvet								●	●			AO	P240, P360, P500-P1000, P1500, P2000, P3000, P4000	Foam	siafast	Special Process	Open, woven structure	Fine sanding of round edges, contours and also concave / convex shapes. Fine sanding of primer filler, paint and lacquers.

Stocked Made to Order Available upon request


	3M	Norton	Carborundum	VSM	Hermes	Sait	Klingspor	Schroeder	Sun	FM/Cora	Sancap	Mirka
1400 sianor	110N	A511	AO 311 O		GC AB		PS 10				502	
	130N	A513	GA 115 F									
	140N	A514	C 0311									
			D 0311									
1600 sianor	041N	A621	C 0210									
1701 sialac	405N	A413	B 410 DO	CP 131 A	SA 168		PL 32A				206	Carat Flex
	415U	A414	B 0912 DO				PL 32L					
	415N		CA 115 D				PL 35					
	435N		CC 115 D				PL 36					
1727 siawat	401Q/734	T402	CC 955 R	CP 19D	WS flex 18A	CW-C	PS 11	CPA 871			215	
	413Q	T414	CC 965 F	CP 918C	WS flex 18B		PS 12	CPC 871				
	431Q	A413	AF 0414 W		WS flex 18C		PS 12C					
		T461										
1729 sialac TopTec						C-F		CPD 280	B 546		L781	SICA
								CPE 411				
1748 siarrex fine	405N	A413	B 0411 DO	CP 131 A	SA 167	3C-F	PS 33	CPE 680	B 546T		214	Carat Flex
	414N	A414	B 410 DO		SF 168		PL 35					SICA Fine Stearate
	415U		B 0912 DO									
	415N		CA 115 D									
	435N		CC 115 D									
1749 sialar TopTec	461UZ	H448		CP 501	BS 118	CFCE	PS 24	CPE 271	B 547		P787	
	363I	H920					PS 21					
1815 siatop siafast	763U	H228					PS 36					
1820 siamet		H822			CB 115	Z-F	PS 20					
		H875					PS 21					
		H920										
		H948										
1913 siawat	211Q	T214	AA 945 E		WA flex 28B	AWC	PS 12	WPE 420				Waterproof
	401Q	A270			WA flex 28G	AWD						
		T247										
1919 siawood TopTec	251U	H231	F 0714	KP 520	CB 115	AO-F	PS 23	APF 420	B 316	P 64FOP	145	Jepuflex Plus
	362UZ	H248	F 0915	KK 508E	BW 112	APF431	PS 26	WPE 421	B 346	P 65F	147	Unimax
	363UZ	H258		KP 709	BW 114	A-E		CPD 280	B 347	P 55FOP	P948	
	961UZ	H822			BW /RB			APF 782			P958	
		H875			BW 110							
		H920			BW 115							
		R948										
	H968											


Material Cross Reference

	3M	Norton	Carborundum	VSM	Hermes	Sait	Klingspor	Schroeder	Sun	FM/Cora	Sancap	Mirka
1920 siawood TopTec	363UZ	H224	F0 714	KP 520	BW 114	APF431	PS 23	APF 420	B 316	P 65F	145	
		H248		KP709		A-F	PS 26		B 346	P 55F	147	
		H258					PS 20		B 347			
1939 siawood TopTec	251U	H258	F0 714	KP 520	BW 114	APF431	PS 23	APF 420	B 316	P 65F	145	Avomax Plus
	362UZ	H948		KP 532E		AN-F	PS 26	APF 680	B 317W		147	
	363UZ						PS 29					
	961UZ											
1940 siacar siafast	255P	A275	B 0912 DO	MPG	HC AB		PS 11	APC 380				Gold Flex
	236U	A270	B 0712 DO		HC 135		PL 25					
	255L						PS 12					
	245						PS 31					
	415U											
1940 siacar plain	210N	A211	B 0912 DO		HC AB	A-D	PS 11					
	326U	A212	B 0712 DO		HC 135		PL 25					
	336U	A251					PS 12					
	346U						PS 31					
1947	216U	A290		MPG	HC BA		PS 33	APC 380	B 312			Gold
	Crystal Bay			MP10	HC 135							
1950 siaspeed siafast	245	A275	B 0912 DO	MPG	HC AB	3S	PS 11	WPC 411	B 312	PB 273		Q.Silver
	255L	A975			HC 135	AW-C	PL 25					Gold
	334U				VC 151		PS 12					Gold Flex
	734U				VC 152		PS 33					Royal
	333U						PS 33 W					
	366L											
1951 siawat	213Q	T 214	BF 0916W		WA flex 28 B		PS 12					
1960 siarexx cut siafast	214U	A275	B 0912 DO	MPG	HCAB		PS 11					Gold
	216U	A290	C 0712 DO		HC 135		PL 25					
	236U				VC 152		PS 12					
	255L				HC134							
1960 siarexx cut plain	210N	A212		KP 911								Mirox
	326U	A213										
	336U	A251										
	346U	A290										
1990 siamic siafast						PS 12		B 312				


	3M	Norton	Carborundum	VSM	Hermes	Sait	Klingspor	Schroeder	Sun	FM/Cora	Sancap	Mirka
2503 siabite	777F	R948	YP 2586 W	SK 750X		7S-H		SLY 782		SY 965		
	963G	R963		SK 840J		9S-H						
	977F	R981		SK 840X								
2510 siabite				XK 870X								
				SK 855X								
2515 siabite	967 F	SG R980		SF 840	CB 444X			CS 661				
								CS 665				
2546 siabite	707E	R903						LS 309				
		R945										
2601 sianor	011K	A622										
2707 siawat	441D	R418	YP 1186 W	CK 721 X	RB 318 X	C-W	CS 321 X	CLY 931	S 181	KX 890	C787	
	461F	R422	YP 2586 W	CK 722 Y	RB 375 Y	C-X	CS 320 Y	CLX 931		KX 899	C781	
		R428	YPO 476 W			C-H	CS 333 X	CLY 611		SY 890	C780	
		R447	XC 476				CS 323	CLZ 611		KX 875		
		R468	YC 0486									
		R480										
2718 siapan TopTec		R 468			RB 374				545			
		R428			SB 379							
2747 siatur	421 A				RB 318 EJ		CS 333J					
2800 siaron	577F	R840			RB 488 44Z		CS 612					
					RB 484							
2803 siaron	777F	R811	YP 2586 W	KK 716 X	RB 484 TY	3Z-H	CS 414 Y	ZLY 710	R 203	SX 690	C8887	
	778F	R824	YO 986 AO	KK 717 X	RB 484 Z		CS 411 Y		R 205	SX 692		
		R841			RB 480 X					SY 962		
		R921										
2812 siaral	270D		XC 0876	KK 511 X	RB 325 X		CS 310 X	ALX 631	R 145	KX 350	C905	
				KK 711 X	RB 317 LX		CS 341	ALX 931		KX 390		
					RB 346 MX					CS 390		
					RB 366 X							
2815 siaron			KK 815Y			CS 411						
2820 siamet	741E	R228	XC 0877	KK 511 X	RB 325 X	TA-X	CS 310 X	ALX 631	R 145	KX 350	C905	
	751E	R821	XC 0876	KK 711 X	RB 317 LX	Z-X	CS 341	ALX 931	C 356	KX 390		
		R811			RB 346 MX	A	SMT 624			CS 390		
		R265			RB 366 X	3A	SMT 650					
					FL 390 ECO							
					FL 386 X							
2824 siaflap	563D	R822			RB 480 24YX	Z	SMT 656					
2828 siaflap stingray	747D	Blaze			RB 486 24 X	C	SMT 630		C 656			
	947D											

Material Cross Reference

	3M	Norton	Carborundum	VSM	Hermes	Sait	Klingspor	Schroeder	Sun	FM/Cora	Sancap	Mirka
2829 siaron	270D	R823	XP 1176 W	KK 716 X	RB 484 TY	Z-H	CS 414 Y	ZLY 710	R 203	SX 690	C8887	Mirkon
	778F	R825	YP 1186 W	KK 717 X	RB 484 Z	HZ-H	CS 411 Y	ALY 741	R 205	SX 692	C887	
	963G	R948	YC 1186 O	KK 711 Y	RB 480 X	Z0-H	CS 310 X	ZLX 410	R 656	SY 962	C888	
	970DZ	R963	YO 986 AO	KK 715X	RB 346 X	5Z-H	CS 412 X	ZLZ 782	R 192	SX 695	C882	
	778F	R824		KK 815Y	RB 366 X	AZ-X	CS 411	ZLX 681	R 203	SY 692		
	963G	R825		ZK 713X	RB 484 44 Z		CS 416	AZLY 681		SX 276		
	970DZ	R821		ZK 744X	RB 486 44 Z		CS 712			KX 370		
		R801			RB 416 Y		CS 811					
		R988										
		R989										
		R923										
		R984										
		R811										
		R816										
	R841											
2848 siacut		R823	XC 0877	KK 511 X	RB 325 X		CS 310 X	ALX 631	R 145	KX 350	C905	
		R825	XC 0876	KK 711 X	RB 317 LX		CS 341	ALX 931		KX 390		
		R948		KK 853X	RB 346 MX		CS 409			SC 390		
		R963			RB 366 X							
2915 siarol	011K	K622		KK 114F	RB 356 J-flex	DA-F	KL 361	ALL 632				ALOX
	211K	K225				MA-F	KL 385					
	304D	L227				EA-F						
	311T	R515				KA-F						
	314D											
2918 siapan	270D	R 216	YC 0986	KK 711Y	RB 316 XOP		CS 412					
2920 siawood TopTec	240A	R215	XC 0877	KK 504 X	RB 316 X OP	AOX	CS 311 OC	ALX 610	K 35	T 33X	C906	HIOLIT X
	240D	R216	XC 0776 O	KK 524 Y	RB 372 Y OP	TA-X	CS 311 Y	ALX 461	W 25	T 63X	C903	Stalit
	241D	R228	XC 0876 O	KK 524 X		1A-X	CS 310 X		R 145	MX 345	C904	
	248D	R248							R 235			
	761D	R236										
		R255										


	3M	Norton	Carborundum	VSM	Hermes	Sait	Klingspor	Schroeder	Sun	FM/Cora	Sancap	Mirka
2925 sialoX	240A	R228	XC 0877	KK 511 X	RB 325 X	RO-X	CS 310 X	ALX 631	R 145	MX 240	C905	
	241D	R247		KK 711 X	RB 317 LX	AO-X	CS 341	ALX 931	P 355	SX 276	C904	
	241K	R283		KK 812X	RB 346 MX	LA-X	CS 308	ALX 681	R 192	SX 249		
	248D				RB 320 X SK	TA-X	CS 341	ALX 610		SX 395		
	341T				RB 366 X	A-X	CS 412			SX 595		
	361F						CS 413			KL 370		
	461F									KX 375		
										SY 395		
2928 sialal	241D	R215	XC 0877	KK 504 X	RB 316 X OP	AOX	CS 311 OC	ALX 610	K 35	T 33X	C906	HIOLIT X
	248D	R216	YC 1186 O	KK 524 Y	RB 372 Y OP		CS 311 Y	ALX 461	W 25	T 63X	C903	Stalit
	240A	R228	XC 0776 O	KK 524 X					R 145	KY 685		
	240D	R255	XC 0876 O						R 235	MX 345		
	761D	R247								KX 395		
2933 siatur TopTec	200D	R237	JCF 0765 O	KK 511 J	RB 316 J	1AJ 1AF	LS 309 J	ALJ 461	R 192F	KJ 370	X211	HIOLIT F
	200DZ	R903		KK 511 F	RB 346 MJ		LS 309 JF	ALF 632	K 35F	KF 376		
		R236		KK 505J	RB 317 J				R 321H	KX 385		
		R232		KK 524J	RB 306J							
		R938										
2936 siatur	200D	R237	JCF 0765 O	KK 511 F	RB 316 J	1AJ 1AF	LS 309 J	ALJ 461	R 192F	KJ 370		Oraflex
	200DZ	KF376		KK 511 F	RB 346 J	EA-F	LS 309 JF	ALF 632	K 35SF	KF 376		
	900DZ			KK 504F	RB 317 J			ALF 461	R 321			
2938 siawat	270D	R 216	YC 0986	KK 711Y	RB 316 XOP		CS 311X					
2943 siatur	No equivalent product											
2945 siatur	707E	U242	JCF 0765 O	KK 511 F	RB 346 J	1AJ	CS 310 X flex	ALF 632			152	HIOLIT F
		K376	ALJ 461	KK 524 F	RB 317 J	KAF	CS 310 J	ALF 461			153	
			JCF 0955 R	KK 532 F	RB 406 J	1A-J	CS 3121 JF	ALJ 231			156	
				KK 564 F	RB 416 J		LS 309					
				KK 505J	RB 301 J							
				KK 711 F	RB 307 J							
				KK 711 J								
2946 siatur	707E	U242	JCF 0765 O	KK 511 F	RB 346 J	1AJ	CS 310 X flex	ALF 632		MX 240	152	
		K376		KK 524 F	RB 317 J	KAF	CS 310 J	ALF 461			153	
				KK 532 F	RB 406 J	2A-F	CS 3121 JF				156	
				KK 504F	RB 416 J							
				KK 564 F	RB 301 J							
				KK 711 F	RB 307 J							
				KK 711 J								

Material Cross Reference

	3M	Norton	Carborundum	VSM	Hermes	Sait	Klingspor	Schroeder	Sun	FM/Cora	Sancap	Mirka
2948 siatur	907E	SG R903		KK 532F	RB 346 23 MX	AP-T	LS 309	SLF 782				
	251E			KK 841F			LS 312					
	303D			SK 840F			CS 710					
	241E			ZK 713T								
2951 siatur	300D	KF376	AJ 63	KK 532 F	RB 306 J-flex	2AF	CS 311 JF	ALF 782	K 355F	KJ 370		
			ALF 632	KK 564 F	RB 307 J-flex	NA-F	LS 313	ALL 632				
			XCF 0957	KK 711 E	RB 316 EJ							
				KK 524F	RB 317 J-flex							
2980 siafin	953FA			KK 712			CS 326		P 395			
				KK 718								
3708 siapan TopTec		S 413										
		S 456										
4515 siabite	785C	F986		SF 840	CB 444 X	7S	CS 661					
	985C	F944		SF 750		8S						
4519 siabite	984C	F944			CB444X							
		F968										
		F986										
4700 siaral	480C	F425		SF 08	SIC-VF	C	CS 571					
4815 siaicut	785C	F826		ZF 713		3Z	CS 565					
				ZF 745			CS 570					
4819 siaron	381C	F826		KF 808	RB 414 X	5A	CS 561	ZFA 681				
	876C			ZF 713	RB 314 X	AZ	CS 565					
	988C			ZF 745		Z						
	501C											
4919 siaral	281C	F226	AF 855 F	KF 708	RB 314	1AX	CS 561	AFA 631		F 64X	194	
	381C		AF 1047	KF 778		2AX				FJ 370		
	855X		V 0947	KF 808						FJ 375		
										FX 375		
4924 siamet	281C	F226	AFA 631	KF 708	RB 314	1AX	CS 561	AFA 631		F 64X	194	
			AF 66	KF 778		2AX		AFN 631		FJ 370		
			AFZ 631	KF 808						FJ 375		
										FX 375		
7240 siacarat velvet	No equivalent product											
7242 siacarat cut	Trizact											
7940 siaair velvet												Abralon

Cloth Narrow Belts

2707 siawat



- Good for grinding on a wide variety of metals, woods, glass and composites
- Excellent finishing product
- Can be used wet or dry

Grits 24-50 available in 1350 series -SC Y-wt material

Note: Other grits and sizes made to order

2" x 132"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2707 siawat	7259.1181.0060	50	6168.3405.0060	50
80g	2707 siawat	7259.1181.0080	50	6168.3405.0080	50
100g	2707 siawat	0361.6022.0100	50	9238.6127.0100	50
120g	2707 siawat	0361.6022.0120	50	9238.6127.0120	50
150g	2707 siawat	0404.2686.0150	50	9281.2791.0150	50
180g	2707 siawat	0404.2686.0180	50	9281.2791.0180	50

2" x 148"

3" x 132"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2707 siawat	0276.3498.0060	20	3261.3696.0060	20
80g	2707 siawat	0276.3498.0080	20	3261.3696.0080	20
100g	2707 siawat	3346.6220.0100	20	6331.6418.0100	20
120g	2707 siawat	3346.6220.0120	20	6331.6418.0120	20
150g	2707 siawat	3389.2417.0150	20	6374.2615.0150	20
180g	2707 siawat	3389.2417.0180	20	6374.2615.0180	20

4" x 132"

6" x 48"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2707 siawat	3046.5284.0060	20	9231.4092.0060	20
80g	2707 siawat	3046.5284.0080	20	9231.4092.0080	20
100g	2707 siawat	6116.8473.0100	20	2333.8933.0100	20
120g	2707 siawat	6116.8473.0120	20	2333.8933.0120	20
150g	2707 siawat	6159.4670.0150	20	2376.5130.0150	20
180g	2707 siawat	6159.4670.0180	20	2376.5130.0180	20

6" x 132"

Stocked Made to Order Available upon request

Belts

Cloth Wide Belts

2707 siawat



- Good for grinding on a wide variety of metals, woods, glass and composites
- Excellent finishing product
- Can be used wet or dry

Grits 24-50 available in 1350 series -SC Y-wt material

Note: Other grits and sizes made to order

18" x 85"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2707 siawat	3947.7761.0060	3	9101.7456.0060	3
80g	2707 siawat	7018.0950.0080	5	2204.2297.0080	5
100g	2707 siawat	7018.0950.0100	5	2204.2297.0100	5
120g	2707 siawat	7018.0950.0120	5	2204.2297.0120	5
150g	2707 siawat	7060.7147.0150	5	2246.8961.0150	5
180g	2707 siawat	7060.7147.0180	5	2246.8961.0180	5

25" x 48"

25" x 60"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2707 siawat	5725.9732.0060	3	3976.2089.0060	3
80g	2707 siawat	8796.2921.0080	5	7046.4811.0080	5
100g	2707 siawat	8796.2921.0100	5	7046.4811.0100	5
120g	2707 siawat	8796.2921.0120	5	7046.4811.0120	5
150g	2707 siawat	8838.9118.0150	5	7089.1008.0150	5
180g	2707 siawat	8838.9118.0180	5	7089.1008.0180	5

25" x 75"

36" x 60"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2707 siawat	3274.1578.0060	3	1502.7247.0060	3
80g	2707 siawat	6344.4300.0080	5	4572.9969.0080	5
100g	2707 siawat	6344.4300.0100	5	4572.9969.0100	5
120g	2707 siawat	6344.4300.0120	5	4572.9969.0120	5
150g	2707 siawat	6387.0964.0150	5	4637.2854.0150	5
180g	2707 siawat	6387.0964.0180	5	4637.2854.0180	5

36" x 75"

37" x 60"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2707 siawat	6259.1776.0060	3	4487.7445.0060	3
80g	2707 siawat	9329.4498.0080	5	7558.0167.0080	5
100g	2707 siawat	9329.4498.0100	5	7558.0167.0100	5
120g	2707 siawat	9329.4498.0120	5	7558.0167.0120	5
150g	2707 siawat	9372.1162.0150	5	7600.6831.0150	5
180g	2707 siawat	9372.1162.0180	5	7600.6831.0180	5

37" x 75"


Stocked

Made to Order

Available upon request

Cloth Wide Belts

2707 siawat



43" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2707 siawat	2462.2871.0060	3	3407.9577.0060	3
80g	2707 siawat	5532.5593.0080	5	6478.2299.0080	5
100g	2707 siawat	5532.5593.0100	5	6478.2299.0100	5
120g	2707 siawat	5532.5593.0120	5	6478.2299.0120	5
150g	2707 siawat	5575.1790.0150	5	6520.8963.0150	5
180g	2707 siawat	5575.1790.0180	5	6520.8963.0180	5

50" x 103"

52" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2707 siawat	4008.1735.0060	3	9377.9973.0060	3
80g	2707 siawat	7078.4924.0080	5	2480.4814.0080	5
100g	2707 siawat	7078.4924.0100	5	2480.4814.0100	5
120g	2707 siawat	7078.4924.0120	5	2480.4814.0120	5
150g	2707 siawat	7121.1121.0150	5	2523.1011.0150	5
180g	2707 siawat	7121.1121.0180	5	2523.1011.0180	5

52" x 103"

- Good for grinding on a wide variety of metals, woods, glass and composites
- Excellent finishing product
- Can be used wet or dry

Grits 24-50 available in 1350 series -SC Y-wt material

Note: Other grits and sizes made to order

Stocked

Made to Order

Available upon request

Belts

Cloth Narrow Belts



2800 siron

- Zirconia/AO
- Grinding down aluminum and steel casting seams
- Grinding down plastic protrusions
- Descaling, flat grinding or various machine components
- Can be used wet or dry

Note:
Other sizes made to order

		1/4" x 24"		1/2" x 12"	
Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
40g	2800 siron	5394.2224.0040	50	7191.9091.0040	50
60g	2800 siron	5394.2224.0060	50	7191.9091.0060	50
80g	2800 siron	5394.2224.0080	50	7191.9091.0080	50
120g	2800 siron	8464.5413.0120	50	0294.3932.0120	50
180g	2800 siron	8507.1610.0180	50	0337.0596.0180	50
220g	2800 siron	8507.1610.0220	50	0337.0596.0220	50

		1/2" x 18"		1/2" x 24"	
Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
40g	2800 siron	0476.0438.0040	50	3816.1367.0040	50
60g	2800 siron	0476.0438.0060	50	3816.1367.0060	50
80g	2800 siron	0476.0438.0080	50	3816.1367.0080	50
120g	2800 siron	3546.3160.0120	50	6886.4556.0120	50
180g	2800 siron	3588.9357.0180	50	6950.6974.0180	50
220g	2800 siron	3588.9357.0220	50	6950.6974.0220	50

		3/4" x 18"		3/4" x 20-1/2"	
Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
40g	2800 siron	1989.8716.0040	50	3453.3630.0040	50
60g	2800 siron	1989.8716.0060	50	3453.3630.0060	50
80g	2800 siron	1989.8716.0080	50	3453.3630.0080	50
120g	2800 siron	5060.1438.0120	50	6523.6819.0120	50
180g	2800 siron	5102.7635.0180	50	6566.3016.0180	50
220g	2800 siron	5102.7635.0220	50	6566.3016.0220	50

		1" x 42"		1-1/2" x 60"	
Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
40g	2800 siron	6719.9427.0040	50	6663.2962.0040	50
60g	2800 siron	6719.9427.0060	50	6663.2962.0060	50
80g	2800 siron	6719.9427.0080	50	6663.2962.0080	50
120g	2800 siron	9790.2616.0120	50	9733.6151.0120	50
180g	2800 siron	9832.8813.0180	50	9776.2348.0180	50
220g	2800 siron	9832.8813.0220	50	9776.2348.0220	50

Stocked

Made to Order

Available upon request

Cloth Narrow Belts

2800 siron



- Zirconia/AO
- Grinding down aluminum and steel casting seams
- Grinding down plastic protrusions
- Descaling, flat grinding or various machine components
- Can be used wet or dry

Note:
Other sizes made to order

Grit	Material	2" x 48"		2" x 60"	
		sia Item #	Box qty unit	sia Item #	Box qty unit
40g	2800 siron	3098.9361.0040	50	9690.9518.0040	50
60g	2800 siron	3098.9361.0060	50	9690.9518.0060	50
80g	2800 siron	3098.9361.0080	50	9690.9518.0080	50
120g	2800 siron	6169.2083.0120	50	2793.4826.0120	50
180g	2800 siron	6211.8747.0180	50	2836.1023.0180	50
220g	2800 siron	6211.8747.0220	50	2836.1023.0220	50

Grit	Material	2" x 72"		2" x 132"	
		sia Item #	Box qty unit	sia Item #	Box qty unit
40g	2800 siron	6315.2261.0040	50	9283.7702.0040	50
60g	2800 siron	6315.2261.0060	50	9283.7702.0060	50
80g	2800 siron	6315.2261.0080	50	9283.7702.0080	50
120g	2800 siron	9385.4983.0120	50	2386.3010.0120	50
180g	2800 siron	9428.1180.0180	50	2428.9207.0180	50
220g	2800 siron	9428.1180.0220	50	2428.9207.0220	50


Grit	Material	2-1/2" x 60"		3" x 132"	
		sia Item #	Box qty unit	sia Item #	Box qty unit
40g	2800 siron	9648.3160.0040	50	2301.0019.0040	20
60g	2800 siron	9648.3160.0060	50	2301.0019.0060	20
80g	2800 siron	9648.3160.0080	50	2301.0019.0080	20
120g	2800 siron	2750.8468.0120	50	5371.3208.0120	20
180g	2800 siron	2793.4665.0180	50	5413.9405.0180	20
220g	2800 siron	2793.4665.0220	50	5413.9405.0220	20

Grit	Material	4" x 132"		6" x 48"	
		sia Item #	Box qty unit	sia Item #	Box qty unit
40g	2800 siron	5286.0217.0040	20	5049.6051.0040	20
60g	2800 siron	5286.0217.0060	20	5049.6051.0060	20
80g	2800 siron	5286.0217.0080	20	5049.6051.0080	20
120g	2800 siron	8356.3406.0120	20	8119.8773.0120	20
180g	2800 siron	8398.9603.0180	20	8162.4970.0180	20
220g	2800 siron	8398.9603.0220	20	8162.4970.0220	20

Stocked Made to Order Available upon request

Belts

Cloth Wide Belts

	36" x 60"				36" x 75"	
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
2800 siron						
	40g	2800 siron	5277.1878.0040	3	3527.4235.0040	3
	60g	2800 siron	5277.1878.0060	3	3527.4235.0060	3
	80g	2800 siron	5277.1878.0080	5	3527.4235.0080	5
	120g	2800 siron	8347.5067.0120	5	6597.6957.0120	5
	180g	2800 siron	8390.1264.0180	5	6640.3154.0180	5
	220g	2800 siron	8390.1264.0220	5	6640.3154.0220	5

- Zirconia/AO
- Grinding down aluminum and steel casting seams
- Grinding down plastic protrusions
- Descaling, flat grinding or various machine components
- Can be used wet or dry

Note:

Other sizes made to order

	37" x 75"			43" x 75"		
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
	40g	2800 siron	6512.4433.0040	3	4465.3171.0040	3
	60g	2800 siron	6512.4433.0060	3	4465.3171.0060	3
	80g	2800 siron	6512.4433.0080	5	4465.3171.0080	5
	120g	2800 siron	9582.7155.0120	5	7535.6360.0120	5
	180g	2800 siron	9625.3352.0180	5	7599.8778.0180	5
	220g	2800 siron	9625.3352.0220	5	7599.8778.0220	5

	52" x 75"			52" x 103"		
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
	40g	2800 siron	6011.2502.0040	3	1434.8613.0040	3
	60g	2800 siron	6011.2502.0060	3	1434.8613.0060	3
	80g	2800 siron	6011.2502.0080	5	1434.8613.0080	5
	120g	2800 siron	9081.5224.0120	5	4505.1802.0120	5
	180g	2800 siron	9124.1421.0180	5	4547.7999.0180	5
	220g	2800 siron	9124.1421.0220	5	4547.7999.0220	5

Stocked

Made to Order

Available upon request

Cloth Narrow Belts

2820 siamet



- Zirconia/AO
- Used for dry applications
- Grits 36-60: Y-wt polycotton
- Grits 80-400: X-wt polycotton
- Grinding on steel and non-ferrous metals
- Product is made with grinding agents, which prolong life time

Note:
Other sizes made to order

Grit	Material	1" x 42"		2" x 48"	
		sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2820 siamet	7151.6499.0080	50	3530.6433.0080	50
100g	2820 siamet	0254.1340.0100	50	6600.9155.0100	50
120g	2820 siamet	0254.1340.0120	50	6600.9155.0120	50
150g	2820 siamet	0296.8004.0150	50	6643.5352.0150	50
180g	2820 siamet	0296.8004.0180	50	6643.5352.0180	50
220g	2820 siamet	0296.8004.0220	50	6643.5352.0220	50
320g	2820 siamet	0296.8004.0320	50	6643.5352.0320	50

Grit	Material	2" x 72"		2" x 132"	
		sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2820 siamet	6746.8866.0080	50	9715.4774.0080	50
100g	2820 siamet	9817.2055.0100	50	2817.9615.0100	50
120g	2820 siamet	9817.2055.0120	50	2817.9615.0120	50
150g	2820 siamet	9859.8252.0150	50	2860.6279.0150	50
180g	2820 siamet	9859.8252.0180	50	2860.6279.0180	50
220g	2820 siamet	9859.8252.0220	50	2860.6279.0220	50
320g	2820 siamet	9859.8252.0320	50	2860.6279.0320	50


Grit	Material	3" x 132"		4" x 132"	
		sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2820 siamet	2723.7091.0080	20	5717.7289.0080	20
100g	2820 siamet	5802.9813.0100	20	8788.0011.0100	20
120g	2820 siamet	5802.9813.0120	20	8788.0011.0120	20
150g	2820 siamet	5845.6477.0150	20	8830.6675.0150	20
180g	2820 siamet	5845.6477.0180	20	8830.6675.0180	20
220g	2820 siamet	5845.6477.0220	20	8830.6675.0220	20
320g	2820 siamet	5845.6477.0320	20	8830.6675.0320	20

Stocked Made to Order Available upon request

Belts

Cloth Wide Belts

2820 siamet



- Zirconia/AO
- Used for dry applications
- Grits 36-60: Y-wt polycotton
- Grits 80-400: X-wt polycotton
- Grinding on steel and non-ferrous metals
- Product is made with grinding agents, which prolong life time

Note:
Other sizes made to order

18" x 85"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2820 siamet	9474.4543.0080	5	4639.0136.0080	5
100g	2820 siamet	9474.4543.0100	5	4639.0136.0100	5
120g	2820 siamet	9474.4543.0120	5	4639.0136.0120	5
150g	2820 siamet	9517.1207.0150	5	4681.6333.0150	5
180g	2820 siamet	9517.1207.0180	5	4681.6333.0180	5
220g	2820 siamet	9517.1207.0220	5	4681.6333.0220	5
320g	2820 siamet	9517.1207.0320	5	4681.6333.0320	5

25" x 48"

36" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2820 siamet	7029.4029.0080	5	0046.6346.0080	5
100g	2820 siamet	7029.4029.0100	5	0046.6346.0100	5
120g	2820 siamet	7029.4029.0120	5	0046.6346.0120	5
150g	2820 siamet	7072.0226.0150	5	0089.2543.0150	5
180g	2820 siamet	7072.0226.0180	5	0089.2543.0180	5
220g	2820 siamet	7072.0226.0220	5	0089.2543.0220	5
320g	2820 siamet	7072.0226.0320	5	0089.2543.0320	5

37" x 75"

52" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2820 siamet	9513.2296.0080	5	4936.8407.0080	5
100g	2820 siamet	9513.2296.0100	5	4936.8407.0100	5
120g	2820 siamet	9513.2296.0120	5	4936.8407.0120	5
150g	2820 siamet	9555.8493.0150	5	4979.5071.0150	5
180g	2820 siamet	9555.8493.0180	5	4979.5071.0180	5
220g	2820 siamet	9555.8493.0220	5	4979.5071.0220	5

52" x 103"

Stocked

Made to Order

Available upon request

Cloth Narrow Belts

2829 siron



- Zirconia/AO Y-wt polyester backing
- Used on wet and dry applications
- Grinding on wood, steel, stainless, high alloys, and non-ferrous metals such as aluminum
- Very high performance and durability
- Active grinding agents in size coat reduce glazing and prolong lifetime

Note:
Other sizes made to order

1/4" x 24"

1/2" x 12"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2829 siron	6007.2059.0024	50	7826.5147.0024	50
36g	2829 siron	6007.2059.0036	50	7826.5147.0036	50
40g	2829 siron	6007.2059.0040	50	7826.5147.0040	50
50g	2829 siron	6007.2059.0050	50	7826.5147.0050	50
60g	2829 siron	6007.2059.0060	50	7826.5147.0060	50
80g	2829 siron	6007.2059.0080	50	7826.5147.0080	50
100g	2829 siron	9077.5248.0100	50	0928.9988.0100	50
120g	2829 siron	9077.5248.0120	50	0928.9988.0120	50

1/2" x 18"

1/2" x 24"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2829 siron	1110.6494.0024	50	4450.7423.0024	50
36g	2829 siron	1110.6494.0036	50	4450.7423.0036	50
40g	2829 siron	1110.6494.0040	50	4450.7423.0040	50
50g	2829 siron	1110.6494.0050	50	4450.7423.0050	50
60g	2829 siron	1110.6494.0060	50	4450.7423.0060	50
80g	2829 siron	1110.6494.0080	50	4450.7423.0080	50
100g	2829 siron	4180.9216.0100	50	7521.0612.0100	50
120g	2829 siron	4180.9216.0120	50	7521.0612.0120	50

3/4" x 18"

3/4" x 20-1/2"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2829 siron	2624.4772.0024	50	4087.9686.0024	50
36g	2829 siron	2624.4772.0036	50	4087.9686.0036	50
40g	2829 siron	2624.4772.0040	50	4087.9686.0040	50
50g	2829 siron	2624.4772.0050	50	4087.9686.0050	50
60g	2829 siron	2624.4772.0060	50	4087.9686.0060	50
80g	2829 siron	2624.4772.0080	50	4087.9686.0080	50
100g	2829 siron	5694.7494.0100	50	7158.2875.0100	50
120g	2829 siron	5694.7494.0120	50	7158.2875.0120	50

Stocked

Made to Order

Available upon request

Belts

Cloth Narrow Belts

2829 saron



- Zirconia/AO Y-wt polyester backing
- Used on wet and dry applications
- Grinding on wood, steel, stainless, high alloys, and non-ferrous metals such as aluminum
- Very high performance and durability
- Active grinding agents in size coat reduce glazing and prolong lifetime

Note:
Other sizes made to order

1" x 42"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2829 saron	7354.5483.0024	50	7276.2797.0024	50
36g	2829 saron	7354.5483.0036	50	7276.2797.0036	50
40g	2829 saron	7354.5483.0040	50	7276.2797.0040	50
50g	2829 saron	7354.5483.0050	50	7276.2797.0050	50
60g	2829 saron	7354.5483.0060	50	7276.2797.0060	50
80g	2829 saron	7354.5483.0080	50	7276.2797.0080	50
100g	2829 saron	0457.0791.0100	50	0378.8105.0100	50
120g	2829 saron	0457.0791.0120	50	0378.8105.0120	50

1-1/2" x 60"

2" x 48"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2829 saron	3711.9196.0024	50	0336.1472.0024	50
36g	2829 saron	3711.9196.0036	50	0336.1472.0036	50
40g	2829 saron	3711.9196.0040	50	0336.1472.0040	50
50g	2829 saron	3711.9196.0050	50	0336.1472.0050	50
60g	2829 saron	3711.9196.0060	50	0336.1472.0060	50
80g	2829 saron	3711.9196.0080	50	0336.1472.0080	50
100g	2829 saron	6782.1918.0100	50	2793.4826.0100	50
120g	2829 saron	6782.1918.0120	50	2793.4826.0120	50

2" x 60"

2" x 72"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2829 saron	6949.8317.0024	50	0038.8045.0024	50
36g	2829 saron	6949.8317.0036	50	0038.8045.0036	50
40g	2829 saron	6949.8317.0040	50	0038.8045.0040	50
50g	2829 saron	6949.8317.0050	50	0038.8045.0050	50
60g	2829 saron	6949.8317.0060	50	0038.8045.0060	50
80g	2829 saron	6949.8317.0080	50	0038.8045.0080	50
100g	2829 saron	0052.3158.0100	50	2999.2845.0100	50
120g	2829 saron	0052.3158.0120	50	2999.2845.0120	50

2" x 132"

Stocked

Made to Order

Available upon request

Cloth Narrow Belts

2829 saron



- Zirconia/AO Y-wt polyester backing
- Used on wet and dry applications
- Grinding on wood, steel, stainless, high alloys, and non-ferrous metals such as aluminum
- Very high performance and durability
- Active grinding agents in size coat reduce glazing and prolong lifetime

Note:
Other sizes made to order

3" x 132"

Grit	Material	sia Item #	Box qty unit	4" x 132"	sia Item #	Box qty unit
24g	2829 saron	2913.9854.0024	20	5899.0052.0024	20	
36g	2829 saron	2913.9854.0036	20	5899.0052.0036	20	
40g	2829 saron	2913.9854.0040	20	5899.0052.0040	20	
50g	2829 saron	2913.9854.0050	20	5899.0052.0050	20	
60g	2829 saron	2913.9854.0060	20	5899.0052.0060	20	
80g	2829 saron	2913.9854.0080	20	5899.0052.0080	20	
100g	2829 saron	5984.9854.0100	20	8969.3241.0100	20	
120g	2829 saron	5984.3043.0120	20	8969.3241.0120	20	

6" x 48"

Grit	Material	sia Item #	Box qty unit
24g	2829 saron	5684.2107.0024	20
36g	2829 saron	5684.2107.0036	20
40g	2829 saron	5684.2107.0040	20
50g	2829 saron	5684.2107.0050	20
60g	2829 saron	5684.2107.0060	20
80g	2829 saron	5684.2107.0080	20
100g	2829 saron	8754.4829.0100	20
120g	2829 saron	8754.4829.0120	20

Stocked

Made to Order

Available upon request

Belts

Cloth Wide Belts



2829 siron

- Zirconia/AO Y-wt polyester backing
- Used on wet and dry applications
- Grinding on wood, steel, stainless, high alloys, and non-ferrous metals such as aluminum
- Very high performance and durability
- Active grinding agents in size coat reduce glazing and prolong lifetime

Note:
Other sizes made to order

36" x 60"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2829 siron	5911.7934.0024	3	4162.0291.0024	3
36g	2829 siron	5911.7934.0036	3	4162.0291.0036	3
40g	2829 siron	5911.7934.0040	3	4162.0291.0040	3
50g	2829 siron	5911.7934.0050	3	4162.0291.0050	3
60g	2829 siron	5911.7934.0060	3	4162.0291.0060	3
80g	2829 siron	8982.7934.0080	5	7232.3013.0080	5
100g	2829 siron	8982.1123.0100	5	7232.3013.0100	5
120g	2829 siron	8982.1123.0120	5	7232.3013.0120	5

36" x 75"

37" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2829 siron	7125.4268.0024	3	4465.3171.0024	3
36g	2829 siron	7125.4268.0036	3	4465.3171.0036	3
40g	2829 siron	7125.4268.0040	3	4465.3171.0040	3
50g	2829 siron	7125.4268.0050	3	4465.3171.0050	3
60g	2829 siron	7125.4268.0060	3	4465.3171.0060	3
80g	2829 siron	0227.9109.0080	5	7535.6360.0080	5
100g	2829 siron	0227.9109.0100	5	7535.6360.0100	5
120g	2829 siron	0227.9109.0120	5	7535.6360.0120	5

43" x 75"

52" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2829 siron	6645.8558.0024	3	2047.8448.0024	3
36g	2829 siron	6645.8558.0036	3	2047.8448.0036	3
40g	2829 siron	6645.8558.0040	3	2047.8448.0040	3
50g	2829 siron	6645.8558.0050	3	2047.8448.0050	3
60g	2829 siron	6645.8858.0060	3	2047.8448.0060	3
80g	2829 siron	9716.1280.0080	5	5118.1637.0080	5
100g	2829 siron	9716.1280.0100	5	5118.1637.0100	5
120g	2829 siron	9716.1280.0120	5	5118.1637.0120	5


52" x 103"

Stocked

Made to Order

Available upon request

2928 siaral
2920 siawood



2928 siaral:

- Semi-friable
- AO X-wt cloth backing
- Sanding on hard and soft woods, steel and composites
- Very good performance and aggressive cut

2920 siawood TopTec:

- Semi-friable
- AO X-wt cloth backing
- Finished sanding on hard and soft woods
- Anti-static

Note:

Other sizes made to order

Grit	Material	4" x 132"		4" x 148"	
		sia Item #	Box qty unit	sia Item #	Box qty unit
36g	2928 siaral	8044.5393.0036	20	6932.1396.0036	20
40g	2928 siaral	8044.5393.0040	20	6932.1396.0040	20
50g	2928 siaral	8044.5393.0050	20	6932.1396.0050	20
60g	2928 siaral	8044.5393.0060	20	6932.1396.0060	20
80g	2928 siaral	8044.5393.0080	20	6932.1396.0080	20
100g	2928 siaral	1147.0701.0100	20	0034.6704.0100	20
120g	2928 siaral	1147.0701.0120	20	0034.6704.0120	20
150g	2920 siawood	1021.3220.0150	20	9876.7571.0150	20
180g	2920 siawood	1021.3220.0180	20	9876.7571.0180	20
220g	2920 siawood	1021.3220.0220	20	9876.7571.0220	20
240g	2920 siawood	1021.3220.0240	20	9876.7571.0240	20
320g	2920 siawood	1021.3220.0320	20	9876.7571.0320	20

Stocked

Made to Order

Available upon request

Belts

Cloth Narrow Belts

	4" x 168"				6" x 48"		
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit	
2928 siaral							
2920 siawood							
	36g	2928 siaral	7885.0569.0036	20	7829.7448.0036	20	
	40g	2928 siaral	7885.0569.0040	20	7829.7448.0040	20	
	50g	2928 siaral	7885.0569.0050	20	7829.7448.0050	20	
	60g	2928 siaral	7885.0569.0060	20	7829.7448.0060	20	
	80g	2928 siaral	7885.0569.0080	20	7829.7448.0080	20	
	100g	2928 siaral	0987.5877.0100	20	0932.2289.0100	20	
	120g	2928 siaral	0987.5877.0120	20	0932.2289.0120	20	
	150g	2920 siawood	0861.8396.0150	20	0806.5275.0150	20	
	180g	2920 siawood	0861.8396.0180	20	0806.5275.0180	20	
	220g	2920 siawood	0861.8396.0220	20	0806.5275.0220	20	
	240g	2920 siawood	0861.8396.0240	20	0806.5275.0240	20	
	320g	2920 siawood	0861.8396.0320	20	0806.5275.0320	20	
	2928 siaral:						
	• Semi-friable						
• AO X-wt cloth backing							
• Sanding on hard and soft woods, steel and composites							
• Very good performance and aggressive cut							
2920 siawood TopTec:							
• Semi-friable							
• AO X-wt cloth backing							
• Finished sanding on hard and soft woods							
• Anti-static							
Note:							
Other sizes made to order							
	6" x 132"			6" x 168"			
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit	
	36g	2928 siaral	4046.7908.0036	20	3887.3084.0036	20	
	40g	2928 siaral	4046.7908.0040	20	3887.3084.0040	20	
	50g	2928 siaral	4046.7908.0050	20	3887.3084.0050	20	
	60g	2928 siaral	4046.7908.0060	20	3887.3084.0060	20	
	80g	2928 siaral	4046.7908.0080	20	3887.3084.0080	20	
	100g	2928 siaral	7117.1097.0100	20	6957.6273.0100	20	
	120g	2928 siaral	7117.1097.0120	20	1683.7973.0120	20	
	150g	2920 siawood	6991.3616.0150	20	6831.8792.0150	20	
	180g	2920 siawood	6991.3616.0180	20	6831.8792.0180	20	
	220g	2920 siawood	6991.3616.0220	20	6831.8792.0220	20	
	240g	2920 siawood	6991.3616.0240	20	6831.8792.0240	20	
	320g	2920 siawood	6991.3616.0320	20	6831.8792.0320	20	

Stocked

Made to Order

Available upon request

Cloth Narrow Belts

	6" x 300"				6" x 335"		
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit	
2928 siaral 2920 siawood 	36g	2928 siaral	6668.3954.0036	20	5959.7185.0036	20	
	40g	2928 siaral	6668.3954.0040	20	5959.7185.0040	20	
	50g	2928 siaral	6668.3954.0050	20	5959.7185.0050	20	
	60g	2928 siaral	6668.3954.0060	20	5959.7185.0060	20	
	80g	2928 siaral	6668.3954.0080	20	5959.7185.0080	20	
	100g	2928 siaral	9738.6676.0100	20	9030.0374.0100	20	
	120g	2928 siaral	9738.6676.0120	20	9030.0374.0120	20	
	150g	2920 siawood	9591.3441.0150	20	8904.2893.0150	20	
	180g	2920 siawood	9591.3441.0180	20	8904.2893.0180	20	
	220g	2920 siawood	9591.3441.0220	20	8904.2893.0220	20	
	240g	2920 siawood	9591.3441.0240	20	8904.2893.0240	20	
	320g	2920 siawood	9591.3441.0320	20	8904.2893.0320	20	
	2928 siaral: <ul style="list-style-type: none"> • Semi-friable • AO X-wt cloth backing • Sanding on hard and soft woods, steel and composites • Very good performance and aggressive cut 						
	2920 siawood TopTec: <ul style="list-style-type: none"> • Semi-friable • AO X-wt cloth backing • Finished sanding on hard and soft woods • Anti-static 						
Note: Other sizes made to order							

	8" x 107"			12" x 48"		
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
	36g	2928 siaral	0977.5159.0036	20	0420.5718.0036	10
	40g	2928 siaral	0977.5159.0040	20	0420.5718.0040	10
	50g	2928 siaral	0977.5159.0050	20	0420.5718.0050	10
	60g	2928 siaral	0977.5159.0060	20	0420.5718.0060	10
	80g	2928 siaral	0977.5159.0080	20	0420.5718.0080	10
	100g	2928 siaral	4047.8348.0100	20	3490.8907.0100	10
	120g	2928 siaral	4047.8348.0120	20	3490.8907.0120	10
	150g	2920 siawood	3922.1334.0150	20	3343.5672.0150	10
	180g	2920 siawood	3922.1334.0180	20	3343.5672.0180	10
	220g	2920 siawood	3922.1334.0220	20	3343.5672.0220	10
	240g	2920 siawood	3922.1334.0240	20	3343.5672.0240	10
	320g	2920 siawood	3922.1334.0320	20	3343.5672.0320	10

Stocked

Made to Order

Available upon request

Belts

Cloth Wide Belts

		25" x 48"			25" x 60"		
		Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
2928 siaral 2920 siawood 		36g	2928 siaral	3343.5672.0036	3	0541.4015.0036	3
		40g	2928 siaral	3343.5672.0040	3	0541.4015.0040	3
		50g	2928 siaral	3917.1739.0050	3	0541.4015.0050	3
		60g	2928 siaral	3917.1739.0060	3	0541.4015.0060	3
		80g	2928 siaral	6987.4461.0080	5	3611.6737.0080	5
		100g	2928 siaral	6987.4461.0100	5	3611.6737.0100	5
		120g	2928 siaral	6987.4461.0120	5	3611.6737.0120	5
		150g	2920 siawood	6861.7447.0150	5	3485.9723.0150	5
		180g	2920 siawood	6861.7447.0180	5	3485.9723.0180	5
		220g	2920 siawood	6861.7447.0220	5	3485.9723.0220	5
	240g	2920 siawood	6861.7447.0240	5	3485.9723.0240	5	
	320g	2920 siawood	6861.7447.0320	5	3485.9723.0320	5	
		25" x 75"			25" x 103"		
		Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
		36g	2928 siaral	8759.3786.0036	3	4183.0364.0036	3
		40g	2928 siaral	8759.3786.0040	3	4183.0364.0040	3
		50g	2928 siaral	8759.3786.0050	3	4183.0364.0050	3
		60g	2928 siaral	8759.3786.0060	3	4183.0364.0060	3
		80g	2928 siaral	1861.9094.0080	5	7253.3086.0080	5
		100g	2928 siaral	1861.9094.0100	5	7253.3086.0100	5
		120g	2928 siaral	1861.9094.0120	5	7253.3086.0120	5
		150g	2920 siawood	1736.1613.0150	5	7105.9851.0150	5
		180g	2920 siawood	1736.1613.0180	5	7105.9851.0180	5
		220g	2920 siawood	1736.1613.0220	5	7105.9851.0220	5
		240g	2920 siawood	1736.1613.0240	5	7105.9851.0240	5
		320g	2920 siawood	1736.1613.0320	5	7105.9851.0320	5

2928 siaral:

- Semi-friable
- AO X-wt cloth backing
- Sanding on hard and soft woods, steel and composites
- Very good performance and aggressive cut

2920 siawood TopTec:

- Semi-friable
- AO X-wt cloth backing
- Finished sanding on hard and soft woods
- Anti-static

Note:


Other sizes made to order

Stocked

Made to Order

Available upon request

Cloth Wide Belts

	30" x 103"				36" x 60"	
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
2928 siaral 2920 siawood 	36g	2928 siaral	9118.6785.0036	3	8035.7054.0036	3
	40g	2928 siaral	9118.6785.0040	3	8035.7054.0040	3
	50g	2928 siaral	9118.6785.0050	3	8035.7054.0050	3
	60g	2928 siaral	9118.6785.0060	3	8035.7054.0060	3
	80g	2928 siaral	2221.2093.0080	5	1138.2362.0080	5
	100g	2928 siaral	2221.2093.0100	5	1138.2362.0100	5
	120g	2928 siaral	2221.2093.0120	5	1138.2362.0120	5
	150g	2920 siawood	2095.5079.0150	5	1012.5348.0150	5
	180g	2920 siawood	2095.5079.0180	5	1012.5348.0180	5
	220g	2920 siawood	2095.5079.0220	5	1012.5348.0220	5
	240g	2920 siawood	2095.5079.0240	5	1012.5348.0240	5
	320g	2920 siawood	2095.5079.0320	5	1012.5348.0320	5

2928 siaral:

- Semi-friable
- AO X-wt cloth backing
- Sanding on hard and soft woods, steel and composites
- Very good performance and aggressive cut

2920 siawood TopTec:

- Semi-friable
- AO X-wt cloth backing
- Finished sanding on hard and soft woods
- Anti-static

Note:

Other sizes made to order

	36" x 75"			36" x 103"		
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
	36g	2928 siaral	6285.9411.0036	3	1709.5522.0036	3
	40g	2928 siaral	6285.9411.0040	3	1709.5522.0040	3
	50g	2928 siaral	6285.9411.0050	3	1709.5522.0050	3
	60g	2928 siaral	6285.9411.0060	3	1709.5522.0060	3
	80g	2928 siaral	9356.2133.0080	5	4779.8711.0080	5
	100g	2928 siaral	9356.2133.0100	5	4779.8711.0100	5
	120g	2928 siaral	9356.2133.0120	5	4779.8711.0120	5
	150g	2920 siawood	9230.5119.0150	5	4654.1230.0150	5
	180g	2920 siawood	9230.5119.0180	5	4654.1230.0180	5
	220g	2920 siawood	9230.5119.0220	5	4654.1230.0220	5
	240g	2920 siawood	9230.5119.0240	5	4654.1230.0240	5
	320g	2920 siawood	9230.5119.0320	5	4654.1230.0320	5

Stocked

Made to Order

Available upon request

Belts

Cloth Wide Belts

**2928 siaral:**

- Semi-friable
- AO X-wt cloth backing
- Sanding on hard and soft woods, steel and composites
- Very good performance and aggressive cut

2920 siawood TopTec:

- Semi-friable
- AO X-wt cloth backing
- Finished sanding on hard and soft woods
- Anti-static

Note:

Other sizes made to order

37" x 75"

43" x 60"

	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
2928 siaral	36g	2928 siaral	9270.9609.0036	3	8995.2678.0036	3
	40g	2928 siaral	9270.9609.0040	3	8995.2678.0040	3
	50g	2928 siaral	9270.9609.0050	3	8995.2678.0050	3
	60g	2928 siaral	9270.9609.0060	3	8995.2678.0060	3
	80g	2928 siaral	2373.4450.0080	5	2097.7986.0080	5
	100g	2928 siaral	2373.4450.0100	5	2097.7986.0100	5
	120g	2928 siaral	2373.4450.0120	5	2097.7986.0120	5
	150g	2920 siawood	2247.7436.0150	5	1972.0505.0150	5
	180g	2920 siawood	2247.7436.0180	5	1972.0505.0180	5
	220g	2920 siawood	2247.7436.0220	5	1972.0505.0220	5
	240g	2920 siawood	2247.7436.0240	5	1972.0505.0240	5
	320g	2920 siawood	2247.7436.0320	5	1972.0505.0320	5

43" x 75"


43" x 84"

	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
2928 siaral	36g	2928 siaral	7245.4568.0036	3	2243.7697.0036	3
	40g	2928 siaral	7245.4568.0040	3	2243.7697.0040	3
	50g	2928 siaral	7245.4568.0050	3	2243.7697.0050	3
	60g	2928 siaral	7245.4568.0060	3	2243.7697.0060	3
	80g	2928 siaral	0347.9876.0080	5	5314.0419.0080	5
	100g	2928 siaral	0347.9876.0100	5	5314.0419.0100	5
	120g	2928 siaral	0347.9876.0120	5	5314.0419.0120	5
	150g	2920 siawood	0222.2395.0150	5	5188.3405.0150	5
	180g	2920 siawood	0222.2395.0180	5	5188.3405.0180	5
	220g	2920 siawood	0222.2395.0220	5	5188.3405.0220	5
	240g	2920 siawood	0222.2395.0240	5	5188.3405.0240	5
	320g	2920 siawood	0222.2395.0320	5	5188.3405.0320	5

Stocked

Made to Order

Available upon request

	43" x 103"				44" x 75"		
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit	
2928 siaral 2920 siawood 	36g	2928 siaral	2669.1146.0036	3	0262.6885.0036	3	
	40g	2928 siaral	2669.1146.0040	3	0262.6885.0040	3	
	50g	2928 siaral	2669.1146.0050	3	0262.6885.0050	3	
	60g	2928 siaral	2669.1146.0060	3	0262.6885.0060	3	
	80g	2928 siaral	5739.3868.0080	5	3333.0074.0080	5	
	100g	2928 siaral	5739.3868.0100	5	3333.0074.0100	5	
	120g	2928 siaral	5739.3868.0120	5	3333.0074.0120	5	
	150g	2920 siawood	5592.0633.0150	5	3207.2593.0150	5	
	180g	2920 siawood	5592.0633.0180	5	3207.2593.0180	5	
	220g	2920 siawood	5592.0633.0220	5	3207.2593.0220	5	
	240g	2920 siawood	5592.0633.0240	5	3207.2593.0240	5	
	320g	2920 siawood	5592.0633.0320	5	3207.2593.0320	5	
	2928 siaral: <ul style="list-style-type: none"> • Semi-friable • AO X-wt cloth backing • Sanding on hard and soft woods, steel and composites • Very good performance and aggressive cut 						
	2920 siawood TopTec: <ul style="list-style-type: none"> • Semi-friable • AO X-wt cloth backing • Finished sanding on hard and soft woods • Anti-static 						
Note: Other sizes made to order							

	50" x 103"			52" x 75"		
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
	36g	2928 siaral	8191.1274.0036	3	8769.7678.0036	3
	40g	2928 siaral	8191.1274.0040	3	8769.7678.0040	3
	50g	2928 siaral	8191.1274.0050	3	8769.7678.0050	3
	60g	2928 siaral	8191.1274.0060	3	8769.7678.0060	3
	80g	2928 siaral	1293.6582.0080	5	1872.2519.0080	5
	100g	2928 siaral	1293.6582.0100	5	1872.2519.0100	5
	120g	2928 siaral	1293.6582.0120	5	1872.2519.0120	5
	150g	2920 siawood	1167.9101.0150	5	1746.5505.0150	5
	180g	2920 siawood	1167.9101.0180	5	1746.5505.0180	5
	220g	2920 siawood	1167.9101.0220	5	1746.5505.0220	5
	240g	2920 siawood	1167.9101.0240	5	1746.5505.0240	5
	320g	2920 siawood	1167.9101.0320	5	1746.5505.0320	5

Stocked

Made to Order

Available upon request

Belts

Cloth Wide Belts

**2928 siaral:**

- Semi-friable
- AO X-wt cloth backing
- Sanding on hard and soft woods, steel and composites
- Very good performance and aggressive cut

2920 siawood TopTec:

- Semi-friable
- AO X-wt cloth backing
- Finished sanding on hard and soft woods
- Anti-static

Note:

Other sizes made to order

52" x 103"

	Grit	Material	sia Item #	Box qty unit	52" x 128"	sia Item #	Box qty unit
	36g	2928 siaral	4193.3789.0036	3	7958.8634.0036		3
	40g	2928 siaral	4193.3789.0040	3	7958.8634.0040		3
	50g	2928 siaral	4193.3789.0050	3	7958.8634.0050		3
	60g	2928 siaral	4193.3789.0060	3	7958.8634.0060		3
	80g	2928 siaral	7263.6978.0080	5	1061.3475.0080		5
	100g	2928 siaral	7263.6978.0100	5	1061.3475.0100		5
	120g	2928 siaral	7263.6978.0120	5	1061.3475.0120		5
	150g	2920 siawood	7137.9497.0150	5	0935.6461.0150		5
	180g	2920 siawood	7137.9497.0180	5	0935.6461.0180		5
	220g	2920 siawood	7137.9497.0220	5	0935.6461.0220		5
	240g	2920 siawood	7137.9497.0240	5	0935.6461.0240		5
	320g	2920 siawood	7137.9497.0320	5	0935.6461.0320		5

54" x 103"

	Grit	Material	sia Item #	Box qty unit
	36g	2928 siaral	0195.6304.0036	3
	40g	2928 siaral	0195.6304.0040	3
	50g	2928 siaral	0195.6304.0050	3
	60g	2928 siaral	0195.6304.0060	3
	80g	2928 siaral	3265.9493.0080	5
	100g	2928 siaral	3265.9493.0100	5
	120g	2928 siaral	3265.9493.0120	5
	150g	2920 siawood	3140.2012.0150	5
	180g	2920 siawood	3140.2012.0180	5
	220g	2920 siawood	3140.2012.0220	5
	240g	2920 siawood	3140.2012.0240	5
	320g	2920 siawood	3140.2012.0320	5

Stocked

Made to Order

Available upon request

Cloth Narrow Belts

2925 sialoX



- AO, X-wt cloth backing
- Can be used in wet and dry applications
- Grinding on non-ferrous metals, steel, and hardwood
- Excellent all purpose metalworking product
- Grinding agents in size coat reduce heat buildup

Available grits: 24-400

Note:
Other sizes made to order

1/4" x 24"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2925 sialoX	8092.3457.0024	50	9911.6078.0024	50
36g	2925 sialoX	8092.3457.0036	50	9911.6078.0036	50
40g	2925 sialoX	8092.3457.0040	50	9911.6078.0040	50
50g	2925 sialoX	8092.3457.0050	50	9911.6078.0050	50
60g	2925 sialoX	8092.3457.0060	50	9911.6078.0060	50
80g	2925 sialoX	8092.3457.0080	50	9911.6078.0080	50
100g	2925 sialoX	1194.8298.0100	50	3014.1386.0100	50

1/2" x 12"

1/2" x 18"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2925 sialoX	3226.7048.0024	50	6535.8821.0024	50
36g	2925 sialoX	3226.7048.0036	50	6535.8821.0036	50
40g	2925 sialoX	3226.7048.0040	50	6535.8821.0040	50
50g	2925 sialoX	3226.7048.0050	50	6535.8821.0050	50
60g	2925 sialoX	3226.7048.0060	50	6535.8821.0060	50
80g	2925 sialoX	3226.7048.0080	50	6535.8821.0080	50
100g	2925 sialoX	6244.3926.0100	50	9606.1543.0100	50

1/2" x 24"

3/4" x 18"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2925 sialoX	1617.6568.0024	50	6120.5240.0024	50
36g	2925 sialoX	1617.6568.0036	50	6120.5240.0036	50
40g	2925 sialoX	1617.6568.0040	50	6120.5240.0040	50
50g	2925 sialoX	1617.6568.0050	50	6120.5240.0050	50
60g	2925 sialoX	1617.6568.0060	50	6120.5240.0060	50
80g	2925 sialoX	1617.6568.0080	50	6120.5240.0080	50
100g	2925 sialoX	7758.2204.0100	50	9190.7962.0100	50

3/4" x 20-1/2"

1" x 42"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2925 sialoX	9418.0660.0024	50	9361.4195.0024	50
36g	2925 sialoX	9418.0660.0036	50	9361.4195.0036	50
40g	2925 sialoX	9418.0660.0040	50	9361.4195.0040	50
50g	2925 sialoX	9418.0660.0050	50	9361.4195.0050	50
60g	2925 sialoX	9418.0660.0060	50	9361.4195.0060	50
80g	2925 sialoX	9418.0660.0080	50	9361.4195.0080	50
100g	2925 sialoX	2520.5501.0100	50	2463.9036.0100	50

1-1/2" x 60"

Stocked Made to Order Available upon request

Belts

Cloth Narrow Belts

2925 sialoX



- AO, X-wt cloth backing
- Can be used in wet and dry applications
- Grinding on non-ferrous metals, steel, and hardwood
- Excellent all purpose metalworking product
- Grinding agents in size coat reduce heat buildup

Available grits: 24-400

Note:
Other sizes made to order

2" x 48"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2925 sialoX	5797.0127.0024	50	9292.4915.0024	50
36g	2925 sialoX	5797.0127.0036	50	9292.4915.0036	50
40g	2925 sialoX	5797.0127.0040	50	9292.4915.0040	50
50g	2925 sialoX	5797.0127.0050	50	9292.4915.0050	50
60g	2925 sialoX	5797.0127.0060	50	9292.4915.0060	50
80g	2925 sialoX	5797.0127.0080	50	9292.4915.0080	50
100g	2925 sialoX	8867.3316.0100	50	5491.5592.0100	50

2" x 60"

2" x 72"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2925 sialoX	9013.3027.0024	50	2014.1054.0024	50
36g	2925 sialoX	9013.3027.0036	50	2014.1054.0036	50
40g	2925 sialoX	9013.3027.0040	50	2014.1054.0040	50
50g	2925 sialoX	9013.3027.0050	50	2014.1054.0050	50
60g	2925 sialoX	9013.3027.0060	50	2014.1054.0060	50
80g	2925 sialoX	9013.3027.0080	50	2014.1054.0080	50
100g	2925 sialoX	2115.7868.0100	50	5084.3776.0100	50

2" x 132"

2-1/2" x 60"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2925 sialoX	2378.6512.0024	50	1986.0883.0024	20
36g	2925 sialoX	2378.6512.0036	50	1986.0883.0036	20
40g	2925 sialoX	2378.6512.0040	50	1986.0883.0040	20
50g	2925 sialoX	2378.6512.0050	50	1986.0883.0050	20
60g	2925 sialoX	2378.6512.0060	50	1986.0883.0060	20
80g	2925 sialoX	2378.6512.0080	50	1986.0883.0080	20
100g	2925 sialoX	5448.9234.0100	50	8179.2363.0100	20

3" x 132"

4" x 132"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2925 sialoX	7984.1450.0024	20	7769.3038.0024	20
36g	2925 sialoX	7984.1450.0036	20	7769.3038.0036	20
40g	2925 sialoX	7984.1450.0040	20	7769.3038.0040	20
50g	2925 sialoX	7984.1450.0050	20	7769.3038.0050	20
60g	2925 sialoX	7984.1450.0060	20	7769.3038.0060	20
80g	2925 sialoX	7984.1450.0080	20	7769.3038.0080	20
100g	2925 sialoX	1086.6291.0100	20	0871.7879.0100	20

6" x 48"

Stocked

Made to Order

Available upon request

Cloth Wide Belts

2925 sialoX



- AO, X-wt cloth backing
- Can be used in wet and dry applications
- Grinding on non-ferrous metals, steel, and hardwood
- Excellent all purpose metalworking product
- Grinding agents in size coat reduce heat buildup

Available grits: 24-400

Note:
Other sizes made to order

36" x 60"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2925 sialoX	7975.3111.0024	3	6225.5001.0024	3
36g	2925 sialoX	7975.3111.0036	3	6225.5001.0036	3
40g	2925 sialoX	7975.3111.0040	3	6225.5001.0040	3
50g	2925 sialoX	7975.3111.0050	3	6225.5001.0050	3
60g	2925 sialoX	7975.3111.0060	3	6225.5001.0060	3
80g	2925 sialoX	1077.7952.0080	5	9295.7723.0080	5
100g	2925 sialoX	1077.7952.0100	5	9295.7723.0100	5

36" x 75"

37" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
24g	2925 sialoX	9210.5199.0024	3	8709.3268.0024	3
36g	2925 sialoX	9210.5199.0036	3	8709.3268.0036	3
40g	2925 sialoX	9210.5199.0040	3	8709.3268.0040	3
50g	2925 sialoX	9210.5199.0050	3	8709.3268.0050	3
60g	2925 sialoX	9210.5199.0060	3	8709.3268.0060	3
80g	2925 sialoX	2313.0040.0080	5	1811.8109.0080	5
100g	2925 sialoX	2313.0040.0100	5	1811.8109.0100	5

52" x 75"

52" x 103"

Grit	Material	sia Item #	Box qty unit
24g	2925 sialoX	4132.9846.0024	3
36g	2925 sialoX	4132.9846.0036	3
40g	2925 sialoX	4132.9846.0040	3
50g	2925 sialoX	4132.9846.0050	3
60g	2925 sialoX	4132.9846.0060	3
80g	2925 sialoX	7203.2568.0080	5
100g	2925 sialoX	7203.2568.0100	5

Stocked

Made to Order

Available upon request

Belts

Cloth Narrow Belts



2933 siatur TopTec

- Semi-friable AO, J-wt cloth backing
- Anti-static
- Sanding on hard and soft woods, as well as wood related products
- Flexible backing makes product suitable for profile sanding applications
- Open coating prevents premature loading

Available grits: 60-220

Note:

Other sizes made to order

Grit	Material	2" x 72"		2" x 132"	
		sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2933 siatur TopTec	2572.0759.0080	50	5540.6200.0080	50
100g	2933 siatur TopTec	2572.0759.0100	50	5540.6200.0100	50
120g	2933 siatur TopTec	2572.0759.0120	50	5540.6200.0120	50
150g	2933 siatur TopTec	2572.0759.0150	50	5540.6200.0150	50
180g	2933 siatur TopTec	2572.0759.0180	50	5540.6200.0180	50
220g	2933 siatur TopTec	2572.0759.0220	50	5540.6200.0220	50

Grit	Material	3" x 132"		6" x 300"	
		sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2933 siatur TopTec	8525.6398.0080	20	0145.1055.0080	20
100g	2933 siatur TopTec	8525.6398.0100	20	0145.1055.0100	20
120g	2933 siatur TopTec	8525.6398.0120	20	0145.1055.0120	20
150g	2933 siatur TopTec	8525.6398.0150	20	0145.1055.0150	20
180g	2933 siatur TopTec	8525.6398.0180	20	0145.1055.0180	20
220g	2933 siatur TopTec	8525.6398.0220	20	0145.1055.0220	20

Grit	Material	6" x 335"	
		sia Item #	Box qty unit
80g	2933 siatur TopTec	9425.8388.0080	20
100g	2933 siatur TopTec	9425.8388.0100	20
120g	2933 siatur TopTec	9425.8388.0120	20
150g	2933 siatur TopTec	9425.8388.0150	20
180g	2933 siatur TopTec	9425.8388.0180	20
220g	2933 siatur TopTec	9425.8388.0220	20

Stocked

Made to Order

Available upon request

Cloth Narrow Belts

2936 siatur



- Semi-friable AO, JJ-wt cloth backing
- Used in Torn Edge belts
- Sanding on hard and soft woods, as well as wood related products
- Very flexible JJ-cloth
- Backing makes product
- Very suitable for profile sanding applications
- Very good and consistent performance

Note:
Other sizes made to order

		2" x 72"		2" x 132"	
Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2936 siatur	2632.4702.0080	50	5601.0610.0080	50
100g	2936 siatur	2632.4702.0100	50	5601.0610.0100	50
120g	2936 siatur	2632.4702.0120	50	5601.0610.0120	50
150g	2936 siatur	2632.4702.0150	50	5601.0610.0150	50
180g	2936 siatur	2632.4702.0180	50	5601.0610.0180	50
220g	2936 siatur	2632.4702.0220	50	5601.0610.0220	50
240g	2936 siatur	2632.4702.0240	50	5601.0610.0240	50
280g	2936 siatur	2632.4702.0280	50	5601.0610.0280	50
320g	2936 siatur	2632.4702.0320	50	5601.0610.0320	50

		3" x 132"		6" x 300"	
Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2936 siatur	8586.0808.0060	20	0205.5465.0060	20
80g	2936 siatur	8586.0808.0080	20	0205.5465.0080	20
100g	2936 siatur	8586.0808.0100	20	0205.5465.0100	20
120g	2936 siatur	8586.0808.0120	20	0205.5465.0120	20
150g	2936 siatur	8586.0808.0150	20	0205.5465.0150	20
180g	2936 siatur	8586.0808.0180	20	0205.5465.0180	20
220g	2936 siatur	8586.0808.0220	20	0205.5465.0220	20
240g	2936 siatur	8586.0808.0240	20	0205.5465.0240	20
280g	2936 siatur	8586.0808.0280	20	0205.5465.0280	20
320g	2936 siatur	8586.0808.0320	20	0205.5465.0320	20

		6" x 335"	
Grit	Material	sia Item #	Box qty unit
60g	2936 siatur	9486.2798.0060	20
80g	2936 siatur	9486.2798.0080	20
100g	2936 siatur	9486.2798.0100	20
120g	2936 siatur	9486.2798.0120	20
150g	2936 siatur	9486.2798.0150	20
180g	2936 siatur	9486.2798.0180	20
220g	2936 siatur	9486.2798.0220	20
240g	2936 siatur	9486.2798.0240	20
280g	2936 siatur	9486.2798.0280	20
320g	2936 siatur	9486.2798.0320	20

Stocked Made to Order Available upon request

Belts

Cloth Narrow Belts



2945 siatur

- Semi-friable AO, J-wt cloth backing
- Adapts well to curved surfaces
- Grinding on non-ferrous metals, steel, stainless and alloys
- Grinding agents extend life time

Note:
Other sizes made to order

2" x 72"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2945 siatur	2547.4940.0060	50	5516.0848.0060	50
80g	2945 siatur	2547.4940.0080	50	5516.0848.0080	50
100g	2945 siatur	2547.4940.0100	50	5516.0848.0100	50
120g	2945 siatur	2590.1137.0120	50	5558.7045.0120	50
150g	2945 siatur	2590.1137.0150	50	5558.7045.0150	50
180g	2945 siatur	2590.1137.0180	50	5558.7045.0180	50
220g	2945 siatur	2590.1137.0220	50	5558.7045.0220	50
240g	2945 siatur	2590.1137.0240	50	5558.7045.0240	50
280g	2945 siatur	2590.1137.0280	50	5558.7045.0280	50
320g	2945 siatur	2590.1137.0320	50	5558.7045.0320	50
400g	2945 siatur	2590.1137.0400	50	5558.7045.0400	50

2" x 132"

2" x 148"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2945 siatur	4403.6851.0060	50	8501.1046.0060	20
80g	2945 siatur	4403.6851.0080	50	8501.1046.0080	20
100g	2945 siatur	4403.6851.0100	50	8501.1046.0100	20
120g	2945 siatur	4446.3048.0120	50	8543.7243.0120	20
150g	2945 siatur	4446.3048.0150	50	8543.7243.0150	20
180g	2945 siatur	4446.3048.0180	50	8543.7243.0180	20
220g	2945 siatur	4446.3048.0220	50	8543.7243.0220	20
240g	2945 siatur	4446.3048.0240	50	8543.7243.0240	20
280g	2945 siatur	4446.3048.0280	50	8543.7243.0280	20
320g	2945 siatur	4446.3048.0320	50	8543.7243.0320	20
400g	2945 siatur	4446.3048.0400	50	8543.7243.0400	20

3" x 132"

3" x 148"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2945 siatur	7388.7049.0060	20	8341.6222.0060	20
80g	2945 siatur	7388.7049.0080	20	8341.6222.0080	20
100g	2945 siatur	7388.7049.0100	20	8341.6222.0100	20
120g	2945 siatur	7431.3246.0120	20	8384.2419.0120	20
150g	2945 siatur	7431.3246.0150	20	8384.2419.0150	20
180g	2945 siatur	7431.3246.0180	20	8384.2419.0180	20
220g	2945 siatur	7431.3246.0220	20	8384.2419.0220	20
240g	2945 siatur	7431.3246.0240	20	8384.2419.0240	20
280g	2945 siatur	7431.3246.0280	20	8384.2419.0280	20
320g	2945 siatur	7431.3246.0320	20	8384.2419.0320	20
400g	2945 siatur	7431.3246.0400	20	8384.2419.0400	20

3" x 168"

Stocked

Made to Order

Available upon request

Cloth Narrow Belts

2945 siatur



- Semi-friable AO, J-wt cloth backing
- Adapts well to curved surfaces
- Grinding on non-ferrous metals, steel, stainless and alloys
- Grinding agents extend life time

Note:

Other sizes made to order

4" x 132"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2945 siatur	1518.3363.0060	20	0405.9366.0060	20
80g	2945 siatur	1518.3363.0080	20	0405.9366.0080	20
100g	2945 siatur	1518.3363.0100	20	0405.9366.0100	20
120g	2945 siatur	1560.9560.0120	20	0448.5563.0120	20
150g	2945 siatur	1560.9560.0150	20	0448.5563.0150	20
180g	2945 siatur	1560.9560.0180	20	0448.5563.0180	20
220g	2945 siatur	1560.9560.0220	20	0448.5563.0220	20
240g	2945 siatur	1560.9560.0240	20	0448.5563.0240	20
280g	2945 siatur	1560.9560.0280	20	0448.5563.0280	20
320g	2945 siatur	1560.9560.0320	20	0448.5563.0320	20
400g	2945 siatur	1560.9560.0400	20	0448.5563.0400	20

4" x 148"

4" x 168"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2945 siatur	1358.8539.0060	20	7488.3759.0060	20
80g	2945 siatur	1358.8539.0080	20	7488.3759.0080	20
100g	2945 siatur	1358.8539.0100	20	7488.3759.0100	20
120g	2945 siatur	1401.4736.0120	20	7530.9956.0120	20
150g	2945 siatur	1401.4736.0150	20	7530.9956.0150	20
180g	2945 siatur	1401.4736.0180	20	7530.9956.0180	20
220g	2945 siatur	1401.4736.0220	20	7530.9956.0220	20
240g	2945 siatur	1401.4736.0240	20	7530.9956.0240	20
280g	2945 siatur	1401.4736.0280	20	7530.9956.0280	20
320g	2945 siatur	1401.4736.0320	20	7530.9956.0320	20
400g	2945 siatur	1401.4736.0400	20	7530.9956.0400	20

6" x 132"

6" x 168"

Grit	Material	sia Item #	Box qty unit
60g	2945 siatur	7328.8935.0060	20
80g	2945 siatur	7328.8935.0080	20
100g	2945 siatur	7328.8935.0100	20
120g	2945 siatur	7371.5132.0120	20
150g	2945 siatur	7371.5132.0150	20
180g	2945 siatur	7371.5132.0180	20
220g	2945 siatur	7371.5132.0220	20
240g	2945 siatur	7371.5132.0240	20
280g	2945 siatur	7371.5132.0280	20
320g	2945 siatur	7371.5132.0320	20
400g	2945 siatur	7371.5132.0400	20

Stocked

Made to Order

Available upon request

Belts

Cloth Narrow Belts



2946 siatur

- Semi-friable AO, JJ-wt cloth backing
- Used on all metals
- Grinding on non-ferrous metals, steel, stainless and alloys
- Grinding agents extend life time
- Very flexible JJ-weight backing performs well on shapes

Available grits: 60-600

Note:
Other sizes made to order

2" x 72"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2946 siatur	2582.0713.0060	50	5528.9933.0060	50
80g	2946 siatur	2582.0713.0080	50	5528.9933.0080	50
100g	2946 siatur	2582.0713.0100	50	5528.9933.0100	50
120g	2946 siatur	2624.6910.0120	50	5571.6597.0120	50
150g	2946 siatur	2624.6910.0150	50	5571.6597.0150	50
180g	2946 siatur	2624.6910.0180	50	5571.6597.0180	50
220g	2946 siatur	2624.6910.0220	50	5571.6597.0220	50
240g	2946 siatur	2624.6910.0240	50	5571.6597.0240	50
280g	2946 siatur	2624.6910.0280	50	5571.6597.0280	50
320g	2946 siatur	2624.6910.0320	50	5571.6597.0320	50
400g	2946 siatur	2624.6910.0400	50	5571.6597.0400	50

2" x 132"

2" x 148"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2946 siatur	4438.2624.0060	50	8514.0131.0060	20
80g	2946 siatur	4438.2624.0080	50	8514.0131.0080	20
100g	2946 siatur	4438.2624.0100	50	8514.0131.0100	20
120g	2946 siatur	4480.8821.0120	50	8556.6795.0120	20
150g	2946 siatur	4480.8821.0150	50	8556.6795.0150	20
180g	2946 siatur	4480.8821.0180	50	8556.6795.0180	20
220g	2946 siatur	4480.8821.0220	50	8556.6795.0220	20
240g	2946 siatur	4480.8821.0240	50	8556.6795.0240	20
280g	2946 siatur	4480.8821.0280	50	8556.6795.0280	20
320g	2946 siatur	4480.8821.0320	50	8556.6795.0320	20
400g	2946 siatur	4480.8821.0400	50	8556.6795.0400	20

3" x 132"

3" x 148"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2946 siatur	7423.2355.0060	20	8376.1528.0060	20
80g	2946 siatur	7423.2355.0080	20	8376.1528.0080	20
100g	2946 siatur	7423.2355.0100	20	8376.1528.0100	20
120g	2946 siatur	7465.9019.0120	20	8418.8192.0120	20
150g	2946 siatur	7465.9019.0150	20	8418.8192.0150	20
180g	2946 siatur	7465.9019.0180	20	8418.8192.0180	20
220g	2946 siatur	7465.9019.0220	20	8418.8192.0220	20
240g	2946 siatur	7465.9019.0240	20	8418.8192.0240	20
280g	2946 siatur	7465.9019.0280	20	8418.8192.0280	20
320g	2946 siatur	7465.9019.0320	20	8418.8192.0320	20
400g	2946 siatur	7465.9019.0400	20	8418.8192.0400	20

3" x 168"

Stocked

Made to Order

Available upon request

Cloth Narrow Belts

2946 siatur



- Semi-friable AO, JJ-wt cloth backing
- Used on all metals
- Grinding on non-ferrous metals, steel, stainless and alloys
- Grinding agents extend life time
- Very flexible JJ-weight backing performs well on shapes

Available grits: 60-600

Note:
Other sizes made to order

4" x 132"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2946 siatur	1531.2448.0060	20	0440.4672.0060	20
80g	2946 siatur	1531.2448.0080	20	0440.4672.0080	20
100g	2946 siatur	1531.2448.0100	20	0440.4672.0100	20
120g	2946 siatur	1573.9112.0120	20	0483.1336.0120	20
150g	2946 siatur	1573.9112.0150	20	0483.1336.0150	20
180g	2946 siatur	1573.9112.0180	20	0483.1336.0180	20
220g	2946 siatur	1573.9112.0220	20	0483.1336.0220	20
240g	2946 siatur	1573.9112.0240	20	0483.1336.0240	20
280g	2946 siatur	1573.9112.0280	20	0483.1336.0280	20
320g	2946 siatur	1573.9112.0320	20	0483.1336.0320	20
400g	2946 siatur	1573.9112.0400	20	0483.1336.0400	20

4" x 148"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2946 siatur	1393.3845.0060	20	7501.2844.0060	20
80g	2946 siatur	1393.3845.0080	20	7501.2844.0080	20
100g	2946 siatur	1393.3845.0100	20	7501.2844.0100	20
120g	2946 siatur	1436.0509.0120	20	7543.9508.0120	20
150g	2946 siatur	1436.0509.0150	20	7543.9508.0150	20
180g	2946 siatur	1436.0509.0180	20	7543.9508.0180	20
220g	2946 siatur	1436.0509.0220	20	7543.9508.0220	20
240g	2946 siatur	1436.0509.0240	20	7543.9508.0240	20
280g	2946 siatur	1436.0509.0280	20	7543.9508.0280	20
320g	2946 siatur	1436.0509.0320	20	7543.9508.0320	20
400g	2946 siatur	1436.0509.0400	20	7543.9508.0400	20

4" x 168"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2946 siatur	7341.8020.0060	20		
80g	2946 siatur	7341.8020.0080	20		
100g	2946 siatur	7341.8020.0100	20		
120g	2946 siatur	7384.4684.0120	20		
150g	2946 siatur	7384.4684.0150	20		
180g	2946 siatur	7384.4684.0180	20		
220g	2946 siatur	7384.4684.0220	20		
240g	2946 siatur	7384.4684.0240	20		
280g	2946 siatur	7384.4684.0280	20		
320g	2946 siatur	7384.4684.0320	20		
400g	2946 siatur	7384.4684.0400	20		

6" x 132"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
60g	2946 siatur	1393.3845.0060	20	7501.2844.0060	20
80g	2946 siatur	1393.3845.0080	20	7501.2844.0080	20
100g	2946 siatur	1393.3845.0100	20	7501.2844.0100	20
120g	2946 siatur	1436.0509.0120	20	7543.9508.0120	20
150g	2946 siatur	1436.0509.0150	20	7543.9508.0150	20
180g	2946 siatur	1436.0509.0180	20	7543.9508.0180	20
220g	2946 siatur	1436.0509.0220	20	7543.9508.0220	20
240g	2946 siatur	1436.0509.0240	20	7543.9508.0240	20
280g	2946 siatur	1436.0509.0280	20	7543.9508.0280	20
320g	2946 siatur	1436.0509.0320	20	7543.9508.0320	20
400g	2946 siatur	1436.0509.0400	20	7543.9508.0400	20

6" x 168"

Grit	Material	sia Item #	Box qty unit
60g	2946 siatur	7341.8020.0060	20
80g	2946 siatur	7341.8020.0080	20
100g	2946 siatur	7341.8020.0100	20
120g	2946 siatur	7384.4684.0120	20
150g	2946 siatur	7384.4684.0150	20
180g	2946 siatur	7384.4684.0180	20
220g	2946 siatur	7384.4684.0220	20
240g	2946 siatur	7384.4684.0240	20
280g	2946 siatur	7384.4684.0280	20
320g	2946 siatur	7384.4684.0320	20
400g	2946 siatur	7384.4684.0400	20

Stocked

Made to Order

Available upon request

Belts

Cloth Narrow Belts

2951 siatur



- Semi-friable AO, H-wt cloth backing
- Grinding and sanding on non-ferrous metals, steel, wood and wood based products
- Highly flexible H-weight backing adapts and performs well on shapes

Note:
Other sizes made to order

2" x 72"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2951 siatur	2956.2506.0080	50	5924.8414.0080	50
100g	2951 siatur	2956.2506.0100	50	5924.8414.0100	50
120g	2951 siatur	2956.2506.0120	50	5924.8414.0120	50
150g	2951 siatur	2956.2506.0150	50	5924.8414.0150	50
180g	2951 siatur	2956.2506.0180	50	5924.8414.0180	50
220g	2951 siatur	2956.2506.0220	50	5924.8414.0220	50
240g	2951 siatur	2956.2506.0240	50	5924.8414.0240	50
280g	2951 siatur	2956.2506.0280	50	5924.8414.0280	50
320g	2951 siatur	2956.2506.0320	50	5924.8414.0320	50

2" x 132"

3" x 132"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2951 siatur	8909.8612.0080	20	0550.9490.0080	20
100g	2951 siatur	8909.8612.0100	20	0550.9490.0100	20
120g	2951 siatur	8909.8612.0120	20	0550.9490.0120	20
150g	2951 siatur	8909.8612.0150	20	0550.9490.0150	20
180g	2951 siatur	8909.8612.0180	20	0550.9490.0180	20
220g	2951 siatur	8909.8612.0220	20	0550.9490.0220	20
240g	2951 siatur	8909.8612.0240	20	0550.9490.0240	20
280g	2951 siatur	8909.8612.0280	20	0550.9490.0280	20
320g	2951 siatur	8909.8612.0320	20	0550.9490.0320	20

6" x 300"

6" x 335"

Grit	Material	sia Item #	Box qty unit
80g	2951 siatur	9810.0602.0080	20
100g	2951 siatur	9810.0602.0100	20
120g	2951 siatur	9810.0602.0120	20
150g	2951 siatur	9810.0602.0150	20
180g	2951 siatur	9810.0602.0180	20
220g	2951 siatur	9810.0602.0220	20
240g	2951 siatur	9810.0602.0240	20
280g	2951 siatur	9810.0602.0280	20
320g	2951 siatur	9810.0602.0320	20

Stocked

Made to Order

Available upon request

Other Cloth Belts Available

2503 siabite

**DESCRIPTION:**

- Ceramic aluminum oxide/ semi-friable aluminum oxide
- Electrostatic closed coat
- Y-wt cloth, polyester
- Available in grits 36-120
- 2nd size coat with highly active additives

ADVANTAGES:

- High removal rate thanks to ceramic grit
- Active additives guarantee cool grinding and virtually no discoloration
- Longer product lifetime
- Lower grinding costs thanks to longer lifetime

APPLICATIONS:

- Grinding of weld seams on stainless steel
- Grinding of castings and forgings
- General treatment of metallic materials that have poor chip removal properties

2510 siabite

**DESCRIPTION:**

- Ceramic/aluminum oxide
- Electrostatic closed coat
- Available in grits 50-120
- Heavy Y-wt Polycotton

ADVANTAGES:

- Premium performance ceramic grain
- Designed for low- and mid-pressure applications, dry

APPLICATIONS:

- Grinding off burrs and welding seams
- Turbine blades
- Use conditions: hard to soft

2515 siabite

**DESCRIPTION:**

- Ceramic/aluminum oxide
- Electrostatic closed coat
- Available in grits 24-80
- Heavy Y-wt Polyester

ADVANTAGES:

- Premium performance ceramic grain
- Designed for high-pressure application

APPLICATIONS:

- Grinding of weld seams on stainless steel
- Grinding of castings and forgings
- General treatment of metallic materials that have poor chip removal properties

2546 siabite

**DESCRIPTION:**

- Ceramic/aluminum oxide
- Electrostatic closed coat
- Available in grits 60-320
- jj-wt cloth, cotton


ADVANTAGES:

- High removal rate thanks to ceramic grit
- Active additives guarantee cool grinding with virtually no discoloration of work pieces
- Maximum adaptation to contours and curves
- High performance with materials that have poor chip removal properties

APPLICATIONS:

- Grinding down weld seams on stainless steel
- Finishing of curved surfaces
- Grinding of surgical instruments
- Grinding of turbine blades, cutlery and fittings

2747 siatur

**DESCRIPTION:**

- Silicon carbide
- Electrostatic closed coat
- Available in grits 60-400 (except 150)
- jj-wt cloth, cotton

ADVANTAGES:

- This series is ideal for grinding fittings
- Cool cut (additives), hardly any discoloration of work pieces
- The surface quality of the machined work pieces is excellent, particularly on brass and other copper alloys
- Adapts very well to curves

APPLICATIONS:

- Grinding of fittings and tap ware
- Grinding of hardware
- Grinding of musical instruments

Stocked

Made to Order

Available upon request

Other Cloth Belts Available

2803 siaron**DESCRIPTION:**

- Zirconia alumina/semi-friable aluminum oxide
- Electrostatic closed coat
- Available in grits 36-180
- Y-wt poly-cotton grits 36-100 grits
- X-wt poly-cotton grits 120-180

ADVANTAGES:

- Designed low and mid pressure
- Active additives guarantee cool grinding of work pieces
- High edge stability

APPLICATIONS:

- General grinding of stainless steel and high alloy metals
- Finishing of weld seams and joints
- Descaling of castings

2815 siaron**DESCRIPTION:**


- Zirconia alumina
- Electrostatic closed coat
- Available in grits 24-80
- Heavy Y-wt polyester

ADVANTAGES:

- Designed high pressure applications
- Active additives guarantee cool grinding of work pieces
- High edge stability

APPLICATIONS:

- General grinding of stainless steel and high alloy metals
- Finishing of weld seams and joints
- Descaling of castings
- Heavy stock removal

2948 siatur**DESCRIPTION:**


- Aluminum oxide
- Electrostatic closed coat
- Available in grits 80, 120, 180, 240, 400, 600
- jj-wt cotton

ADVANTAGES:

- Special aluminum oxide for stainless steel
- Active agents guarantee cool grinding and virtually no discoloration of work pieces
- Adapts very well to curves and contours

APPLICATIONS:

- Grinding of surgical instruments and implants
- Grinding of turbine blades
- Grinding of knives
- Grinding of cutlery

2980 siafin**DESCRIPTION:**

- 3-dimensional aluminum oxide agglomerate
- Electrostatic closed coat
- Available in grits 50, 80, 120, 180, 240, 320, 400, 600
- Y-wt polyester

ADVANTAGES:

- No contact pressure readjustment necessary
- Constant removal through continuous exposure of new cutting surfaces
- Regular scratch depth due to constant grinding performance
- Longer belt life thanks to grit granulated structures
- Lower grinding cost due to longer lifetime and fewer belt changes
- Less machine downtime thanks to bigger grit capacity

APPLICATIONS:

- Grinding of castings and forging imperfections
- Grinding out of pores
- Grinding out of rollers
- Preparation for electroplating
- Refinishing of the welding seam
- Used for wet grinding applications


Stocked

Made to Order

Available upon request

Paper Wide Belts

1729 sialac TopTec



- Stearated SC, E-wt paper backing
- Intermediate sanding of UV and PUR varnish systems
- Polishing preparation for high-gloss surfaces
- Anti-static properties help maintain a cleaner work environment

Note:
Other sizes made to order

50" x 103"

Grit	Material	sia Item #	Box qty unit	52" x 75"	Box qty unit
220g	1729 sialac TopTec	3196.9786.0220	5	3775.6190.0220	5
240g	1729 sialac TopTec	3196.9786.0240	5	3775.6190.0240	5
280g	1729 sialac TopTec	3196.9786.0280	5	3775.6190.0280	5
320g	1729 sialac TopTec	3196.9786.0320	5	3775.6190.0320	5
400g	1729 sialac TopTec	3196.9786.0400	5	3775.6190.0400	5
500g	1729 sialac TopTec	3196.9786.0500	5	3775.6190.0500	5
600g	1729 sialac TopTec	3196.9786.0600	5	3775.6190.0600	5
800g	1729 sialac TopTec	3196.9786.0800	5	3775.6190.0800	5

52" x 128"

Grit	Material	sia Item #	Box qty unit	52" x 103"	Box qty unit
220g	1729 sialac TopTec	9167.0182.0220	5	2964.7146.0220	5
240g	1729 sialac TopTec	9167.0182.0240	5	2964.7146.0240	5
280g	1729 sialac TopTec	9167.0182.0280	5	2964.7146.0280	5
320g	1729 sialac TopTec	9167.0182.0320	5	2964.7146.0320	5
400g	1729 sialac TopTec	9167.0182.0400	5	2964.7146.0400	5
500g	1729 sialac TopTec	9167.0182.0500	5	2964.7146.0500	5
600g	1729 sialac TopTec	9167.0182.0600	5	2964.7146.0600	5
800g	1729 sialac TopTec	9167.0182.0800	5	2964.7146.0800	5

54" x 103"

Grit	Material	sia Item #	Box qty unit	54" x 128"	Box qty unit
220g	1729 sialac TopTec	5169.2697.0220	5	8934.7542.0220	5
240g	1729 sialac TopTec	5169.2697.0240	5	8934.7542.0240	5
280g	1729 sialac TopTec	5169.2697.0280	5	8934.7542.0280	5
320g	1729 sialac TopTec	5169.2697.0320	5	8934.7542.0320	5
400g	1729 sialac TopTec	5169.2697.0400	5	8934.7542.0400	5
500g	1729 sialac TopTec	5169.2697.0500	5	8934.7542.0500	5
600g	1729 sialac TopTec	5169.2697.0600	5	8934.7542.0600	5
800g	1729 sialac TopTec	5169.2697.0800	5	8934.7542.0800	5

Stocked

Made to Order

Available upon request

Belts

Paper Wide Belts



1749 siaral TopTec

- SC, F-wt paper backing
- Anti-static properties help maintain a cleaner work environment
- Hand or stationary belt machine sanding on wide range of products
- Excellent and consistent finishing results

Note:
Other sizes made to order

25" x 103"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1749 siaral TopTec	9588.3829.0080	5	3473.2638.0080	5
100g	1749 siaral TopTec	9588.3829.0100	5	3473.2638.0100	5
120g	1749 siaral TopTec	9588.3829.0120	5	3473.2638.0120	5
150g	1749 siaral TopTec	9588.3829.0150	5	3473.2638.0150	5
180g	1749 siaral TopTec	9588.3829.0180	5	3473.2638.0180	5
220g	1749 siaral TopTec	9588.3829.0220	5	3473.2638.0220	5
240g	1749 siaral TopTec	9588.3829.0240	5	3473.2638.0240	5
280g	1749 siaral TopTec	9588.3829.0280	5	3473.2638.0280	5
320g	1749 siaral TopTec	9588.3829.0320	5	3473.2638.0320	5
400g	1749 siaral TopTec	9588.3829.0400	5	3473.2638.0400	5

36" x 60"

36" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1749 siaral TopTec	1723.4528.0080	5	7114.8987.0080	5
100g	1749 siaral TopTec	1723.4528.0100	5	7114.8987.0100	5
120g	1749 siaral TopTec	1723.4528.0120	5	7114.8987.0120	5
150g	1749 siaral TopTec	1723.4528.0150	5	7114.8987.0150	5
180g	1749 siaral TopTec	1723.4528.0180	5	7114.8987.0180	5
220g	1749 siaral TopTec	1723.4528.0220	5	7114.8987.0220	5
240g	1749 siaral TopTec	1723.4528.0240	5	7114.8987.0240	5
280g	1749 siaral TopTec	1723.4528.0280	5	7114.8987.0280	5
320g	1749 siaral TopTec	1723.4528.0320	5	7114.8987.0320	5
400g	1749 siaral TopTec	1723.4528.0400	5	7114.8987.0400	5

36" x 103"

37" x 60"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1749 siaral TopTec	6458.2836.0080	5	4708.4726.0080	5
100g	1749 siaral TopTec	6458.2836.0100	5	4708.4726.0100	5
120g	1749 siaral TopTec	6458.2836.0120	5	4708.4726.0120	5
150g	1749 siaral TopTec	6458.2836.0150	5	4708.4726.0150	5
180g	1749 siaral TopTec	6458.2836.0180	5	4708.4726.0180	5
220g	1749 siaral TopTec	6458.2836.0220	5	4708.4726.0220	5
240g	1749 siaral TopTec	6458.2836.0240	5	4708.4726.0240	5
280g	1749 siaral TopTec	6458.2836.0280	5	4708.4726.0280	5
320g	1749 siaral TopTec	6458.2836.0320	5	4708.4726.0320	5
400g	1749 siaral TopTec	6458.2836.0400	5	4708.4726.0400	5

37" x 75"

Stocked

Made to Order

Available upon request

Paper Wide Belts

1749 sialar TopTec



- SC, F-wt paper backing
- Anti-static properties help maintain a cleaner work environment
- Hand or stationary belt machine sanding on wide range of products
- Excellent and consistent finishing results

Note:
Other sizes made to order

43" x 60"

Grit	Material	sia Item #	Box qty unit	43" x 75"	Box qty unit
80g	1749 sialar TopTec	4432.8262.0080	5	2683.0152.0080	5
100g	1749 sialar TopTec	4432.8262.0100	5	2683.0152.0100	5
120g	1749 sialar TopTec	4432.8262.0120	5	2683.0152.0120	5
150g	1749 sialar TopTec	4432.8262.0150	5	2683.0152.0150	5
180g	1749 sialar TopTec	4432.8262.0180	5	2683.0152.0180	5
220g	1749 sialar TopTec	4432.8262.0220	5	2683.0152.0220	5
240g	1749 sialar TopTec	4432.8262.0240	5	2683.0152.0240	5
280g	1749 sialar TopTec	4432.8262.0280	5	2683.0152.0280	5
320g	1749 sialar TopTec	4432.8262.0320	5	2683.0152.0320	5
400g	1749 sialar TopTec	4432.8262.0400	5	2683.0152.0400	5

43" x 84"

Grit	Material	sia Item #	Box qty unit	43" x 103"	Box qty unit
80g	1749 sialar TopTec	7649.1162.0080	5	8074.4611.0080	5
100g	1749 sialar TopTec	7649.1162.0100	5	8074.4611.0100	5
120g	1749 sialar TopTec	7649.1162.0120	5	8074.4611.0120	5
150g	1749 sialar TopTec	7649.1162.0150	5	8074.4611.0150	5
180g	1749 sialar TopTec	7649.1162.0180	5	8074.4611.0180	5
220g	1749 sialar TopTec	7649.1162.0220	5	8074.4611.0220	5
240g	1749 sialar TopTec	7649.1162.0240	5	8074.4611.0240	5
280g	1749 sialar TopTec	7649.1162.0280	5	8074.4611.0280	5
320g	1749 sialar TopTec	7649.1162.0320	5	8074.4611.0320	5
400g	1749 sialar TopTec	7649.1162.0400	5	8074.4611.0400	5

44" x 75"

Grit	Material	sia Item #	Box qty unit	50" x 103"	Box qty unit
80g	1749 sialar TopTec	5668.0350.0080	5	3628.6858.0080	5
100g	1749 sialar TopTec	5668.0350.0100	5	3628.6858.0100	5
120g	1749 sialar TopTec	5668.0350.0120	5	3628.6858.0120	5
150g	1749 sialar TopTec	5668.0350.0150	5	3628.6858.0150	5
180g	1749 sialar TopTec	5668.0350.0180	5	3628.6858.0180	5
220g	1749 sialar TopTec	5668.0350.0220	5	3628.6858.0220	5
240g	1749 sialar TopTec	5668.0350.0240	5	3628.6858.0240	5
280g	1749 sialar TopTec	5668.0350.0280	5	3628.6858.0280	5
320g	1749 sialar TopTec	5668.0350.0320	5	3628.6858.0320	5
400g	1749 sialar TopTec	5668.0350.0400	5	3628.6858.0400	5

Stocked


Made to Order

Available upon request

Belts

Paper Wide Belts

1749 siaral TopTec



- SC, F-wt paper backing
- Anti-static properties help maintain a cleaner work environment
- Hand or stationary belt machine sanding on wide range of products
- Excellent and consistent finishing results

Note:
Other sizes made to order

52" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1749 siaral TopTec	4207.3262.0080	5	9598.7254.0080	5
100g	1749 siaral TopTec	4207.3262.0100	5	9598.7254.0100	5
120g	1749 siaral TopTec	4207.3262.0120	5	9598.7254.0120	5
150g	1749 siaral TopTec	4207.3262.0150	5	9598.7254.0150	5
180g	1749 siaral TopTec	4207.3262.0180	5	9598.7254.0180	5
220g	1749 siaral TopTec	4207.3262.0220	5	9598.7254.0220	5
240g	1749 siaral TopTec	4207.3262.0240	5	9598.7254.0240	5
280g	1749 siaral TopTec	4207.3262.0280	5	9598.7254.0280	5
320g	1749 siaral TopTec	4207.3262.0320	5	9598.7254.0320	5
400g	1749 siaral TopTec	4207.3262.0400	5	9598.7254.0400	5

52" x 103"

52" x 128"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1749 siaral TopTec	3396.4218.0080	5	5600.9769.0080	5
100g	1749 siaral TopTec	3396.4218.0100	5	5600.9769.0100	5
120g	1749 siaral TopTec	3396.4218.0120	5	5600.9769.0120	5
150g	1749 siaral TopTec	3396.4218.0150	5	5600.9769.0150	5
180g	1749 siaral TopTec	3396.4218.0180	5	5600.9769.0180	5
220g	1749 siaral TopTec	3396.4218.0220	5	5600.9769.0220	5
240g	1749 siaral TopTec	3396.4218.0240	5	5600.9769.0240	5
280g	1749 siaral TopTec	3396.4218.0280	5	5600.9769.0280	5
320g	1749 siaral TopTec	3396.4218.0320	5	5600.9769.0320	5
400g	1749 siaral TopTec	3396.4218.0400	5	5600.9769.0400	5

54" x 103"

54" x 128"

Grit	Material	sia Item #	Box qty unit
80g	1749 siaral TopTec	9366.4614.0080	5
100g	1749 siaral TopTec	9366.4614.0100	5
120g	1749 siaral TopTec	9366.4614.0120	5
150g	1749 siaral TopTec	9366.4614.0150	5
180g	1749 siaral TopTec	9366.4614.0180	5
220g	1749 siaral TopTec	9366.4614.0220	5
240g	1749 siaral TopTec	9366.4614.0240	5
280g	1749 siaral TopTec	9366.4614.0280	5
320g	1749 siaral TopTec	9366.4614.0320	5
400g	1749 siaral TopTec	9366.4614.0400	5

Stocked

Made to Order

Available upon request

Paper Wide Belts

1919 siawood TopTec



- Semi-friable AO, F-wt paper backing
- Premium product for quality finishes on all wood applications
- Innovative anti-static assures clean work environment
- Stationary belt machine sanding on wood, sealer and lacquer

Note:
Other sizes made to order

25" x 103"

36" x 60"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1919 siawood TopTec	3289.9659.0080	5	7164.3037.0080	5
100g	1919 siawood TopTec	3289.9659.0100	5	7164.3037.0100	5
120g	1919 siawood TopTec	3289.9659.0120	5	7164.3037.0120	5
150g	1919 siawood TopTec	3289.9659.0150	5	7164.3037.0150	5
180g	1919 siawood TopTec	3289.9659.0180	5	7164.3037.0180	5
220g	1919 siawood TopTec	3289.9659.0220	5	7164.3037.0220	5

36" x 75"

36" x 103"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1919 siawood TopTec	5414.4927.0080	5	0816.5284.0080	5
100g	1919 siawood TopTec	5414.4927.0100	5	0816.5284.0100	5
120g	1919 siawood TopTec	5414.4927.0120	5	0816.5284.0120	5
150g	1919 siawood TopTec	5414.4927.0150	5	0816.5284.0150	5
180g	1919 siawood TopTec	5414.4927.0180	5	0816.5284.0180	5
220g	1919 siawood TopTec	5414.4927.0220	5	0816.5284.0220	5

37" x 60"

37" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1919 siawood TopTec	0181.5354.0080	5	9089.2233.0080	5
100g	1919 siawood TopTec	0181.5354.0100	5	9089.2233.0100	5
120g	1919 siawood TopTec	0181.5354.0120	5	9089.2233.0120	5
150g	1919 siawood TopTec	0181.5354.0150	5	9089.2233.0150	5
180g	1919 siawood TopTec	0181.5354.0180	5	9089.2233.0180	5
220g	1919 siawood TopTec	0181.5354.0220	5	9089.2233.0220	5

43" x 60"

43" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1919 siawood TopTec	8102.2440.0080	5	6352.4330.0080	5
100g	1919 siawood TopTec	8102.2440.0100	5	6352.4330.0100	5
120g	1919 siawood TopTec	8102.2440.0120	5	6352.4330.0120	5
150g	1919 siawood TopTec	8102.2440.0150	5	6352.4330.0150	5
180g	1919 siawood TopTec	8102.2440.0180	5	6352.4330.0180	5
220g	1919 siawood TopTec	8102.2440.0220	5	6352.4330.0220	5

Stocked

Made to Order

Available upon request

Belts

Paper Wide Belts

1919 siawood TopTec



- Semi-friable AO, F-wt paper backing
- Premium product for quality finishes on all wood applications
- Innovative anti-static assures clean work environment
- Stationary belt machine sanding on wood, sealer and lacquer

Note:
Other sizes made to order

43" x 84"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1919 siawood TopTec	1372.3213.0080	5	1776.0441.0080	5
100g	1919 siawood TopTec	1372.3213.0100	5	1776.0441.0100	5
120g	1919 siawood TopTec	1372.3213.0120	5	1776.0441.0120	5
150g	1919 siawood TopTec	1372.3213.0150	5	1776.0441.0150	5
180g	1919 siawood TopTec	1372.3213.0180	5	1776.0441.0180	5
220g	1919 siawood TopTec	1372.3213.0220	5	1776.0441.0220	5

43" x 103"

44" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1919 siawood TopTec	9337.4528.0080	5	7298.1036.0080	5
100g	1919 siawood TopTec	9337.4528.0100	5	7298.1036.0100	5
120g	1919 siawood TopTec	9337.4528.0120	5	7298.1036.0120	5
150g	1919 siawood TopTec	9337.4528.0150	5	7298.1036.0150	5
180g	1919 siawood TopTec	9337.4528.0180	5	7298.1036.0180	5
220g	1919 siawood TopTec	9337.4528.0220	5	7298.1036.0220	5

50" x 103"

52" x 75"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1919 siawood TopTec	7898.3194.0080	5	3300.3551.0080	5
100g	1919 siawood TopTec	7898.3194.0100	5	3300.3551.0100	5
120g	1919 siawood TopTec	7898.3194.0120	5	3300.3551.0120	5
150g	1919 siawood TopTec	7898.3194.0150	5	3300.3551.0150	5
180g	1919 siawood TopTec	7898.3194.0180	5	3300.3551.0180	5
220g	1919 siawood TopTec	7898.3194.0220	5	3300.3551.0220	5

52" x 103"

52" x 128"

Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
80g	1919 siawood TopTec	7065.7929.0080	5	9270.3947.0080	5
100g	1919 siawood TopTec	7065.7929.0100	5	9270.3947.0100	5
120g	1919 siawood TopTec	7065.7929.0120	5	9270.3947.0120	5
150g	1919 siawood TopTec	7065.7929.0150	5	9270.3947.0150	5
180g	1919 siawood TopTec	7065.7929.0180	5	9270.3947.0180	5
220g	1919 siawood TopTec	7065.7929.0220	5	9270.3947.0220	5

54" x 103"

Stocked

Made to Order

Available upon request

54" x 128"

1919 siawood TopTec



Grit	Material	sia Item #	Box qty unit
80g	1919 siawood TopTec	6921.5419.0080	5
100g	1919 siawood TopTec	6921.5419.0100	5
120g	1919 siawood TopTec	6921.5419.0120	5
150g	1919 siawood TopTec	6921.5419.0150	5
180g	1919 siawood TopTec	6921.5419.0180	5
220g	1919 siawood TopTec	6921.5419.0220	5

- Semi-friable AO, F-wt paper backing
- Premium product for quality finishes on all wood applications
- Innovative anti-static assures clean work environment
- Stationary belt machine sanding on wood, sealer and lacquer

Note:
Other sizes made to order

TopTec...Benefits that all add up to perfect surface quality

Controlled coating

sia high-tech coating machines guarantee:

- Optimized grit quantities
- Perfect grit adhesion
- Uniform grit positioning
- Tested to FEPA standards

Best belt joints

sia belt joints lead the market thanks to their consistent, high quality:

- Specific application-oriented belt joints
- High-quality processing
- High stability and long lifetimes
- No sanding errors

Dust-free process

The antistatic treatment of the belts give you these benefits:

- Dust-free workpieces
- Clean machines
- Efficient dust extraction
- Clean ambient air
- Longer belt lifetimes
- Low clogging

Stocked

Made to Order

Available upon request

Belts

Other Paper Wide Belts Available

1820 siamet

**DESCRIPTION:**

- Zirconia alumina / semi-friable AO
- Electrostatic closed coat
- F-wt paper
- Available grits 40-400
- Size coat with active additives

ADVANTAGES:

- Excellent surface quality in fine grit ranges
- All round product for light metal applications
- Impact free belt joint
- Ideal grit and paper combination

APPLICATIONS:

- Surface treatment
- Treatment of ferrous and non-ferrous metals
- Flat grinding of sheets
- Grinding down melting drops of laser cuttings
- Removal of rust, black scale and contamination

1920 siawood TopTec

**DESCRIPTION:**

- Semi-friable aluminum oxide
- Electrostatic closed coat
- F-wt paper
- Available grits 60-400

ADVANTAGES:

- High surface quality when sanding hard woods
- Low dust adhesion on parts sanded, belts and machine thanks to the anti-static properties
- Optimized applications- specific belt joints
- High material removal rates

APPLICATIONS:

- Flush sanding of edges and protrusions
- Calibrating, medium and fine sanding of surfaces
- Medium to fine sanding of solid and veneered surfaces
- Intermediate sanding of polyester varnishes
- Flattening of edges

1939 siawood TopTec

**DESCRIPTION:**

- Semi-friable aluminum oxide
- Electrostatic open coat
- Special stearate coating
- F-wt paper
- Available grits 60-220

ADVANTAGES:

- Ideal for wood that contains oil or resin
- Low dust adhesion on parts sanded, belts and machine thanks to the anti-static properties
- Optimized applications- specific belt joints
- Excellent finish on solid woods and veneer
- Additional stearated coating to prevent loading

APPLICATIONS:

- flush sanding of edges, edge strips and protrusions
- Calibrating, medium and fine sanding of surfaces
- Medium to fine sanding of solid and veneered surfaces

1959 sialiginum

**DESCRIPTION:**

- Aluminum oxide
- Electrostatic closed coat
- F-wt paper
- Available grits 36-320
- Available in widths up to 56"

ADVANTAGES:

- Single joint wide belts up to 56"
- High surface quality when sanding hard woods
- Low dust adhesion on parts sanded, belts and machine thanks to the anti-static properties
- Optimized applications -specific belt joints
- High material removal rates

APPLICATIONS:

- Flush sanding of edges and protrusions
- Calibrating, medium and fine sanding of surfaces
- Medium to fine sanding of solid and veneered surfaces
- Intermediate sanding of polyester varnishes
- Flattening of edges

Stocked

Made to Order

Available upon request

Portable Belts



Note:
Other grits, sizes and series
made to order

2925 sialoX:

- AO, X-wt
- For use on non-ferrous metals, steel and hardwood
- Excellent all purpose metalworking product
- Grinding agents in size coat reduce heat buildup
- Can be used wet or dry

2829 siaron:

- Zirconia/AO, Y-wt
- For use on wood, stainless, steel, high alloys and non-ferrous metals such as aluminum
- Very high performance and durability
- Active grinding agents in size coat reduce glazing and prolong lifetime

2928 siaral:

- AO, X-wt
- For use on hard and soft wood
- Very good performance and aggressive cut

Portable Belts	3" x 18"				3" x 21"	
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
	40g	2925 sialoX	2204.0275.0040	10	3939.8278.0040	10
	50g	2925 sialoX	2204.0275.0050	10	3939.8278.0050	10
	60g	2925 sialoX	2204.0275.0060	10	3939.8278.0060	10
	80g	2925 sialoX	2204.0275.0080	10	3939.8278.0080	10
	100g	2925 sialoX	5274.2997.0100	10	7010.1000.0100	10
	120g	2925 sialoX	5274.2997.0120	10	7010.1000.0120	10
	40g	2829 siaron	9473.6923.0040	10	1744.8491.0040	10
	50g	2829 siaron	9473.6923.0050	10	1744.8491.0050	10
	60g	2829 siaron	9473.6923.0060	10	1744.8491.0060	10
	80g	2829 siaron	9473.6923.0080	10	1744.8491.0080	10
	100g	2829 siaron	3189.2066.0100	10	4815.1680.0100	10
	120g	2829 siaron	3189.2066.0120	10	4815.1680.0120	10
	40g	2928 siaral	2264.4685.0040	10	3890.3832.0040	10
	50g	2928 siaral	2264.4685.0050	10	3890.3832.0050	10
	60g	2928 siaral	2264.4685.0060	10	3890.3832.0060	10
	80g	2928 siaral	2264.4685.0080	10	3890.3832.0080	10
	100g	2928 siaral	5334.7407.0100	10	6960.7021.0100	10
	120g	2928 siaral	5334.7407.0120	10	6960.7021.0120	10
	3" x 24"				4" x 24"	
	Grit	Material	sia Item #	Box qty unit	sia Item #	Box qty unit
	40g	2925 sialoX	5565.7425.0040	10	8550.7623.0040	10
	50g	2925 sialoX	5565.7425.0050	10	8550.7623.0050	10
	60g	2925 sialoX	5565.7425.0060	10	8550.7623.0060	10
	80g	2925 sialoX	5565.7425.0080	10	8550.7623.0080	10
	100g	2925 sialoX	8636.0614.0100	10	1653.2931.0100	10
	120g	2925 sialoX	8636.0614.0120	10	1653.2931.0120	10
	40g	2829 siaron	3480.6494.0040	10	5831.0636.0040	10
	50g	2829 siaron	3480.6494.0050	10	5831.0636.0050	10
	60g	2829 siaron	3480.6494.0060	10	5831.0636.0060	10
	80g	2829 siaron	3480.6494.0080	10	5831.0636.0080	10
	100g	2829 siaron	6550.9683.0100	10	9535.9881.0100	10
	120g	2829 siaron	6550.9683.0120	10	9535.9881.0120	10
	40g	2928 siaral	5626.1835.0040	10	8611.2033.0040	10
	50g	2928 siaral	5626.1835.0050	10	8611.2033.0050	10
	60g	2928 siaral	5626.1835.0060	10	8611.2033.0060	10
	80g	2928 siaral	5626.1835.0080	10	8611.2033.0080	10
	100g	2928 siaral	8696.5024.0100	10	1713.7341.0100	10
	120g	2928 siaral	8696.5024.0120	10	1713.7341.0120	10

Stocked

Made to Order

Available upon request

Belts

Pump Sleeves



Pump Sleeves

Series	Grit
2933 siatur TopTec	80-220
2936 siatur	80-320
2945 siatur	80-220
2946 siatur	80-320

Standard Sleeve Size (inch)	Actual Belt Size
Diameter x Width	Width x Length
3" x 9"	9" x 10-39/64"
4" x 9"	9" x 13-3/4"
6" x 9"	9" x 20"
8" x 9"	9" x 26-5/16"

Note:
Other sizes, grits and series
made to order

9" x 10-39/64"

9" x 13-3/4"

Grit	Material	9" x 10-39/64"		9" x 13-3/4"	
		sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2933 siatur TopTec	1907.8407.0080	100	3648.3111.0080	100
100g	2933 siatur TopTec	1907.8407.0100	100	3648.3111.0100	100
120g	2933 siatur TopTec	1907.8407.0120	100	3648.3111.0120	100
150g	2933 siatur TopTec	1907.8407.0150	100	3648.3111.0150	100
180g	2933 siatur TopTec	1907.8407.0180	100	3648.3111.0180	100
80g	2936 siatur	1968.2817.0080	100	3708.7521.0080	100
100g	2936 siatur	1968.2817.0100	100	3708.7521.0100	100
120g	2936 siatur	1968.2817.0120	100	3708.7521.0120	100
150g	2936 siatur	1968.2817.0150	100	3708.7521.0150	100
180g	2936 siatur	1968.2817.0180	100	3708.7521.0180	100
80g	2945 siatur	2171.1801.0080	100	3885.3583.0080	100
100g	2945 siatur	2171.1801.0100	100	3885.3583.0100	100
120g	2945 siatur	2171.1801.0120	100	3885.3583.0120	100
150g	2945 siatur	2171.1801.0150	100	3885.3583.0150	100
180g	2945 siatur	2171.1801.0180	100	3885.3583.0180	100
80g	2946 siatur	2184.1353.0080	100	3919.9356.0080	100
100g	2946 siatur	2184.1353.0100	100	3919.9356.0100	100
120g	2946 siatur	2184.1353.0120	100	3919.9356.0120	100
150g	2946 siatur	2184.1353.0150	100	3919.9356.0150	100
180g	2946 siatur	2184.1353.0180	100	3919.9356.0180	100

2933 siatur TopTec:

- AO, J-wt
- Anti-static
- Flexible backing makes product suitable for profile sanding applications

2936 siatur:

- AO, JJ-wt
- Very flexible JJ-cloth backing makes product suitable for profile sanding applications

2945 siatur:

- AO, J-wt
- Grinding agents make product suitable for metals

2946 siatur:

- AO, JJ-wt
- Grinding agents make product suitable for metals

Stocked

Made to Order

Available upon request

Pump Sleeves



Series	Grit
2933 siatur TopTec	80-220
2936 siatur	80-320
2945 siatur	80-220
2946 siatur	80-320

Standard Sleeve Size (inch)	Actual Belt Size
Diameter x Width	Width x Length
3" x 9"	9" x 10-39/64"
4" x 9"	9" x 13-3/4"
6" x 9"	9" x 20"
8" x 9"	9" x 26-5/16"

Note:
Other sizes, grits and series
made to order

9" x 20"

9" x 26-5/16"

2933 siatur TopTec:

- AO, J-wt
- Anti-static
- Flexible backing makes product suitable for profile sanding applications

2936 siatur:

- AO, JJ-wt
- Very flexible JJ-cloth backing makes product suitable for profile sanding applications

2945 siatur:

- AO, J-wt
- Grinding agents make product suitable for metals

2946 siatur:

- AO, JJ-wt
- Grinding agents make product suitable for metals

Grit	Material	9" x 20"		9" x 26-5/16"	
		sia Item #	Box qty unit	sia Item #	Box qty unit
80g	2933 siatur TopTec	7119.9117.0080	100	0602.0554.0080	100
100g	2933 siatur TopTec	7119.9117.0100	100	0602.0554.0100	100
120g	2933 siatur TopTec	7119.9117.0120	100	0602.0554.0120	100
150g	2933 siatur TopTec	7119.9117.0150	100	0602.0554.0150	100
180g	2933 siatur TopTec	7119.9117.0180	100	0602.0554.0180	100
80g	2936 siatur	7180.3060.0080	100	0631.5341.0080	100
100g	2936 siatur	7180.3060.0100	100	0631.5341.0100	100
120g	2936 siatur	7180.3060.0120	100	0631.5341.0120	100
150g	2936 siatur	7180.3060.0150	100	0631.5341.0150	100
180g	2936 siatur	7180.3060.0180	100	0631.5341.0180	100
80g	2945 siatur	7383.2511.0080	100	0865.3948.0080	100
100g	2945 siatur	7383.2511.0100	100	0865.3948.0100	100
120g	2945 siatur	7383.2511.0120	100	0865.3948.0120	100
150g	2945 siatur	7383.2511.0150	100	0865.3948.0150	100
180g	2945 siatur	7383.2511.0180	100	0865.3948.0180	100
80g	2946 siatur	7396.1596.0080	100	0878.3500.0080	100
100g	2946 siatur	7396.1596.0100	100	0878.3500.0100	100
120g	2946 siatur	7396.1596.0120	100	0878.3500.0120	100
150g	2946 siatur	7396.1596.0150	100	0878.3500.0150	100
180g	2946 siatur	7396.1596.0180	100	0878.3500.0180	100

Stocked

Made to Order

Available upon request

Profile Sanding

Profile Sanding Materials




Advantages:

- Ideal for individual projects
- Profile wheels can be made by user
- Unique, innovative abrasive, stretchable in the direction of the arrow
- Low-cost tool
- For all rounded profiles, including handrails, profiled rods or curved workpieces
- Ideally suited to small-batch production
- Particularly suitable for profile sanding on CNC machines and router tables

Applications:

- For all curves and round-overs from 5/32" radius
- Several process steps may be needed depending on the profile
- The abrasive has a guaranteed 30% stretchability in the direction of the arrow

2943 siatur cloth rolls



- AO, H-wt

Size	Grit	sia Item #	Box qty unit
25" x 131 Yards	100g	4731.1375.0100	1
25" x 153 Yards	120g	5155.0623.0120	1
25" x 153 Yards	150g	8572.3912.0150	1
25" x 180 Yards	180g	0887.2306.0180	1

2943 siatur cloth sheets



- AO, H-wt

Size	Grit	sia Item #	Box qty unit
25" x 36"	100g	9019.0928.0100	6
25" x 36"	120g	9019.0928.0120	6
25" x 36"	150g	9019.0928.0150	6
25" x 36"	180g	9019.0928.0180	6

Stocked

Made to Order

Available upon request

2933 siatur TopTec



Note:
Available in belts and pump sleeves
See Belt section for more details

Advantages:

- AO, J-wt
- Flexible, adaptable cotton-based profile sanding belts and profile sanding sleeves with a high material removal rate
- Very long lifetime
- Antistatic structure
- Controlled grit distribution
- Best belt joints
- Dust-free process

Applications:

- For workpiece radii larger than 25/64"
- For gentle curves and convex surfaces
- Particularly suitable for soft and resinous wood sanding

2936 siatur



Note:
Available in belts and pump sleeves
See Belt section for more details

Advantages:

- AO, JJ-wt
- Very flexible and adaptable cotton-based profile sanding belts
- Very long lifetime

Applications:

- For workpiece radii larger than 13/64"
- For gentle mould sanding and tight-radius profiles
- Specially suited for hard and soft wood sanding

2951 siatur



Note:
Available in belts and pump sleeves
See Belt section for more details

Advantages:

- AO, H-wt
- Extremely flexible and adaptable cotton-based profile sanding belts
- Long lifetime

Applications:

- For workpiece radii larger than 5/64"
- For complex, tight-radius profiles
- Specially suited for use with hard and soft woods and filler

9089 siaklett Hook
(Material for Profile Wheels)



Size	sia Item #	Box qty unit
55" x 36" sheets	4027.2507.0000	1

Stocked Made to Order Available upon request

Discs

Paper siafast Hook 'n Loop Discs

1815 siatop siafast
Hook 'n Loop Discs

- Zirconia/AO
- Light deburring of mild and stainless steel
- Grinding of welding seams and joints
- Grinding agents in size coat extend lifetime
- Can be used in place of fibre discs
- May also be used on composite materials

Note:

Grits 24-40: fibre backing
Grits 50-150: F-wt paper
siafast Hook 'n Loop
backing

Size	Grit	Backing	sia Item #	Box qty unit
5"	24g	Fibre	3869.7936.0024	50
5"	36g	Fibre	3869.7936.0036	50
5"	40g	Fibre	3869.7936.0040	50
5"	50g	F-wt	3869.7936.0050	50
5"	60g	F-wt	3869.7936.0060	50
5"	80g	F-wt	3869.7936.0080	50
5"	100g	F-wt	3869.7936.0100	50
5"	120g	F-wt	3869.7936.0120	50
5"	150g	F-wt	3869.7936.0150	50
6"	24g	Fibre	4418.9881.0024	50
6"	36g	Fibre	4418.9881.0036	50
6"	40g	Fibre	4418.9881.0040	50
6"	50g	F-wt	4418.9881.0050	50
6"	60g	F-wt	4418.9881.0060	50
6"	80g	F-wt	4418.9881.0080	50
6"	100g	F-wt	4418.9881.0100	50
6"	120g	F-wt	4418.9881.0120	50
6"	150g	F-wt	4418.9881.0150	50
6" x 15 Hole	36g	Fibre	4632.3646.0036	50
6" x 15 Hole	40g	Fibre	4632.3646.0040	50
7"	24g	Fibre	5056.3994.0024	50
7"	36g	Fibre	5056.3994.0036	50
7"	40g	Fibre	5056.3994.0040	50
7"	50g	F-wt	5056.3994.0050	50
7"	60g	F-wt	5056.3994.0060	50
7"	80g	F-wt	5056.3994.0080	50
7"	100g	F-wt	5056.3994.0100	50
7"	120g	F-wt	5056.3994.0120	50
7"	150g	F-wt	5056.3994.0150	50
8"	24g	Fibre	5495.7550.0024	50
8"	36g	Fibre	5495.7550.0036	50
8"	40g	Fibre	5495.7550.0040	50
8"	50g	F-wt	5495.7550.0050	50
8"	60g	F-wt	5495.7550.0060	50
8"	80g	F-wt	5495.7550.0080	50
8"	100g	F-wt	5495.7550.0100	50
8"	120g	F-wt	5495.7550.0120	50
8"	150g	F-wt	5495.7550.0150	50

Stocked

Made to Order

Available upon request

Paper siafast Hook 'n Loop Discs

1919 siawood siafast
Hook 'n Loop Discs

- Semi-friable AO
- F-wt paper siafast Hook 'n Loop backing
- Heavy duty product for wood, aluminum and mild steel
- Anti-static

Note: 6" x 7 Hole
available upon request

Size	Grit	Backing	sia Item #	Box qty unit
5" x NH	40g	F-wt	6123.2545.0040	50
5" x NH	50g	F-wt	6123.2545.0050	50
5" x NH	60g	F-wt	6123.2545.0060	50
5" x NH	80g	F-wt	6123.2545.0080	50
5" x NH	100g	F-wt	6123.2545.0100	50
5" x NH	120g	F-wt	6123.2545.0120	50
5" x NH	150g	F-wt	6123.2545.0150	50
5" x NH	180g	F-wt	6123.2545.0180	50
5" x NH	220g	F-wt	6123.2545.0220	50
6" x NH	40g	F-wt	6650.8269.0040	50
6" x NH	50g	F-wt	6650.8269.0050	50
6" x NH	60g	F-wt	6650.8269.0060	50
6" x NH	80g	F-wt	6650.8269.0080	50
6" x NH	100g	F-wt	6650.8269.0100	50
6" x NH	120g	F-wt	6650.8269.0120	50
6" x NH	150g	F-wt	6650.8269.0150	50
6" x NH	180g	F-wt	6650.8269.0180	50
6" x NH	220g	F-wt	6650.8269.0220	50

1950 siaspeed siafast
Hook 'n Loop Discs

Note:
See next page for more
details

Size	Grit	Backing	sia Item #	Box qty unit
5" x NH	40g	C-wt	6783.7705.0040	50
5" x NH	60g	C-wt	6783.7705.0060	50
5" x NH	80g	C-wt	6783.7705.0080	100
5" x NH	100g	C-wt	6783.7705.0100	100
5" x NH	120g	B-wt	6783.7705.0120	100
5" x NH	150g	B-wt	6783.7705.0150	100
5" x NH	180g	B-wt	6783.7705.0180	100
5" x NH	220g	B-wt	6783.7705.0220	100
5" x NH	240g	B-wt	6783.7705.0240	100
5" x NH	280g	B-wt	6783.7705.0280	100
5" x NH	320g	B-wt	6783.7705.0320	100
5" x NH	400g	B-wt	6783.7705.0400	100
5" x NH	500g	B-wt	6783.7705.0500	100
5" x NH	600g	B-wt	6783.7705.0600	100

Stocked

Made to Order

Available upon request

Discs

Paper siasfast Hook 'n Loop Discs

1950 siaspeed siasfast
Hook 'n Loop Discs

- Semi-friable AO

Advantages:

- High-performance sanding minerals ensures very high removal rate and long life
- New stearate concept reduces loading
- Consistent, uniform finish
- Full grit range from 40-600

Applications:

- Sanding of filler compound, polyester substrates, wood, metal, solid surfaces, composites and automotive finishes
- Shaping of primer filler
- Producing a matte finish on lacquers
- Smoothing of transitions, sanding out of rust spots and stone chips
- Keying of new parts and factory primer

Size	Grit	Backing	sia Item #	Box qty unit
5" x 5 Hole	40g	C-wt	0845.6297.0040	50
5" x 5 Hole	60g	C-wt	0845.6297.0060	50
5" x 5 Hole	80g	C-wt	0845.6297.0080	100
5" x 5 Hole	100g	C-wt	0845.6297.0100	100
5" x 5 Hole	120g	B-wt	0845.6297.0120	100
5" x 5 Hole	150g	B-wt	0845.6297.0150	100
5" x 5 Hole	180g	B-wt	0845.6297.0180	100
5" x 5 Hole	220g	B-wt	0845.6297.0220	100
5" x 5 Hole	240g	B-wt	0845.6297.0240	100
5" x 5 Hole	280g	B-wt	0845.6297.0280	100
5" x 5 Hole	320g	B-wt	0845.6297.0320	100
5" x 5 Hole	400g	B-wt	0845.6297.0400	100
5" x 5 Hole	500g	B-wt	0845.6297.0500	100
5" x 5 Hole	600g	B-wt	0845.6297.0600	100
5" x 9 Hole	40g	C-wt	3560.7130.0040	50
5" x 9 Hole	60g	C-wt	3560.7130.0060	50
5" x 9 Hole	80g	C-wt	3560.7130.0080	100
5" x 9 Hole	100g	C-wt	3560.7130.0100	100
5" x 9 Hole	120g	B-wt	3560.7130.0120	100
5" x 9 Hole	150g	B-wt	3560.7130.0150	100
5" x 9 Hole	180g	B-wt	3560.7130.0180	100
5" x 9 Hole	220g	B-wt	3560.7130.0220	100
5" x 9 Hole	240g	B-wt	3560.7130.0240	100
5" x 9 Hole	280g	B-wt	3560.7130.0280	100
5" x 9 Hole	320g	B-wt	3560.7130.0320	100
5" x 9 Hole	400g	B-wt	3560.7130.0400	100
5" x 9 Hole	500g	B-wt	3560.7130.0500	100
5" x 9 Hole	600g	B-wt	3560.7130.0600	100

Stocked

Made to Order

Available upon request

Paper siasfast Hook 'n Loop Discs

1950 siaspeed siasfast
Hook 'n Loop Discs

- Semi-friable AO

Advantages:

- High-performance sanding minerals ensures very high removal rate and long life
- New stearate concept reduces loading
- Consistent, uniform finish
- Full grit range from 40-600

Applications:

- Sanding of filler compound, polyester substrates, wood, metal, solid surfaces, composites and automotive finishes
- Shaping of primer filler
- Producing a matte finish on lacquers
- Smoothing of transitions, sanding out of rust spots and stone chips
- Keying of new parts and factory primer

Size	Grit	Backing	sia Item #	Box qty unit
6" x NH	40g	C-wt	7332.9183.0040	50
6" x NH	60g	C-wt	7332.9183.0060	50
6" x NH	80g	C-wt	7332.9183.0080	100
6" x NH	100g	C-wt	7332.9183.0100	100
6" x NH	120g	B-wt	7332.9183.0120	100
6" x NH	150g	B-wt	7332.9183.0150	100
6" x NH	180g	B-wt	7332.9183.0180	100
6" x NH	220g	B-wt	7332.9183.0220	100
6" x NH	240g	B-wt	7332.9183.0240	100
6" x NH	280g	B-wt	7332.9183.0280	100
6" x NH	320g	B-wt	7332.9183.0320	100
6" x NH	400g	B-wt	7332.9183.0400	100
6" x NH	500g	B-wt	7332.9183.0500	100
6" x NH	600g	B-wt	7332.9183.0600	100
6" x 7 Hole	40g	C-wt	8438.1710.0040	50
6" x 7 Hole	60g	C-wt	8438.1710.0060	50
6" x 7 Hole	80g	C-wt	8438.1710.0080	100
6" x 7 Hole	100g	C-wt	8438.1710.0100	100
6" x 7 Hole	120g	B-wt	8438.1710.0120	100
6" x 7 Hole	150g	B-wt	8438.1710.0150	100
6" x 7 Hole	180g	B-wt	8438.1710.0180	100
6" x 7 Hole	220g	B-wt	8438.1710.0220	100
6" x 7 Hole	240g	B-wt	8438.1710.0240	100
6" x 7 Hole	280g	B-wt	8438.1710.0280	100
6" x 7 Hole	320g	B-wt	8438.1710.0320	100
6" x 7 Hole	400g	B-wt	8438.1710.0400	100
6" x 7 Hole	500g	B-wt	8438.1710.0500	100
6" x 7 Hole	600g	B-wt	8438.1710.0600	100

Stocked

Made to Order

Available upon request

Discs

Paper sifast Hook 'n Loop Discs

1950 siaspeed sifast
Hook 'n Loop Discs

- Semi-friable AO

Advantages:

- High-performance sanding minerals ensures very high removal rate and long life
- New stearate concept reduces loading
- Consistent, uniform finish
- Full grit range from 40-600

Applications:

- Sanding of filler compound, polyester substrates, wood, metal, solid surfaces, composites and automotive finishes
- Shaping of primer filler
- Producing a matte finish on lacquers
- Smoothing of transitions, sanding out of rust spots and stone chips
- Keying of new parts and factory primer

Size	Grit	Backing	sia Item #	Box qty unit
6" x 9 Hole	40g	C-wt	2237.4737.0040	50
6" x 9 Hole	60g	C-wt	2237.4737.0060	50
6" x 9 Hole	80g	C-wt	2237.4737.0080	100
6" x 9 Hole	100g	C-wt	2237.4737.0100	100
6" x 9 Hole	120g	B-wt	2237.4737.0120	100
6" x 9 Hole	150g	B-wt	2237.4737.0150	100
6" x 9 Hole	180g	B-wt	2237.4737.0180	100
6" x 9 Hole	220g	B-wt	2237.4737.0220	100
6" x 9 Hole	240g	B-wt	2237.4737.0240	100
6" x 9 Hole	280g	B-wt	2237.4737.0280	100
6" x 9 Hole	320g	B-wt	2237.4737.0320	100
6" x 9 Hole	400g	B-wt	2237.4737.0400	100
6" x 9 Hole	500g	B-wt	2237.4737.0500	100
6" x 9 Hole	600g	B-wt	2237.4737.0600	100
6" x 15 hole	40g	C-wt	7546.2948.0040	50
6" x 15 hole	60g	C-wt	7546.2948.0060	50
6" x 15 hole	80g	C-wt	7546.2948.0080	100
6" x 15 hole	100g	C-wt	7546.2948.0100	100
6" x 15 hole	120g	B-wt	7546.2948.0120	100
6" x 15 hole	150g	B-wt	7546.2948.0150	100
6" x 15 hole	180g	B-wt	7546.2948.0180	100
6" x 15 hole	220g	B-wt	7546.2948.0220	100
6" x 15 hole	240g	B-wt	7546.2948.0240	100
6" x 15 hole	280g	B-wt	7546.2948.0280	100
6" x 15 hole	320g	B-wt	7546.2948.0320	100
6" x 15 hole	400g	B-wt	7546.2948.0400	100
6" x 15 hole	500g	B-wt	7546.2948.0500	100
6" x 15 hole	600g	B-wt	7546.2948.0600	100

Stocked

Made to Order

Available upon request

Paper siafast Hook 'n Loop Discs

1960 siarexx cut siafast
Hook 'n Loop Discs

- AO
- B-wt and C-wt paper backing
- Suitable for all woodworking applications

Note:
5" x 5 hole and
5" x 9 hole available
upon request

6" x 7 hole and
6" x 9 hole available
upon request

Size	Grit	Backing	sia Item #	Box qty unit
5" x NH	60g	C-wt	6999.5774.0060	50
5" x NH	80g	C-wt	6999.5774.0080	100
5" x NH	100g	C-wt	6999.5774.0100	100
5" x NH	120g	B-wt	6999.5774.0120	100
5" x NH	150g	B-wt	6999.5774.0150	100
5" x NH	180g	B-wt	6999.5774.0180	100
5" x NH	220g	B-wt	6999.5774.0220	100
5" x NH	320g	B-wt	6999.5774.0320	100
5" x NH	400g	B-wt	6999.5774.0400	100
5" x NH	600g	B-wt	6999.5774.0600	100
6" x NH	60g	C-wt	7548.7719.0060	50
6" x NH	80g	C-wt	7548.7719.0080	100
6" x NH	100g	C-wt	7548.7719.0100	100
6" x NH	120g	B-wt	7548.7719.0120	100
6" x NH	150g	B-wt	7548.7719.0150	100
6" x NH	180g	B-wt	7548.7719.0180	100
6" x NH	220g	B-wt	7548.7719.0220	100
6" x NH	320g	B-wt	7548.7719.0320	100
6" x NH	400g	B-wt	7548.7719.0400	100
6" x NH	600g	B-wt	7548.7719.0600	100

Paper siastik PSA Discs

1947 siastik PSA Tab Discs



- AO
- B-wt and C-wt paper backing
- General purpose product

Note:
Other dust extraction holes
made to order

Size	Grit	Backing	sia Item #	Box qty unit
5" x NH	60g	C-wt	1364.2189.0060	50
5" x NH	80g	C-wt	1364.2189.0080	100
5" x NH	100g	C-wt	1364.2189.0100	100
5" x NH	120g	B-wt	1364.2189.0120	100
5" x NH	150g	B-wt	1364.2189.0150	100
5" x NH	180g	B-wt	1364.2189.0180	100
5" x NH	220g	B-wt	1364.2189.0220	100
5" x NH	320g	B-wt	1364.2189.0320	100
5" x NH	400g	B-wt	1364.2189.0400	100

Stocked

Made to Order

Available upon request

Discs

Paper siastik PSA Discs

1947 siastik PSA Tab Discs



- A0
- B-wt and C-wt paper backing
- General purpose product

Note:
Other dust extraction holes
made to order

Size	Grit	Backing	sia Item #	Box qty unit
6" x NH	60g	C-wt	1891.7913.0060	50
6" x NH	80g	C-wt	1891.7913.0080	100
6" x NH	100g	C-wt	1891.7913.0100	100
6" x NH	120g	B-wt	1891.7913.0120	100
6" x NH	150g	B-wt	1891.7913.0150	100
6" x NH	180g	B-wt	1891.7913.0180	100
6" x NH	220g	B-wt	1891.7913.0220	100
6" x NH	320g	B-wt	1891.7913.0320	100
6" x NH	400g	B-wt	1891.7913.0400	100
8" x NH	60g	C-wt	3100.0192.0060	50
8" x NH	80g	C-wt	3100.0192.0080	100
8" x NH	100g	C-wt	3100.0192.0100	100
8" x NH	120g	B-wt	3100.0192.0120	100
8" x NH	150g	B-wt	3100.0192.0150	100
8" x NH	180g	B-wt	3100.0192.0180	100
8" x NH	220g	B-wt	3100.0192.0220	100
8" x NH	320g	B-wt	3100.0192.0320	100
8" x NH	400g	B-wt	3100.0192.0400	100

1947 sialink siastik
PSA Link Roll Discs

1 roll= 100 discs

Note: liner removed

Size	Grit	Backing	sia Item #	Box qty unit
5" Roll	60g	C-wt	8261.6881.0060	1
5" Roll	80g	C-wt	8261.6881.0080	1
5" Roll	100g	C-wt	8261.6881.0100	1
5" Roll	120g	B-wt	8261.6881.0120	1
5" Roll	150g	B-wt	8261.6881.0150	1
5" Roll	180g	B-wt	8261.6881.0180	1
5" Roll	220g	B-wt	8261.6881.0220	1
5" Roll	320g	B-wt	8261.6881.0320	1
5" Roll	400g	B-wt	8261.6881.0400	1
6" Roll	60g	C-wt	8789.2605.0060	1
6" Roll	80g	C-wt	8789.2605.0080	1
6" Roll	100g	C-wt	8789.2605.0100	1
6" Roll	120g	B-wt	8789.2605.0120	1
6" Roll	150g	B-wt	8789.2605.0150	1
6" Roll	180g	B-wt	8789.2605.0180	1
6" Roll	220g	B-wt	8789.2605.0220	1
6" Roll	320g	B-wt	8789.2605.0320	1
6" Roll	400g	B-wt	8789.2605.0400	1

Stocked

Made to Order

Available upon request

Paper siastik PSA Discs

1950 siaspeed siastik
PSA Tab Discs

- Semi-friable AO

Advantages:

- High-performance sanding mineral ensures very high removal rate and long life
- New stearate concept reduces loading
- Consistent, uniform finish
- Full grit range from 40-600

Applications:

- Sanding of filler compound, polyester substrates, wood, metal, solid surfaces, composites and automotive finishes
- Shaping of primer filler
- Producing a matte finish on lacquers
- Smoothing of transitions, sanding out of rust spots and stone chips
- Keying of new parts and factory primer

Size	Grit	Backing	sia Item #	Box qty unit
5" x NH	40g	D-wt	3095.1440.0040	50
5" x NH	60g	D-wt	3095.1440.0060	50
5" x NH	80g	D-wt	3095.1440.0080	100
5" x NH	100g	D-wt	3095.1440.0100	100
5" x NH	120g	C-wt	3095.1440.0120	100
5" x NH	150g	C-wt	3095.1440.0150	100
5" x NH	180g	C-wt	3095.1440.0180	100
5" x NH	220g	C-wt	3095.1440.0220	100
5" x NH	320g	B-wt	3095.1440.0320	100
5" x NH	400g	B-wt	3095.1440.0400	100
5" x NH	500g	B-wt	3095.1440.0500	100
5" x NH	600g	B-wt	3095.1440.0600	100
5" x 5 Hole	40g	D-wt	3021.4081.0040	50
5" x 5 Hole	60g	D-wt	3021.4081.0060	50
5" x 5 Hole	80g	D-wt	3021.4081.0080	100
5" x 5 Hole	100g	D-wt	3021.4081.0100	100
5" x 5 Hole	120g	C-wt	3021.4081.0120	100
5" x 5 Hole	150g	C-wt	3021.4081.0150	100
5" x 5 Hole	180g	C-wt	3021.4081.0180	100
5" x 5 Hole	220g	C-wt	3021.4081.0220	100
5" x 5 Hole	320g	B-wt	3021.4081.0320	100
5" x 5 Hole	400g	B-wt	3021.4081.0400	100
5" x 5 Hole	500g	B-wt	3021.4081.0500	100
5" x 5 Hole	600g	B-wt	3021.4081.0600	100
6" x NH	40g	D-wt	3622.7164.0040	50
6" x NH	60g	D-wt	3622.7164.0060	50
6" x NH	80g	D-wt	3622.7164.0080	100
6" x NH	100g	D-wt	3622.7164.0100	100
6" x NH	120g	C-wt	3622.7164.0120	100
6" x NH	150g	C-wt	3622.7164.0150	100
6" x NH	180g	C-wt	3622.7164.0180	100
6" x NH	220g	C-wt	3622.7164.0220	100
6" x NH	320g	B-wt	3622.7164.0320	100
6" x NH	400g	B-wt	3622.7164.0400	100
6" x NH	500g	B-wt	3622.7164.0500	100
6" x NH	600g	B-wt	3622.7164.0600	100

Stocked

Made to Order

Available upon request

Discs

Paper siastik PSA Discs

1950 siaspeed siastik
PSA Tab Discs

Note:
See previous page for more
details

Size	Grit	Backing	sia Item #	Box qty unit
6" x 6 Hole	40g	D-wt	2142.3866.0040	50
6" x 6 Hole	60g	D-wt	2142.3866.0060	50
6" x 6 Hole	80g	D-wt	2142.3866.0080	100
6" x 6 Hole	100g	D-wt	2142.3866.0100	100
6" x 6 Hole	120g	C-wt	2142.3866.0120	100
6" x 6 Hole	150g	C-wt	2142.3866.0150	100
6" x 6 Hole	180g	C-wt	2142.3866.0180	100
6" x 6 Hole	220g	C-wt	2142.3866.0220	100
6" x 6 Hole	320g	B-wt	2142.3866.0320	100
6" x 6 Hole	400g	B-wt	2142.3866.0400	100
6" x 6 Hole	500g	B-wt	2142.3866.0500	100
6" x 6 Hole	600g	B-wt	2142.3866.0600	100

1950 siaspeed sialink siastik
PSA Link Roll Discs

1 roll= 100 discs

Note: liner removed



Size	Grit	Backing	sia Item #	Box qty unit
5" Roll	40g	D-wt	5706.9694.0040	1
5" Roll	60g	D-wt	5706.9694.0060	1
5" Roll	80g	D-wt	5706.9694.0080	1
5" Roll	100g	D-wt	5706.9694.0100	1
5" Roll	120g	C-wt	5706.9694.0120	1
5" Roll	150g	C-wt	5706.9694.0150	1
5" Roll	180g	C-wt	5706.9694.0180	1
5" Roll	220g	C-wt	5706.9694.0220	1
5" Roll	320g	B-wt	5706.9694.0320	1
5" Roll	400g	B-wt	5706.9694.0400	1
5" Roll	500g	B-wt	5706.9694.0500	1
5" Roll	600g	B-wt	5706.9694.0600	1
6" Roll	40g	D-wt	6256.1639.0040	1
6" Roll	60g	D-wt	6256.1639.0060	1
6" Roll	80g	D-wt	6256.1639.0080	1
6" Roll	100g	D-wt	6256.1639.0100	1
6" Roll	120g	C-wt	6256.1639.0120	1
6" Roll	150g	C-wt	6256.1639.0150	1
6" Roll	180g	C-wt	6256.1639.0180	1
6" Roll	220g	C-wt	6256.1639.0220	1
6" Roll	320g	B-wt	6256.1639.0320	1
6" Roll	400g	B-wt	6256.1639.0400	1
6" Roll	500g	B-wt	6256.1639.0500	1
6" Roll	600g	B-wt	6256.1639.0600	1

Stocked

Made to Order

Available upon request


Locking Discs


**Aluminum Oxide
Type 2**
2925 sialoX


Note: Other sizes and grits
made to order

Size	Grit	sia Item #	Box qty unit
1-1/2"	36g	9634.3434.0036	100
1-1/2"	40g	9634.3434.0040	100
1-1/2"	50g	9634.3434.0050	100
1-1/2"	60g	9634.3434.0060	100
1-1/2"	80g	9634.3434.0080	100
1-1/2"	100g	9634.3434.0100	100
2"	24g	1030.9955.0024	100
2"	36g	1030.9955.0036	100
2"	40g	1030.9955.0040	100
2"	50g	1030.9955.0050	100

Size	Grit	sia Item #	Box qty unit
2"	60g	1030.9955.0060	100
2"	80g	1030.9955.0080	100
2"	100g	1030.9955.0100	100
3"	24g	1580.1900.0024	50
3"	36g	1580.1900.0036	50
3"	40g	1580.1900.0040	50
3"	50g	1580.1900.0050	50
3"	60g	1580.1900.0060	50
3"	80g	1580.1900.0080	50
3"	100g	1580.1900.0100	50

**Aluminum Oxide
Type 3**
2925 sialoX


Note: Other sizes and grits
made to order

Size	Grit	sia Item #	Box qty unit
1-1/2"	24g	1319.9764.0024	100
1-1/2"	36g	1319.9764.0036	100
1-1/2"	40g	1319.9764.0040	100
1-1/2"	50g	1319.9764.0050	100
1-1/2"	60g	1319.9764.0060	100
1-1/2"	80g	1319.9764.0080	100
1-1/2"	100g	1319.9764.0100	100
2"	24g	1570.6165.0024	100
2"	36g	1570.6165.0036	100
2"	40g	1570.6165.0040	100
2"	50g	1570.6165.0050	100
2"	60g	1570.6165.0060	100
2"	80g	1570.6165.0080	100
2"	100g	1570.6165.0100	100

Size	Grit	sia Item #	Box qty unit
3"	24g	2119.8110.0024	50
3"	36g	2119.8110.0036	50
3"	40g	2119.8110.0040	50
3"	50g	2119.8110.0050	50
3"	60g	2119.8110.0060	50
3"	80g	2119.8110.0080	50
3"	100g	2119.8110.0100	50
4"	24g	2669.0055.0024	25
4"	36g	2669.0055.0036	25
4"	40g	2669.0055.0040	25
4"	50g	2669.0055.0050	25
4"	60g	2669.0055.0060	25
4"	80g	2669.0055.0080	25
4"	100g	2669.0055.0100	25



Stocked

Made to Order

Available upon request

Discs


Locking Discs

Zirconia Type 2
2820 siamet

Note: Other sizes and grits made to order

Size	Grit	sia Item #	Box qty unit
1-1/2"	36g	0745.7973.0036	100
1-1/2"	40g	0745.7973.0040	100
1-1/2"	50g	0745.7973.0050	100
1-1/2"	60g	0745.7973.0060	100
1-1/2"	80g	0745.7973.0080	100
1-1/2"	100g	0745.7973.0100	100
2"	36g	1018.0595.0036	100
2"	40g	1018.0595.0040	100
2"	50g	1018.0595.0050	100


Size	Grit	sia Item #	Box qty unit
2"	60g	1018.0595.0060	100
2"	80g	1018.0595.0080	100
2"	100g	1018.0595.0100	100
3"	36g	1567.2540.0036	50
3"	40g	1567.2540.0040	50
3"	50g	1567.2540.0050	50
3"	60g	1567.2540.0060	50
3"	80g	1567.2540.0080	50
3"	100g	1567.2540.0100	50

Zirconia Type 3
2820 siamet

Note: Other sizes and grits made to order

Size	Grit	sia Item #	Box qty unit
1-1/2"	36g	1307.0404.0036	100
1-1/2"	40g	1307.0404.0040	100
1-1/2"	50g	1307.0404.0050	100
1-1/2"	60g	1307.0404.0060	100
1-1/2"	80g	1307.0404.0080	100
1-1/2"	100g	1307.0404.0100	100
2"	36g	9906.6056.0036	100
2"	40g	9906.6056.0040	100
2"	50g	9906.6056.0050	100
2"	60g	9906.6056.0060	100
2"	80g	9906.6056.0080	100
2"	100g	9906.6056.0100	100

Size	Grit	sia Item #	Box qty unit
3"	36g	8547.5723.0036	50
3"	40g	8547.5723.0040	50
3"	50g	8547.5723.0050	50
3"	60g	8547.5723.0060	50
3"	80g	8547.5723.0080	50
3"	100g	8547.5723.0100	50
4"	36g	2634.4474.0036	25
4"	40g	2634.4474.0040	25
4"	50g	2634.4474.0050	25
4"	60g	2634.4474.0060	25
4"	80g	2634.4474.0080	25
4"	100g	2634.4474.0100	25

Ceramic Type 2
2503 siabite

Note: Other sizes and grits made to order

Size	Grit	sia Item #	Box qty unit
2"	36g	3401.2549.0036	100
2"	40g	3401.2549.0040	100
2"	50g	3401.2549.0050	100
2"	60g	3401.2549.0060	100
2"	80g	3401.2549.0080	100
2"	100g	3401.2549.0100	100


Size	Grit	sia Item #	Box qty unit
3"	36g	3928.8273.0036	50
3"	40g	3928.8273.0040	50
3"	50g	3928.8273.0050	50
3"	60g	3928.8273.0060	50
3"	80g	3928.8273.0080	50
3"	100g	3928.8273.0100	50

Stocked

Made to Order

Available upon request

Ceramic Type 3
2503 siabite



Note: Other sizes and grits
made to order

Size	Grit	sia Item #	Box qty unit
1-1/2"	36g	3668.6137.0036	100
1-1/2"	40g	3668.6137.0040	100
1-1/2"	50g	3668.6137.0050	100
1-1/2"	60g	3668.6137.0060	100
1-1/2"	80g	3668.6137.0080	100
1-1/2"	100g	3668.6137.0100	100
2"	36g	3940.8759.0036	100
2"	40g	3940.8759.0040	100
2"	50g	3940.8759.0050	100
2"	60g	3940.8759.0060	100
2"	80g	3940.8759.0080	100
2"	100g	3940.8759.0100	100

Size	Grit	sia Item #	Box qty unit
3"	36g	4468.4483.0036	50
3"	40g	4468.4483.0040	50
3"	50g	4468.4483.0050	50
3"	60g	4468.4483.0060	50
3"	80g	4468.4483.0080	50
3"	100g	4468.4483.0100	50
4"	36g	5017.6428.0036	25
4"	40g	5017.6428.0040	25
4"	50g	5017.6428.0050	25
4"	60g	5017.6428.0060	25
4"	80g	5017.6428.0080	25
4"	100g	5017.6428.0100	25

Stocked

Made to Order

Available upon request

Discs

Cloth Discs

**2951 siatur siastik
PSA Cloth Tab Discs**

- Semi-friable AO
- H-wt cloth backing
- Flexible cloth PSA disc for quality finishes on all surfaces

Size	Grit	sia Item #	Box qty unit
5"	80g	1287.1937.0080	50
5"	100g	1287.1937.0100	50
5"	120g	1287.1937.0120	50
5"	150g	1287.1937.0150	50
5"	180g	1287.1937.0180	50
5"	220g	1287.1937.0220	50

2925 sialoX siastik PSA Cloth Discs

Size 5"

- AO
- X-wt
- All-purpose product

Grit	Material	sia Item #	Box qty unit
36g	AO-2925 sialoX	2577.4468.0036	10
60g	AO-2925 sialoX	2577.4468.0060	10
80g	AO-2925 sialoX	2577.4468.0080	10
120g	AO-2925 sialoX	2577.4468.0120	10

2707 siawat siastik PSA Cloth Discs

Size 5"

- SC
- Y-wt polyester backing

Grit	Material	sia Item #	Box qty unit
60g	S/C-2707 siawat	7822.4595.0060	50
80g	S/C-2707 siawat	7822.4595.0080	50
120g	S/C-2707 siawat	7822.4595.0120	50

2829 siaron siastik PSA Cloth Discs

Size 5"


- ZA
- Y-wt backing
- Used for heavy stock removal

Grit	Material	sia Item #	Box qty unit
50g	2829 siaron	0492.3070.0050	50

Stocked

Made to Order

Available upon request

7240 siacarat velvet Discs - siafast Hook 'n Loop

- Diamond Abrasives on foam backing
- Used on conventional and extremely scratch-resistant clear coats prior to polishing

Size	Grit	sia Item #	Box qty unit
6" NH	500g	9967.9911.0500	2
6" NH	1000g	9967.9911.1000	2
6" NH	2000g	9967.9911.2000	2
6" NH	3000g	9967.9911.3000	2

7242 siacarat Cut Discs- siafast Hook 'n Loop

- Removal of dust inclusions on automotive finishes
- Diamond Abrasives on film backing
- Used on conventional and extremely scratch-resistant clear coats

Size	Grit	sia Item #	Box qty unit
1-3/8"	1500g	T5341.1500.7	100
1-3/8"	2000g	T5341.2000.7	100

7940 siaair velvet Discs

- AO on foam backing
- Fine and wet sanding
- Produces a matte finish on painted surfaces
- Very fine finish on painted and lacquered surfaces
- Effective on composite, wood and solid surfaces

Size	Grit	sia Item #	Box qty unit
3" NH	1000g	3647.2462.1000	10
3" NH	1500g	3647.2462.1500	10
3" NH	2000g	3647.2462.2000	10
3" NH	3000g	3647.2462.3000	10
3" NH	4000g	3647.2462.4000	10
5" NH	240g	4635.7963.0240	10
5" NH	360g	4635.7963.0360	10
5" NH	500g	4635.7963.0500	10
5" NH	600g	4635.7963.0600	10
5" NH	800g	4635.7963.0800	10
5" NH	1000g	4635.7963.1000	10
5" NH	1500g	4635.7963.1500	10
5" NH	2000g	4635.7963.2000	10
5" NH	3000g	4635.7963.3000	10
5" NH	4000g	4635.7963.4000	10
6" NH	240g	5163.3687.0240	10
6" NH	360g	5163.3687.0360	10
6" NH	500g	5163.3687.0500	10
6" NH	600g	5163.3687.0600	10
6" NH	800g	5163.3687.0800	10
6" NH	1000g	5163.3687.1000	10
6" NH	1500g	5163.3687.1500	10
6" NH	2000g	5163.3687.2000	10
6" NH	3000g	5163.3687.3000	10
6" NH	4000g	5163.3687.4000	10

Stocked

Made to Order

Available upon request

Discs

Resin Fibre Discs

4515 siabite (ceramic)



- Aggressive ceramic disc for heavy duty work
- Grinding of stainless steel and other metals
- Second size coat with highly active grinding agents

Note:
Resin fibre locking discs made to order

Size	Grit	sia Item #	Box qty unit
4-1/2" x 7/8"	36g	7703.5160.0036	50
4-1/2" x 7/8"	50g	7703.5160.0050	50
4-1/2" x 7/8"	60g	7703.5160.0060	50
4-1/2" x 7/8"	80g	7703.5160.0080	50
4-1/2" x 7/8"	100g	7703.5160.0100	50
4-1/2" x 7/8"	120g	7703.5160.0120	50
5" x 7/8"	36g	7923.1938.0036	50
5" x 7/8"	50g	7923.1938.0050	50
5" x 7/8"	60g	7923.1938.0060	50
5" x 7/8"	80g	7923.1938.0080	50
5" x 7/8"	100g	7923.1938.0100	50
5" x 7/8"	120g	7923.1938.0120	50
7" x 7/8"	36g	9109.7996.0036	50
7" x 7/8"	50g	9109.7996.0050	50
7" x 7/8"	60g	9109.7996.0060	50
7" x 7/8"	80g	9109.7996.0080	50
7" x 7/8"	100g	9109.7996.0100	50
7" x 7/8"	120g	9109.7996.0120	50

4700 siaral 8 (silicon carbide)



- General grinding of non-ferrous metals, stone, glass, cast iron and composites

Note:
Resin fibre locking discs made to order

Size	Grit	sia Item #	Box qty unit
5" x 7/8"	16g	1948.5572.0016	25
5" x 7/8"	24g	1948.5572.0024	25
5" x 7/8"	36g	1948.5572.0036	50
5" x 7/8"	50g	1948.5572.0050	50
5" x 7/8"	60g	1948.5572.0060	50
5" x 7/8"	80g	1948.5572.0080	50
5" x 7/8"	120g	1948.5572.0120	50
7" x 7/8"	16g	3135.1630.0016	25
7" x 7/8"	24g	3135.1630.0024	25
7" x 7/8"	36g	3135.1630.0036	50
7" x 7/8"	50g	3135.1630.0050	50
7" x 7/8"	60g	3135.1630.0060	50
7" x 7/8"	80g	3135.1630.0080	50
7" x 7/8"	120g	3135.1630.0120	50

Product	Grain	Color	Brass/Bronze	Stainless	Aluminum	Steel	Titanium	Composite	Glass/Stone
4515	Ceramic	Green		•			•		
4700	Silicon Carbide	Black	•					•	•
4815	Zirconia w/ grinding aid	Green	•	•		•	•		
4819	Zirconia	Blue	•		•	•			
4919	Aluminum Oxide	Red	•		•	•			

Stocked

Made to Order

Available upon request

4815 siacut (zirconia)

- Zirconia fibre disc for heavy duty grinding of non-ferrous metals and alloys
- Second size coat with highly active grinding agents provides a cool grinding process and long life

Note:
Resin fibre locking discs made to order

Size	Grit	sia Item #	Box qty unit
4-1/2" x 7/8"	24g	4184.8569.0024	25
4-1/2" x 7/8"	36g	4184.8569.0036	50
4-1/2" x 7/8"	50g	4184.8569.0050	50
4-1/2" x 7/8"	60g	4184.8569.0060	50
4-1/2" x 7/8"	80g	4184.8569.0080	50
5" x 7/8"	24g	4383.3328.0024	25
5" x 7/8"	36g	4383.3328.0036	50
5" x 7/8"	50g	4383.3328.0050	50
5" x 7/8"	60g	4383.3328.0060	50
5" x 7/8"	80g	4383.3328.0080	50
7" x 7/8"	24g	5586.4704.0024	25
7" x 7/8"	36g	5586.4704.0036	50
7" x 7/8"	50g	5586.4704.0050	50
7" x 7/8"	60g	5586.4704.0060	50
7" x 7/8"	80g	5586.4704.0080	50

4819 siaron 8 (zirconia)

- Heavy duty grinding for steel and non-ferrous metals
- Long life zirconia disc with very high stock removal rate
- For grinding and deburring

Note:
Resin fibre locking discs made to order

Size	Grit	sia Item #	Box qty unit
4-1/2" x 7/8"	24g	4306.1207.0024	25
4-1/2" x 7/8"	36g	4306.1207.0036	50
4-1/2" x 7/8"	50g	4306.1207.0050	50
4-1/2" x 7/8"	60g	4306.1207.0060	50
4-1/2" x 7/8"	80g	4306.1207.0080	50
5" x 7/8"	24g	4525.7985.0024	25
5" x 7/8"	36g	4525.7985.0036	50
5" x 7/8"	50g	4525.7985.0050	50
5" x 7/8"	60g	4525.7985.0060	50
5" x 7/8"	80g	4525.7985.0080	50
7" x 7/8"	24g	5712.4043.0024	25
7" x 7/8"	36g	5712.4043.0036	50
7" x 7/8"	50g	5712.4043.0050	50
7" x 7/8"	60g	5712.4043.0060	50
7" x 7/8"	80g	5712.4043.0080	50

Product	Grain	Color	Brass/Bronze	Stainless	Aluminum	Steel	Titanium	Composite	Glass/Stone
4515	Ceramic	Green		•			•		
4700	Silicon Carbide	Black	•					•	•
4815	Zirconia w/ grinding aid	Green	•	•		•	•		
4819	Zirconia	Blue	•		•	•			
4919	Aluminum Oxide	Red	•		•	•			

Stocked Made to Order Available upon request

Discs

Resin Fibre Discs

4919 siaral (aluminum oxide)



- Aluminum Oxide fibre disc for general metalworking applications

Note: Resin fibre locking discs made to order

Size	Grit	sia Item #	Box qty unit
4" x 5/8"	24g	6014.2331.0024	25
4" x 5/8"	36g	6014.2331.0036	50
4" x 5/8"	50g	6014.2331.0050	50
4" x 5/8"	60g	6014.2331.0060	50
4" x 5/8"	80g	6014.2331.0080	50
4" x 5/8"	100g	6014.2331.0100	50
4" x 5/8"	120g	6014.2331.0120	50
4-1/2" x 7/8"	16g	6464.6100.0016	25
4-1/2" x 7/8"	24g	6464.6100.0024	25
4-1/2" x 7/8"	36g	6464.6100.0036	50
4-1/2" x 7/8"	50g	6464.6100.0050	50
4-1/2" x 7/8"	60g	6464.6100.0060	50
4-1/2" x 7/8"	80g	6464.6100.0080	50
4-1/2" x 7/8"	100g	6464.6100.0100	50
4-1/2" x 7/8"	120g	6464.6100.0120	50
5" x 7/8"	16g	6684.2878.0016	25
5" x 7/8"	24g	6684.2878.0024	25
5" x 7/8"	36g	6684.2878.0036	50
5" x 7/8"	50g	6684.2878.0050	50
5" x 7/8"	60g	6684.2878.0060	50
5" x 7/8"	80g	6684.2878.0080	50
5" x 7/8"	100g	6684.2878.0100	50
5" x 7/8"	120g	6684.2878.0120	50
7" x 7/8"	16g	7870.8936.0016	25
7" x 7/8"	24g	7870.8936.0024	25
7" x 7/8"	36g	7870.8936.0036	50
7" x 7/8"	50g	7870.8936.0050	50
7" x 7/8"	60g	7870.8936.0060	50
7" x 7/8"	80g	7870.8936.0080	50
7" x 7/8"	100g	7870.8936.0100	50
7" x 7/8"	120g	7870.8936.0120	50

Product	Grain	Color	Brass/Bronze	Stainless	Aluminum	Steel	Titanium	Composite	Glass/Stone
4515	Ceramic	Green		•			•		
4700	Silicon Carbide	Black	•					•	•
4815	Zirconia w/ grinding aid	Green	•	•		•	•		
4819	Zirconia	Blue	•		•	•			
4919	Aluminum Oxide	Red	•		•	•			

Stocked

Made to Order

Available upon request

Flap Discs

2824 siaflap Discs

Regular Fiberglass



4" & 4-1/2":
packed 10 per
shrink wrapped
sleeve

Note:
Designed for non-ferrous
metals and steel

7":
packed 5 per
shrink wrapped
sleeve

Xtreme Fiberglass

(Jumbo)

4-1/2":
packed 10 per
shrink wrapped
sleeve


7":
packed 5 per
shrink wrapped
sleeve

Hubbed Fiberglass


Xtreme Hubbed Fiberglass

(Jumbo)

	Size	Type	Material	Grit	sia Item #	Box qty unit
	4" x 5/8"	Type - 29	2824	36g	0020.4649	10
	4" x 5/8"	Type - 29	2824	40g	0631.4599.0040	10
	4" x 5/8"	Type - 29	2824	60g	0631.4599.0060	10
	4" x 5/8"	Type - 29	2824	80g	0631.4599.0080	10
	4-1/2" x 7/8"	Type - 29	2824	36g	0020.2675	10
	4-1/2" x 7/8"	Type - 29	2824	40g	2793.9428.0040	10
	4-1/2" x 7/8"	Type - 29	2824	60g	2793.9428.0060	10
	4-1/2" x 7/8"	Type - 29	2824	80g	2793.9428.0080	10
	4-1/2" x 7/8"	Type - 29	2824	120g	2793.9428.0120	10
	7" x 7/8"	Type - 29	2824	36g	0020.3024	5
	7" x 7/8"	Type - 27	2824	40g	4113.5041.0040	5
	7" x 7/8"	Type - 27	2824	60g	4113.5041.0060	5
	7" x 7/8"	Type - 27	2824	80g	4113.5041.0080	5
	4-1/2" x 7/8"	Type - 29	2824	36g	0020.3384	10
	4-1/2" x 7/8"	Type - 29	2824	40g	2806.8788.0040	10
	4-1/2" x 7/8"	Type - 29	2824	60g	2806.8788.0060	10
	4-1/2" x 7/8"	Type - 29	2824	80g	2806.8788.0080	10
	7" x 7/8"	Type - 29	2824	36g	0020.2028	5
	7" x 7/8"	Type - 29	2824	40g	4226.5186.0040	5
	7" x 7/8"	Type - 29	2824	60g	4226.5186.0060	5
	7" x 7/8"	Type - 29	2824	80g	4226.5186.0080	5
	4-1/2" x 5/8-11" w/ hub	Type - 29	2824	36g	2393.9962.0036	10
	4-1/2" x 5/8-11" w/ hub	Type - 29	2824	40g	2651.4605.0040	10
	4-1/2" x 5/8-11" w/ hub	Type - 29	2824	60g	2651.4605.0060	10
	4-1/2" x 5/8-11" w/ hub	Type - 29	2824	80g	2651.4605.0080	10
	4-1/2" x 5/8-11" xtreme w/ hub	Type - 29	2824	40g	2733.5127.0040	10
	4-1/2" x 5/8-11" xtreme w/ hub	Type - 29	2824	60g	2733.5127.0060	10
	4-1/2" x 5/8-11" xtreme w/ hub	Type - 29	2824	80g	2733.5127.0080	10
	7" x 5/8-11" xtreme w/ hub	Type - 29	2824	40g	5155.9245.0040	5
	7" x 5/8-11" xtreme w/ hub	Type - 29	2824	60g	5155.9245.0060	5
	7" x 5/8-11" xtreme w/ hub	Type - 29	2824	80g	5155.9245.0080	5



T-27 Flat



T-29 Conical

Stocked

Made to Order

Available upon request

Discs

Flap Discs

2824 siaflap Discs

Regular Plastic



4-1/2": packed 10 per shrink wrapped sleeve

7": packed 5 per shrink wrapped sleeve

Hubbed Plastic

Size	Type	Material	Grit	sia Item #	Box qty unit
4-1/2" x 7/8"	Type - 29	2824	36g	4569.1521.0036	10
4-1/2" x 7/8"	Type - 27	2824	40g	2314.7519.0040	10
4-1/2" x 7/8"	Type - 27	2824	60g	2314.7519.0060	10
4-1/2" x 7/8"	Type - 27	2824	80g	2314.7519.0080	10
4-1/2" x 7/8"	Type - 27	2824	120g	2314.7519.0120	10
7" x 7/8"	Type - 29	2824	36g	6467.5626.0036	5
7" x 7/8"	Type - 27	2824	40g	4126.4401.0040	5
7" x 7/8"	Type - 27	2824	60g	4126.4401.0060	5
7" x 7/8"	Type - 27	2824	80g	4126.4401.0080	5
7" x 7/8"	Type - 27	2824	120g	4126.4401.0120	5
4-1/2" x 5/8-11" w/ hub	Type - 27	2824	40g	2625.5885.0040	10
4-1/2" x 5/8-11" w/ hub	Type - 27	2824	60g	2625.5885.0060	10
4-1/2" x 5/8-11" w/ hub	Type - 27	2824	80g	2625.5885.0080	10
4-1/2" x 5/8-11" w/ hub	Type - 27	2824	120g	2625.5885.0120	10
7" x 5/8-11" w/ hub	Type - 27	2824	40g	4005.5799.0040	5
7" x 5/8-11" w/ hub	Type - 27	2824	60g	4005.5799.0060	5
7" x 5/8-11" w/ hub	Type - 27	2824	80g	4005.5799.0080	5
7" x 5/8-11" w/ hub	Type - 27	2824	120g	4005.5799.0120	5

Note:
Designed for non-ferrous metals and steel

2828 siaflap stingray Discs

Regular Plastic




4-1/2": packed 10 per shrink wrapped sleeve

Hubbed Plastic

Size	Type	Material	Grit	sia Item #	Box qty unit
4-1/2" x 7/8"	27	2828	40g	0020.4583	10
4-1/2" x 7/8"	27	2828	60g	0020.4584	10
4-1/2" x 7/8"	27	2828	80g	0020.4585	10
4-1/2" x 7/8"	27	2828	120g	0020.4586	10
4-1/2" x 7/8"	29	2828	40g	0020.4591	10
4-1/2" x 7/8"	29	2828	60g	0020.4592	10
4-1/2" x 7/8"	29	2828	80g	0020.4593	10
4-1/2" x 7/8"	29	2828	120g	0020.4594	10
4-1/2" x 5/8-11" w/hub	27	2828	40g	0009.0133	10
4-1/2" x 5/8-11" w/hub	27	2828	60g	0009.0132	10
4-1/2" x 5/8-11" w/hub	27	2828	80g	0009.0134	10
4-1/2" x 5/8-11" w/hub	27	2828	120g	0009.0135	10
4-1/2" x 5/8-11" w/hub	29	2828	40g	0009.0136	10
4-1/2" x 5/8-11" w/hub	29	2828	60g	0009.0137	10
4-1/2" x 5/8-11" w/hub	29	2828	80g	0009.0138	10
4-1/2" x 5/8-11" w/hub	29	2828	120g	0009.0139	10

Note:
Designed for stainless steel and high alloyed applications



T-27 Flat



T-29 Conical

Stocked

Made to Order

Available upon request

SCM Surface Conditioning Belts

SCM Surface Conditioning Belts

**6220 SCM Belts**

- Designed for high-end decorative finishing
- SC super fine-made to order

6230 Hyperflex

- High flexibility
- High performance
- More conformable
- Reduces heat and loading
- Low-stretch backing
- Also used on non-ferrous metals

6250 SCM Belts

- Designed for cleaning, finishing and light deburring of all metals
- AO coarse, AO medium, and AO very fine-stocked
- AO extra coarse and heavy medium-made to order

Note:

Other sizes made to order

Material	Size	Grit	Color	sia Item #	Box qty unit
6250	1/2" x 18"	AO Coarse	Brown	4881.3663.2922	25
6250	1/2" x 18"	AO Medium	Maroon	4881.3663.4922	25
6250	1/2" x 18"	AO Very Fine	Blue	4881.3663.6922	25
6220	1/2" x 18"	SC Super Fine	Grey	4233.8522.7714	25
6250	1/2" x 24"	AO Coarse	Brown	8243.1280.2922	25
6250	1/2" x 24"	AO Medium	Maroon	8243.1280.4922	25
6250	1/2" x 24"	AO Very Fine	Blue	8243.1280.6922	25
6220	1/2" x 24"	SC Super Fine	Grey	7595.5672.7714	25
6250	3/4" x 18"	AO Coarse	Brown	6395.1941.2922	25
6250	3/4" x 18"	AO Medium	Maroon	6395.1941.4922	25
6250	3/4" x 18"	AO Very Fine	Blue	6395.1941.6922	25
6220	3/4" x 18"	SC Super Fine	Grey	5747.6800.7714	25
6220	1" x 42"	SC Super Fine	Grey	0509.9630.7714	10
6220	2" x 48"	SC Super Fine	Grey	6856.7445.7714	10
6220	2" x 72"	SC Super Fine	Grey	0105.2464.7714	10
6250	2" x 132"	AO Coarse	Brown	3721.3513.2922	10
6250	2" x 132"	AO Medium	Maroon	3721.3513.4922	10
6250	2" x 132"	AO Very Fine	Blue	3721.3513.6922	10
6220	2" x 132"	SC Super Fine	Grey	3073.7905.7714	10
6220	2-3/4" x 15-1/2"	SC Super Fine	Grey	0400.9024.7714	10
6220	3" x 10-11/16"	SC Super Fine	Grey	9284.9588.7714	10
6220	3" x 18"	SC Super Fine	Grey	3263.7126.7714	10
6220	3" x 24"	SC Super Fine	Grey	6625.4743.7714	10
6250	3" x 132"	AO Coarse	Brown	6706.3711.2922	10
6250	3" x 132"	AO Medium	Maroon	6706.3711.4922	10
6250	3" x 132"	AO Very Fine	Blue	6706.3711.6922	10
6220	3" x 132"	SC Super Fine	Grey	6058.8103.7714	10
6250	3-1/2" x 15-1/2"	AO Coarse	Brown	2545.9007.2922	10
6250	3-1/2" x 15-1/2"	AO Medium	Maroon	1682.5330.4922	10
6250	3-1/2" x 15-1/2"	AO Very Fine	Blue	1682.5330.6922	10
6220	3-1/2" x 15-1/2"	SC Super Fine	Grey	1872.0944.7714	10
6220	6" x 48"	SC Super Fine	Grey	8829.0356.7714	10

Stocked

Made to Order

Available upon request

Nonwoven

SCM Surface Conditioning Discs

SCM Surface Conditioning Locking Discs




Note:
4" available upon request

Material	Size	Grit	Color	sia Item #	Box qty unit
6250	1-1/2"	T2 - Coarse	Brown	1503.6033.2922	100
6250	1-1/2"	T2 - Medium	Maroon	0640.2356.4922	100
6250	1-1/2"	T2 - Very Fine	Blue	0640.2356.6922	100
6220	1-1/2"	T2 - Super Fine	Grey	1969.8426.7714	100
6250	1-1/2"	T3 - Coarse	Brown	3157.0244.2922	100
6250	1-1/2"	T3 - Medium	Maroon	2293.6567.4922	100
6250	1-1/2"	T3 - Very Fine	Blue	2293.6567.6922	100
6220	1-1/2"	T3 - Super Fine	Grey	2509.4636.7714	100
6250	2"	T2 - Extra Coarse	Dark Brown	1775.8655.1922	50
6250	2"	T2 - Coarse	Brown	1802.1577.2922	50
6250	2"	T2 - Heavy Medium	Light Maroon	1775.8655.3922	50
6250	2"	T2 - Medium	Maroon	0938.7900.4922	50
6250	2"	T2 - Very Fine	Blue	0938.7900.6922	50
6220	2"	T2 - Super Fine	Grey	2246.7749.7714	50
6250	2"	T3 - Extra Coarse	Dark Brown	3407.6645.1922	50
6250	2"	T3 - Coarse	Brown	3407.6645.2922	50
6250	2"	T3 - Heavy Medium	Light Maroon	3407.6645.3922	50
6250	2"	T3 - Medium	Maroon	2544.2968.4922	50
6250	2"	T3 - Very Fine	Blue	2544.2968.6922	50
6220	2"	T3 - Super Fine	Grey	2786.3959.7714	50
6250	3"	T2 - Extra Coarse	Dark Brown	2303.4379.1922	25
6250	3"	T2 - Coarse	Brown	2303.4379.2922	25
6250	3"	T2 - Heavy Medium	Light Maroon	3404.3020.3922	25
6250	3"	T2 - Medium	Maroon	1440.0702.4922	25
6250	3"	T2 - Very Fine	Blue	1440.0702.6922	25
6220	3"	T2 - Super Fine	Grey	2795.9694.7714	25
6250	3"	T3 - Extra Coarse	Dark Brown	2303.4379.1922	25
6250	3"	T3 - Coarse	Brown	3956.8590.2922	25
6250	3"	T3 - Heavy Medium	Light Maroon	3943.9230.3922	25
6250	3"	T3 - Medium	Maroon	3093.4446.4922	25
6250	3"	T3 - Very Fine	Blue	3093.4446.6922	25
6220	3"	T3 - Super Fine	Grey	3335.5904.7714	25

Stocked Made to Order Available upon request

SCM Surface Conditioning Discs

SCM Surface Conditioning sifast Hook 'n Loop Discs



Note:
6", 8" and other sizes
available upon request

Material	Size	Grit	Color	sia Item #	Box qty unit
6250	2"	AO Extra Coarse	Dark Brown	5017.7502.1922	50
6250	2"	AO Coarse	Brown	5017.7502.2922	50
6250	2"	AO Heavy Medium	Light Maroon	5017.7502.3922	50
6250	2"	AO Medium	Maroon	5017.7502.4922	50
6250	2"	AO Very Fine	Blue	5017.7502.6922	50
6220	2"	SC Super Fine	Grey	4370.1894.7714	50
6250	3"	AO Extra Coarse	Dark Brown	5566.9447.1922	50
6250	3"	AO Coarse	Brown	5566.9447.2922	50
6250	3"	AO Heavy Medium	Light Maroon	5566.9447.3922	50
6250	3"	AO Medium	Maroon	5566.9447.4922	50
6250	3"	AO Very Fine	Blue	5566.9447.6922	50
6220	3"	SC Super Fine	Grey	8315.0907.7714	50
6250	4"	AO Extra Coarse	Dark Brown	6094.5171.1911	50
6250	4"	AO Coarse	Brown	6094.5171.2922	50
6250	4"	AO Heavy Medium	Light Maroon	6094.5171.3922	50
6250	4"	AO Medium	Maroon	6094.5171.4922	50
6250	4"	AO Very Fine	Blue	6094.5171.6922	50
6220	4"	SC Super Fine	Grey	8864.2852.7714	50
6250	4-1/2"	AO Extra Coarse	Dark Brown	6397.7416.1922	50
6250	4-1/2"	AO Coarse	Brown	6397.7416.2922	50
6250	4-1/2"	AO Heavy Medium	Light Maroon	6397.7416.3922	50
6250	4-1/2"	AO Medium	Maroon	6397.7416.4922	50
6250	4-1/2"	AO Very Fine	Blue	6397.7416.6922	50
6220	4-1/2"	SC Super Fine	Grey	9167.5097.7714	50
6250	5"	AO Extra Coarse	Dark Brown	6643.7116.1922	25
6250	5"	AO Coarse	Brown	6643.7116.2922	25
6250	5"	AO Heavy Medium	Light Maroon	6643.7116.3922	25
6250	5"	AO Medium	Maroon	6643.7116.4922	25
6250	5"	AO Very Fine	Blue	6643.7116.6922	25
6220	5"	SC Super Fine	Grey	9413.4797.7714	25
6250	7"	AO Extra Coarse	Dark Brown	7777.7330.1922	10
6250	7"	AO Coarse	Brown	7777.7330.2922	10
6250	7"	AO Heavy Medium	Light Maroon	7777.7330.3922	10
6250	7"	AO Medium	Maroon	7777.7330.4922	10
6250	7"	AO Very Fine	Blue	7777.7330.6922	10
6220	7"	SC Super Fine	Grey	0632.2974.7714	10

Stocked

Made to Order

Available upon request

Nonwoven

SCM Surface Conditioning Discs

6260 Scrim-Backed Discs



Extra Coarse



Coarse



Medium



Fine

- High flexibility
- High performance
- More conformable
- Reduces heat and loading
- Low-stretch backing
- Also used on non-ferrous metals

Note:
Other sizes available upon request

Size	Grit	Color	sia Item #	Box qty unit
4-1/2"	Extra Coarse	Dark Brown	6723.5318.1921	20
4-1/2"	Coarse	Brown	6723.5318.2921	20
4-1/2"	Medium	Maroon	6723.5318.4921	20
4-1/2"	Fine	Light Blue	6723.5318.5921	20
4-1/2"	Very Fine	Blue	6723.5318.6921	20
5"	Extra Coarse	Dark Brown	6943.2096.1921	20
5"	Coarse	Brown	6943.2096.2921	20
5"	Medium	Maroon	6943.2096.4921	20
5"	Fine	Light Blue	6943.2096.5921	20
5"	Very Fine	Blue	6943.2096.6921	20
7"	Extra Coarse	Dark Brown	8077.2310.1921	20
7"	Coarse	Brown	8077.2310.2921	20
7"	Medium	Maroon	8077.2310.4921	20
7"	Fine	Light Blue	8077.2310.5921	20
7"	Very Fine	Blue	8077.2310.6921	20

siastrip Disc

6300 siastrip



- SC
- Removal of coatings, scale and rust
- Open webb construction reduces loading

Size	Color	sia Item #	Box qty unit
4" x 1/2" Arbor Hole	Black	4450.4531.1721.16	10
6" x 1/2" Arbor Hole	Black	5527.2200.1721.02	10
8" x 1/2" Arbor Hole	Black	6625.6090.1721.02	10
4-1/2" x 7/8" Type 27	Black	1733.1719.1721.07	10
2" Type 3	Black	3110.3904.1721	50
3" Type 3	Black	3659.5849.1721	50

Stocked Made to Order Available upon request

siastrip Discs

6300 siastrip Plus Red (4550)



- Cleaning welds and weld splatter
- Non-smearing
- Excellent on stainless steel

Size	Grit	Color	sia Item #	Box qty unit
4" x 1/2" Arbor Hole	24g	Red	4450.4531.1721.16	10
6" x 1/2" Arbor Hole	24g	Red	5527.2200.1721.02	10

siafleece Discs

6914 siafleece SD Discs (high strength)



- Durable, long lasting
- Used on edge work and fillet welds

Size	Product	Color	RPM	sia Item #	Box qty unit
6" x 1/4"	Medium High Strength	Maroon	4,000 RPM	1952.8423.4911	10
6" x 1/4"	Fine High Strength	Maroon	4,000 RPM	1952.8423.5911	10
6" x 1/4"	Very Fine High Strength	Maroon	4,000 RPM	1952.8423.6911	10
6" x 1/2"	Medium High Strength	Maroon	4,000 RPM	2086.5918.4911	10
6" x 1/2"	Fine High Strength	Maroon	4,000 RPM	2086.5918.5911	10
6" x 1/2"	Very Fine High Strength	Maroon	4,000 RPM	2086.5918.6911	10
8" x 1/2"	Medium High Strength	Maroon	3,000 RPM	3294.8197.4911	10
8" x 1/2"	Fine High Strength	Maroon	3,000 RPM	3294.8197.5911	10
8" x 1/2"	Very Fine High Strength	Maroon	3,000 RPM	3294.8197.6911	10

siafleece siafast Hook 'n Loop Nonwoven Discs




Very Fine A

- General purpose surface preparation for use on metal, wood, composites and gel coat

Note:
2"-6": 25 box
8" or larger: 10 per box

Size	Grit	Color	Material	Box qty unit
2"-11"	Very Fine A	Maroon	Aluminum Oxide	see note
2"-11"	Micro Fine A	Gold	Aluminum Oxide	see note
2"-11"	Ultra Fine S	Grey	Silicon Carbide	see note
2"-11"	Non-Abrasive	White	Non-Abrasive	see note



Ultra Fine S



Micro Fine A

Stocked	Made to Order	Available upon request
---------	---------------	------------------------

Nonwoven

Unitized Wheels

siaspectrum Unitized Wheels



Note:
Other sizes
available
upon request



siaspectrum
Unitized Wheels
Type-3 Button
Mount

Note:
Type-2 button
mount made
to order



Size	Color	sia Item #	Box qty unit
3" x 1/4" x 1/4"	Green RB4	5999.2077	20
3" x 1/4" x 1/4"	Blue RB5	5999.2078	20
3" x 1/4" x 1/4"	Grey RB6	5999.2079	20
3" x 1/4" x 1/4"	Red RB7	5999.2080	20
6" x 1/4" x 1"	Green RB4	5999.2089	8
6" x 1/4" x 1"	Blue RB5	5999.2090	8
6" x 1/4" x 1"	Grey RB6	5999.2091	8
6" x 1/4" x 1"	Red RB7	5999.2092	8
6" x 1/2" x 1"	Green RB4	5999.2093	4
6" x 1/2" x 1"	Blue RB5	5999.2094	4
6" x 1/2" x 1"	Grey RB6	5999.2095	4
6" x 1/2" x 1"	Red RB7	5999.2096	4
2" x 1/4" x BM	Green RB4-BM	5999.2101	60
2" x 1/4" x BM	Blue RB5-BM	5999.2102	60
2" x 1/4" x BM	Grey RB6-BM	5999.2103	60
2" x 1/4" x BM	Red RB7-BM	5999.2104	60
3" x 1/4" x BM	Green RB4-BM	5999.2106	20
3" x 1/4" x BM	Blue RB5-BM	5999.2107	20
3" x 1/4" x BM	Grey RB6-BM	5999.2108	20
3" x 1/4" x BM	Red RB7-BM	5999.2109	20

Blending and finishing of fillet welds:

- Green: High polish, high gloss
- Blue: Finishing, fine satin
- Grey: Blending of weld beads
- Red: Removal of excess weld

siatech UXL Unitized Wheels



Size	Product	Color	RPM	sia Item #	Box qty unit
1" x 1" x 3/16"	2A Medium UXL	Yellow-Brown	25,000 RPM	5680.5586.4931.03	50
1" x 1" x 3/16"	2S Fine UXL	Yellow-Brown	25,000 RPM	5680.5586.5731.04	50
1" x 1" x 3/16"	6A Medium UXL	Dark Brown	35,000 RPM	5680.5586.4931.04	50
1" x 1" x 3/16"	6S Fine UXL	Dark Grey	35,000 RPM	5680.5586.5731.05	50
1" x 1" x 3/16"	8A Medium UXL	Brown	35,000 RPM	5680.5586.4931.05	50
1" x 1" x 3/16"	8A Coarse UXL	Brown	35,000 RPM	5680.5586.2931	50
3" x 1/4" x 1/4"	2A Medium UXL	Yellow-Brown	12,000 RPM	6405.1124.4931.04	20
3" x 1/4" x 1/4"	2S Fine UXL	Yellow-Brown	12,000 RPM	6405.1124.5731.04	20
3" x 1/4" x 1/4"	4A Fine UXL	Light Brown	12,000 RPM	6405.1124.5931	20
3" x 1/4" x 1/4"	6A Medium UXL	Dark Brown	18,000 RPM	6405.1124.4931.05	20
3" x 1/4" x 1/4"	6S Fine UXL	Dark Grey	18,000 RPM	6405.1124.5731.02	20
3" x 1/4" x 1/4"	8A Medium UXL	Brown	18,000 RPM	6405.1124.4931.06	20
3" x 1/4" x 1/4"	8A Coarse UXL	Brown	18,000 RPM	6405.1124.2931.01	20

Stocked Made to Order Available upon request

siatech Convolute Wheels

siatech CXL Convolute Wheels



- Deburring and finishing on all metals and glass
- Polishing and radiusing
- Conforms to work shapes
- Light to medium stock removal

Note:
Other sizes made to order

Size	Product	Color	RPM	sia Item #	Box qty unit
6" x 1/2" x 1"	7S Fine CXL	Grey	6,000 RPM	7705.0984.5731	4
6" x 1/2" x 1"	8A Medium CXL	Brown	6,000 RPM	7705.0984.4931.01	4
6" x 1/2" x 1"	8S Fine CXL	Grey	6,000 RPM	7705.0984.5731.01	4
6" x 1/2" x 1"	9S Fine CXL	Grey	6,000 RPM	7705.0984.5731.04	4
6" x 1" x 1"	7S Fine CXL	Grey	6,000 RPM	7955.7385.5731.01	4
6" x 1" x 1"	8A Medium CXL	Brown	6,000 RPM	7955.7385.4931.01	4
6" x 1" x 1"	8S Fine CXL	Grey	6,000 RPM	7955.7385.5731.03	4
6" x 1" x 1"	9S Fine CXL	Grey	6,000 RPM	7955.7385.5731	4
8" x 1/2" x 3"	7S Fine CXL	Grey	4,500 RPM	9970.9462.5731	4
8" x 1/2" x 3"	8A Medium CXL	Brown	4,500 RPM	9900.3355.4931.01	4
8" x 1/2" x 3"	8S Fine CXL	Grey	4,500 RPM	9900.3355.5731.02	4
8" x 1/2" x 3"	9S Fine CXL	Grey	4,500 RPM	9900.3355.5731.03	4
8" x 1" x 3"	7S Fine CXL	Grey	4,500 RPM	0204.8096.5731	4
8" x 1" x 3"	8A Medium CXL	Brown	4,500 RPM	0222.8359.4931.01	4
8" x 1" x 3"	8S Fine CXL	Grey	4,500 RPM	0204.8096.5731.04	4
8" x 1" x 3"	9S Fine CXL	Grey	4,500 RPM	0204.8096.5731.02	4
8" x 2" x 3"	7S Fine CXL	Grey	4,500 RPM	0758.6742.5731	2
8" x 2" x 3"	8A Medium CXL	Brown	4,500 RPM	0758.6742.4931.01	2
8" x 2" x 3"	8S Fine CXL	Grey	4,500 RPM	0758.6742.5731.04	2
8" x 2" x 3"	9S Fine CXL	Grey	4,500 RPM	0758.6742.5731.05	2

siatech CMM Convolute Wheels



- Designed for flat finishing
- Used for satin finishing and renewing of mill finish on stainless

Note:
Other sizes made to order

Size	Product	Color	RPM	sia Item #	Box qty unit
6" x 1" x 1"	2S Coarse CMM	Black	6,000 RPM	8387.4457.2931	4
6" x 1" x 1"	5A Coarse CMM	Maroon	6,000 RPM	8356.4834.2931	4
6" x 1" x 1"	5A Medium CMM	Maroon	6,000 RPM	8444.7002.4931	4
6" x 1" x 1"	2S Medium CMM	Black	6,000 RPM	8452.3486.4731.01	4
6" x 1" x 1"	2S Fine CMM	Grey	6,000 RPM	1458.9675.5731	4
6" x 2" x 1"	2S Coarse CMM	Black	6,000 RPM	8941.3103.2731	2
6" x 2" x 1"	5A Coarse CMM	Maroon	6,000 RPM	8535.8953.2931	2
6" x 2" x 1"	5A Medium CMM	Maroon	6,000 RPM	2138.6298.4731	2
6" x 2" x 1"	2S Medium CMM	Black	6,000 RPM	8588.4797.4731	2
6" x 2" x 1"	2S Fine CMM	Grey	6,000 RPM	8941.3103.5731	2
8" x 1" x 3"	2S Coarse CMM	Black	4,500 RPM	0636.4701.2731	4
8" x 1" x 3"	5A Coarse CMM	Maroon	4,500 RPM	0636.4701.2931	4
8" x 1" x 3"	5A Medium CMM	Maroon	4,500 RPM	2159.8317.4731	4
8" x 1" x 3"	2S Medium CMM	Black	4,500 RPM	0636.4701.4731	4
8" x 1" x 3"	2S Fine CMM	Grey	4,500 RPM	0636.4701.5731	4
8" x 2" x 3"	2S Coarse CMM	Black	4,500 RPM	1190.3347.2731	2
8" x 2" x 3"	5A Coarse CMM	Maroon	4,500 RPM	2186.1239.2931	2
8" x 2" x 3"	5A Medium CMM	Maroon	4,500 RPM	2186.1239.4731	2
8" x 2" x 3"	2S Medium CMM	Black	4,500 RPM	1190.3347.4731	2

Stocked Made to Order Available upon request

Nonwoven

siatech Convolute Wheels

siatech CBP Convolute Wheels	Size	Product	Color	RPM	sia Item #	Box qty unit
	6" x 1" x 1"	7A Coarse CBP	Brown	6,000 RPM	8171.5921.2931	4
	6" x 1" x 1"	7A Medium CBP	Brown	6,000 RPM	8171.5921.4931	4
	6" x 1" x 1"	7A Fine CBP	Brown	6,000 RPM	8171.5921.5931	4

- For heavy deburring
- More aggressive stock removal with quality finish

Note: Other sizes made to order

siafleece Spindle Mounted Flapwheels

siafleece Spindle Mounted Flapwheels	Description	Color	RPM	sia Item #	Box qty unit	
	siafleece Spindle Mounted Flapwheels	2" x 1" x 1/4" A Medium Flap Wheel	Maroon	12,000 RPM	3464.0312.4921	10
		3" x 2" x 1/4" A Coarse Flap Wheel	Maroon	8,000 RPM	2032.5417.2921	10
		3" x 2" x 1/4" A Medium Flap Wheel	Maroon	8,000 RPM	4531.2246.4921	10
		3" x 2" x 1/4" S Fine Flap Wheel	Grey	8,000 RPM	4531.2246.5711	10
siafleece Interleaf Spindle Mounted Flapwheels		3" x 2" x 1/4" A 80g Interleaf Flap	Maroon	8,000 RPM	3705.9029.0080	10
		3" x 2" x 1/4" A 120g Interleaf Flap	Maroon	8,000 RPM	3705.9029.0120	10
		3" x 2" x 1/4" A 180g Interleaf Flap	Maroon	8,000 RPM	3705.9029.0180	10

Hand Pads

6" X 9" siafleece Hand Pads	Material	Color	sia Item #	Box/Case qty
	Extra Cut	Tan	4132.9840.2922.09	60/60
	AO General Purpose	Green	4132.9840.4923.43	60/60
	Ultra Fine S	Grey	4132.9840.8711.53	60/60
	Non-Abrasive Polishing	White	4132.9840.0011.23	60/60
	Medium S	Black	4132.9840.4721.10	60/60
	Extra Cut	Tan	4132.9840.2922.36	20/60
	Ultra Fine S	Grey	4132.9840.8711.53	20/60
	General Purpose	Green	4132.9840.4923.43	20/60
	Non-abrasives	White	4132.9840.0011.23	20/60
	Medium S	Black	4132.9840.4721.10	20/60
	Very Fine A XS	Maroon	4132.9840.6932.47	20/60

Grade	Color
0 = cleaning / polishing	white
80 = extra cut	tan
100 = general purpose XS	green
110 = medium S	black
120 = medium A	maroon
180 = fine A	maroon
320 = very fine A XS	maroon
600 = ultra fine S	grey
800 = ultra fine S XS	grey
1000 = micro fine A	gold

Stocked Made to Order Available upon request

6120 siafleece Clean and Finish Rolls



- Hand pad quality for use by hand and machine

Size	Grade	sia Item #	Box qty unit
4" x 33 ft	SC Medium	0603.7960.4721	1
4" x 33 ft	AO Medium	0603.7960.4921	1
4" x 33 ft	AO Fine	0603.7960.5911	1
4" x 33 ft	AO Very Fine	0603.7960.6911	1
6" x 33 ft	SC Medium	6573.8356.4721	1
6" x 33 ft	AO Medium	6573.8356.4921	1
6" x 33 ft	AO Fine	6573.8356.5911	1
6" x 33 ft	AO Very Fine	6573.8356.6911	1

6130 siafleece Heavy Duty Finishing Rolls



- More aggressive application than 6120

Size	Grade	sia Item #	Box qty unit
4" x 65 ft	SC Medium	1917.9278.4711	1
4" x 65 ft	AO Medium	1917.9278.4911	1
4" x 65 ft	AO Fine	1917.9278.5911	1
4" x 65 ft	AO Very Fine	1917.9278.6911	1
6" x 65 ft	SC Medium	7887.9674.4711	1
6" x 65 ft	AO Medium	7887.9674.4911	1
6" x 65 ft	AO Fine	7887.9674.5911	1
6" x 65 ft	AO Very Fine	7887.9674.6911	1

Stocked Made to Order Available upon request

Sheets

Paper Sheets Plain


1400 sianor

- Grain: Garnet
- Hand sanding on solid wood and veneer
- Excellent finishing product

Note:

For dry applications only

Size	Grit	Backing	sia Item #	Box qty unit
9" x 11"	80g	A-wt	1977.8896.0080	50
9" x 11"	100g	A-wt	1977.8896.0100	50
9" x 11"	120g	A-wt	1977.8896.0120	50
9" x 11"	150g	A-wt	1977.8896.0150	50
9" x 11"	180g	A-wt	1977.8896.0180	50
9" x 11"	220g	A-wt	1977.8896.0220	50
9" x 11"	240g	A-wt	1977.8896.0240	50
9" x 11"	280g	A-wt	1977.8896.0280	50

1600 sianor

- Grain: Emery
- Micro finishing of all metals

Size	Grit	Backing	sia Item #	Box qty unit
9" x 11"	150g	B-wt	6294.8682.0150	50
9" x 11"	180g	B-wt	6294.8682.0180	50
9" x 11"	240g	B-wt	6294.8682.0240	50
9" x 11"	500g	B-wt	6294.8682.0500	50
9" x 11"	1200g	B-wt	6294.8682.1200	50
9" x 11"	2000g	B-wt	6294.8682.2000	50

1701 sialac

- SC
- Glue bond, stearated
- Intermediate sanding on stain, sealer and lacquer

Size	Grit	Backing	sia Item #	Box qty unit
9" x 11"	80g	A-wt	8466.2660.0080	50
9" x 11"	100g	A-wt	8466.2660.0100	50
9" x 11"	120g	A-wt	8466.2660.0120	50
9" x 11"	150g	A-wt	8466.2660.0150	100
9" x 11"	180g	A-wt	8466.2660.0180	100
9" x 11"	220g	A-wt	8466.2660.0220	100
9" x 11"	240g	A-wt	8466.2660.0240	100
9" x 11"	280g	A-wt	8466.2660.0280	100
9" x 11"	320g	A-wt	8466.2660.0320	100
9" x 11"	400g	A-wt	8466.2660.0400	100


Stocked

Made to Order

Available upon request

Paper Sheets Plain


1748 siarexx fine



Size	Grit	Backing	sia Item #	Box qty unit
9" x 11"	150g	A-wt	9485.0463.0150	50
9" x 11"	180g	A-wt	9485.0463.0180	50
9" x 11"	220g	A-wt	9485.0463.0220	50
9" x 11"	280g	A-wt	9485.0463.0280	50
9" x 11"	320g	A-wt	9485.0463.0320	50
9" x 11"	400g	A-wt	9485.0463.0400	50

- SC
- Resin bond, stearated
- Hand and machine sanding on stain, sealer, lacquer and composites

1960 siarexx cut



Size	Grit	Backing	sia Item #	Box qty unit
9" x 11"	40g	C-wt	4097.5762.0040	25
9" x 11"	60g	C-wt	4097.5762.0060	10
9" x 11"	80g	C-wt	4097.5762.0080	50
9" x 11"	100g	C-wt	4097.5762.0100	50
9" x 11"	120g	C-wt	4097.5762.0120	50
9" x 11"	150g	C-wt	4097.5762.0150	50
9" x 11"	180g	C-wt	4097.5762.0180	100
9" x 11"	220g	C-wt	4097.5762.0220	100
9" x 11"	240g	C-wt	4097.5762.0240	100
9" x 11"	280g	B-wt	4097.5762.0280	100
9" x 11"	320g	B-wt	4097.5762.0320	100

- AO
- Hand and machine sanding on wood, paint, sealer, lacquer, filler, and composite materials

Stocked Made to Order Available upon request

Sheets

Paper Sheets siafast Hook 'n Loop

1748 siarexx fine



Note:
Should be used with the Handsanding block in the Accessories section

Size	Grit	Backing	sia Item #	Box qty unit
2-3/4" x 5"	220g	A-wt	2419.5013.0220	100
2-3/4" x 5"	280g	A-wt	2419.5013.0280	100
2-3/4" x 5"	320g	A-wt	2419.5013.0320	100
2-3/4" x 5"	400g	A-wt	2419.5013.0400	100

1913 siawat



- AO
- Hand sanding on filler, primer and paint
- Product can be used wet or dry

Note:
Should be used with the Handsanding block in the Accessories section

Size	Grit	Backing	sia Item #	Box qty unit
2-3/4" x 5"	220g	C-wt	5980.9923.0220	100
2-3/4" x 5"	240g	C-wt	5980.9923.0240	100
2-3/4" x 5"	280g	C-wt	5980.9923.0280	100
2-3/4" x 5"	320g	C-wt	5980.9923.0320	100
2-3/4" x 5"	400g	C-wt	5980.9923.0400	100
2-3/4" x 5"	500g	C-wt	5980.9923.0500	100
2-3/4" x 5"	600g	C-wt	5980.9923.0600	100
2-3/4" x 5"	800g	C-wt	5980.9923.0800	100
2-3/4" x 5"	1000g	C-wt	5980.9923.1000	100
2-3/4" x 5"	1200g	C-wt	5980.9923.1200	100

1940 siacar



- AO
- Hand and machine sanding on paint, lacquer, filler and resin composite materials and solid surface

Note: Should be used with the Handsanding block in the Accessories section

Size	Grit	Backing	sia Item #	Box qty unit
2-3/4" x 5"	40g	D-wt	6568.0654.0040	50
2-3/4" x 5"	80g	D-wt	6568.0654.0080	100
2-3/4" x 5"	100g	D-wt	6568.0654.0100	100
2-3/4" x 5"	120g	A-wt	6568.0654.0120	100
2-3/4" x 5"	180g	A-wt	6568.0654.0180	100
2-3/4" x 5"	220g	A-wt	6568.0654.0220	100
2-3/4" x 5"	280g	A-wt	6568.0654.0280	100
2-3/4" x 5"	320g	A-wt	6568.0654.0320	100
2-3/4" x 5"	400g	A-wt	6568.0654.0400	100

1960 siarexx cut




Note:
Should be used with the Handsanding block in the Accessories section

Size	Grit	Backing	sia Item #	Box qty unit
2-3/4" x 5"	60g	C-wt	6999.7726.0060	50
2-3/4" x 5"	80g	C-wt	6999.7726.0080	100
2-3/4" x 5"	100g	C-wt	6999.7726.0100	100
2-3/4" x 5"	120g	B-wt	6999.7726.0120	100
2-3/4" x 5"	150g	B-wt	6999.7726.0150	100
2-3/4" x 5"	180g	B-wt	6999.7726.0180	100
2-3/4" x 5"	220g	B-wt	6999.7726.0220	100

Stocked	Made to Order	Available upon request
---------	---------------	------------------------

Paper Sheets Waterproof


1727 siawat



- SC
- Hand sanding of filler, primer, lacquer, glass, and stone
- Product can be used wet or dry

Size	Grit	Backing	sia Item #	Box qty unit
9" x 11"	80g	C-wt	9040.4306.0080	50
9" x 11"	100g	C-wt	9040.4306.0100	50
9" x 11"	120g	C-wt	9040.4306.0120	50
9" x 11"	150g	C-wt	9040.4306.0150	100
9" x 11"	180g	C-wt	9040.4306.0180	100
9" x 11"	220g	C-wt	9040.4306.0220	100
9" x 11"	240g	C-wt	9040.4306.0240	100
9" x 11"	280g	C-wt	9040.4306.0280	100
9" x 11"	320g	C-wt	9040.4306.0320	100
9" x 11"	400g	C-wt	9040.4306.0400	100
9" x 11"	500g	C-wt	9040.4306.0500	100
9" x 11"	600g	C-wt	9040.4306.0600	100
9" x 11"	1000g	C-wt	9040.4306.1000	100
9" x 11"	1200g	C-wt	9040.4306.1200	100

1913 siawat



- AO
- Hand sanding on filler, primer and paint
- Product can be used wet or dry


Size	Grit	Backing	sia Item #	Box qty unit
9" x 11"	80g	C-wt	3100.3713.0080	50
9" x 11"	100g	C-wt	3100.3713.0100	50
9" x 11"	120g	C-wt	3100.3713.0120	50
9" x 11"	150g	C-wt	3100.3713.0150	50
9" x 11"	180g	C-wt	3100.3713.0180	50
9" x 11"	220g	C-wt	3100.3713.0220	50
9" x 11"	240g	C-wt	3100.3713.0240	50
9" x 11"	280g	C-wt	3100.3713.0280	50
9" x 11"	320g	C-wt	3100.3713.0320	50
9" x 11"	360g	C-wt	3100.3713.0360	50
9" x 11"	400g	C-wt	3100.3713.0400	50
9" x 11"	500g	C-wt	3100.3713.0500	50
9" x 11"	600g	C-wt	3100.3713.0600	50
9" x 11"	800g	C-wt	3100.3713.0800	50
9" x 11"	1000g	C-wt	3100.3713.1000	50
9" x 11"	1200g	C-wt	3100.3713.1200	50
9" x 11"	1500g	C-wt	3100.3713.1500	50
9" x 11"	2000g	C-wt	3100.3713.2000	50
9" x 11"	2500g	C-wt	3100.3713.2500	50

Stocked Made to Order Available upon request

Sheets


Cloth Sheets

9" x 11" "J" Weight Cloth Sheets



2915 siarol

- AO
- Hand sanding and polishing on non-ferrous metals and steel




2601 sianor

- Grain: Emery
- Polishing all metallic materials

Grit	Material	sia Item #	Box qty unit
40g	2915 AO	4818.6559.0040	25
60g	2915 AO	4818.6559.0060	25
80g	2915 AO	4818.6559.0080	25
100g	2915 AO	4818.6559.0100	25
120g	2915 AO	4818.6559.0120	25
150g	2915 AO	4818.6559.0150	50
180g	2915 AO	4818.6559.0180	50
220g	2915 AO	4818.6559.0220	50
240g	2915 AO	4818.6559.0240	50
320g	2915 AO	4818.6559.0320	50
400g	2915 AO	4818.6559.0400	50
600g	2601 sianor	8000.1976.0600	50

Foam Sheets


1748 siarexx fine siasoft sheets



- A-wt
- SC
- Stearated on foam backing

Size	Grit	sia Item #	Box qty unit
4-1/2" x 5-1/2"	180g	0199.5922.0180	50
4-1/2" x 5-1/2"	220g	0199.5922.0220	50
4-1/2" x 5-1/2"	320g	0199.5922.0320	50

2951 siatur siasoft sheets



- AO
- Very flexible H-wt cloth on foam backing


Size	Grit	sia Item #	Box qty unit
4-1/2" x 5-1/2"	80g	6269.3860.0080	20
4-1/2" x 5-1/2"	120g	6269.3860.0120	20
4-1/2" x 5-1/2"	150g	6269.3860.0150	20
4-1/2" x 5-1/2"	180g	6269.3860.0180	20
4-1/2" x 5-1/2"	220g	6269.3860.0220	20

Stocked

Made to Order


Available upon request

Longboard Sheets

1919 siawood TopTec

- AO
- Plain back


Size	Grit	Backing	sia Item #	Box qty unit
2-3/4" x 17-1/2" plain paper	60g	F-wt	7399.4070.0060	50
2-3/4" x 17-1/2" plain paper	80g	F-wt	7399.4070.0080	50
2-3/4" x 17-1/2" plain paper	100g	F-wt	7399.4070.0100	50
2-3/4" x 17-1/2" plain paper	120g	F-wt	7399.4070.0120	50
2-3/4" x 17-1/2" plain paper	150g	F-wt	7399.4070.0150	50
2-3/4" x 17-1/2" plain paper	180g	F-wt	7399.4070.0180	50
2-3/4" x 17-1/2" plain paper	220g	F-wt	7399.4070.0220	50

1950 siaped sifast Hook 'n Loop

- Semi-friable AO

Size	Grit	Backing	sia Item #	Box qty unit
2-3/4" x 16-1/2" sifast paper	40g	D-wt	6227.8446.0040	25
2-3/4" x 16-1/2" sifast paper	80g	D-wt	6227.8446.0080	25
2-3/4" x 16-1/2" sifast paper	120g	A-wt	6227.8446.0120	25
2-3/4" x 16-1/2" sifast paper	220g	A-wt	6227.8446.0220	25

Note:
Other grits available
upon request

1950 siaped siastik PSA

- Semi-friable AO

Size	Grit	Backing	sia Item #	Box qty unit
2-3/4" x 16-1/2" PSA paper	40g	D-wt	0195.3560.0040	25
2-3/4" x 16-1/2" PSA paper	80g	D-wt	0195.3560.0080	25
2-3/4" x 16-1/2" PSA paper	180g	A-wt	0195.3560.0180	25

Stocked

Made to Order

Available upon request

Rolls

Utility Rolls

2915 siarol Utility Rolls

- AO
- J-wt
- Hand sanding and polishing on non-ferrous metals and steel
- Flexible cotton backing makes product perform well on shapes and profiles

Note: Other sizes available upon request

	Grit	sia Item #	Box qty unit
1" x 50 Yards	60g	0430.8219.0060	1
	80g	0430.8219.0080	1
	100g	0430.8219.0100	1
	120g	0430.8219.0120	1
	150g	0430.8219.0150	1
	180g	0430.8219.0180	1
	240g	0430.8219.0240	1
	320g	0430.8219.0320	1
	400g	0430.8219.0400	1
1-1/2" x 50 Yards	60g	0388.1861.0060	1
	80g	0388.1861.0080	1
	100g	0388.1861.0100	1
	120g	0388.1861.0120	1
	150g	0388.1861.0150	1
	180g	0388.1861.0180	1
	240g	0388.1861.0240	1
	320g	0388.1861.0320	1
	400g	0388.1861.0400	1
2" x 50 Yards	60g	0574.5593.0060	1
	80g	0574.5593.0080	1
	100g	0574.5593.0100	1
	120g	0574.5593.0120	1
	150g	0574.5593.0150	1
	180g	0574.5593.0180	1
	240g	0574.5593.0240	1
	320g	0574.5593.0320	1
	400g	0574.5593.0400	1

Stocked

Made to Order

Available upon request

**1950 siaspeed siasitik
PSA Rolls**


- Semi-friable AO
- Sanding of filler compound, polyester, wood and composites

Note:
Liner removed

Size	Grit	sia Item #	Box qty unit
2-3/4" x 25 Yards	60g	5014.2229.0060	1
2-3/4" x 25 Yards	80g	5014.2229.0080	1
2-3/4" x 25 Yards	100g	5014.2229.0100	1
2-3/4" x 25 Yards	120g	5014.2229.0120	1
2-3/4" x 25 Yards	150g	5014.2229.0150	1
2-3/4" x 25 Yards	180g	5014.2229.0180	1
2-3/4" x 25 Yards	220g	5014.2229.0220	1
2-3/4" x 25 Yards	320g	5014.2229.0320	1
2-3/4" x 25 Yards	400g	5014.2229.0400	1
2-3/4" x 25 Yards	500g	5014.2229.0500	1
2-3/4" x 25 Yards	600g	5014.2229.0600	1
4-1/2" x 10 Yards	60g	1958.5356.0060	1
4-1/2" x 10 Yards	80g	1958.5356.0080	1
4-1/2" x 10 Yards	100g	1958.5356.0100	1
4-1/2" x 10 Yards	120g	1958.5356.0120	1
4-1/2" x 10 Yards	150g	1958.5356.0150	1
4-1/2" x 10 Yards	180g	1958.5356.0180	1
4-1/2" x 10 Yards	220g	1958.5356.0220	1
4-1/2" x 10 Yards	320g	1958.5356.0320	1
4-1/2" x 10 Yards	400g	1958.5356.0400	1
4-1/2" x 10 Yards	500g	1958.5356.0500	1
4-1/2" x 10 Yards	600g	1958.5356.0600	1

Stocked

Made to Order

Available upon request

Rolls

siafast Hook 'n Loop Rolls

1960 siarexx
siafast Hook 'n Loop Rolls

- AO
- Hand and machine sanding on wood, paint, sealer, lacquer, filler and composite materials

Size	Grit	sia Item #	Box qty unit
4-1/2" x 10 Yards	60g	8206.8311.0060	1
4-1/2" x 10 Yards	80g	8206.8311.0080	1
4-1/2" x 10 Yards	100g	8206.8311.0100	1
4-1/2" x 10 Yards	120g	8206.8311.0120	1
4-1/2" x 10 Yards	150g	8206.8311.0150	1
4-1/2" x 10 Yards	180g	8206.8311.0180	1
4-1/2" x 10 Yards	220g	8206.8311.0220	1
4-1/2" x 10 Yards	320g	8206.8311.0320	1
4-1/2" x 10 Yards	400g	8206.8311.0400	1

siasoft Rolls

1950 siaspeed siasoft Rolls




- Semi-friable AO
- Paper on foam backing
- Fine sanding of round edges and contours for wood, metals and composites

Note:
Perforated
every 4-3/4"

Size	Grit	sia Item #	Box qty unit
4-1/2" x 27 Yards	150g	2237.4334.0150	1
4-1/2" x 27 Yards	180g	2237.4334.0180	1
4-1/2" x 27 Yards	220g	2237.4334.0220	1
4-1/2" x 27 Yards	240g	2237.4334.0240	1
4-1/2" x 27 Yards	280g	2237.4334.0280	1
4-1/2" x 27 Yards	320g	2237.4334.0320	1
4-1/2" x 27 Yards	400g	2237.4334.0400	1
4-1/2" x 27 Yards	500g	2237.4334.0500	1
4-1/2" x 27 Yards	600g	2237.4334.0600	1

2951 siatur siasoft Rolls



- Very flexible H-wt cloth on foam backing

Size	Grit	sia Item #	Box qty unit
4-1/2" x 10 Yards	80g	6581.1109.0080	1
4-1/2" x 10 Yards	100g	6581.1109.0100	1
4-1/2" x 10 Yards	120g	6581.1109.0120	1
4-1/2" x 10 Yards	150g	6581.1109.0150	1
4-1/2" x 10 Yards	180g	6581.1109.0180	1
4-1/2" x 10 Yards	220g	6581.1109.0220	1

Stocked

Made to Order

Available upon request

Sandscreen Rolls

Sandscreen Rolls



Size	Grit	sia Item #	Box qty unit
1-1/2" x 25 Yards	80g	1155.7221.0080	1
1-1/2" x 25 Yards	100g	1155.7221.0100	1
1-1/2" x 25 Yards	120g	1155.7221.0120	1
1-1/2" x 25 Yards	180g	1155.7221.0180	1
1-1/2" x 25 Yards	220g	1155.7221.0220	1
1-1/2" x 25 Yards	320g	1155.7221.0320	1

- SC
- Screen construction reduces loading on wood, metal and composites

Cloth Rolls

Note: Various cloth series and widths available upon request

Stocked

Made to Order


Available upon request

Solid Surface

Discs


**1940 siacar siafast
Hook 'n Loop Discs**


- AO
- Fast cut and excellent finish
- For use on matte and high-gloss finishes



Size	Grit	Backing	sia Item #	Box qty unit
5" x NH	120g	A-wt	6567.9169.0120	100
5" x NH	180g	A-wt	6567.9169.0180	100
5" x NH	280g	A-wt	6567.9169.0280	100
5" x NH	400g	A-wt	6567.9169.0400	100
5" x NH	600g	A-wt	6567.9169.0600	100
6" x NH	120g	A-wt	7117.1114.0120.01	100
6" x NH	180g	A-wt	7117.1114.0180	100
6" x NH	280g	A-wt	7117.1114.0280	100
6" x NH	400g	A-wt	7117.1114.0400	100
6" x NH	600g	A-wt	7117.1114.0600	100
11" x 5"	120g	A-wt	2019.7493.0120	100
11" x 5"	180g	A-wt	2019.7493.0180	100
11" x 5"	280g	A-wt	2019.7493.0280	100
11" x 5"	400g	A-wt	2019.7493.0400	100
11" x 5"	600g	A-wt	2019.7493.0600	100
11-1/4" x NH	120g	A-wt	6622.1886.0120	100
11-1/4" x NH	180g	A-wt	6622.1886.0180	100
11-1/4" x NH	280g	A-wt	6622.1886.0280	100
11-1/4" x NH	400g	A-wt	6622.1886.0400	100
11-1/4" x NH	600g	A-wt	6622.1886.0600	100

Note:

5" and 6" are available with or without dust hole extractions

Disc for 11" sanders also available

See Discs section for details

Also available in 1950 siaspeed siafast Hook 'n Loop as listed below :

5" and 6" : stocked

11" and 11-1/4" : made to order

Stocked

Made to Order

Available upon request

**1990 siamic siafast
Hook 'n Loop Discs**



- AO
- Micron graded
- Designed for high gloss finish

Size	Grit	sia Item #	Backing	Box qty unit
6" x NH	1000g	8196.3327.1000	A-wt	100
6" x 7 Hole	1000g	9301.5854.1000	A-wt	100



**siafleece siafast
Hook 'n Loop Nonwoven Discs**



Note:
2" -6":25 box
8" -11":10 per box

Size	Grit	Color	Material	Box qty unit
2" -11"	Very Fine A	Maroon	Aluminum Oxide	see note
2" -11"	Micro Fine A	Gold	Aluminum Oxide	see note
2" -11"	Ultra Fine S	Grey	Silicon Carbide	see note
2" -11"	Non-Abrasive	White	Non-Abrasive	see note

Very Fine A (matte finish)



Ultra Fine S (semi-gloss finish)



Micro Fine A (high-gloss finish)

Stocked	Made to Order	Available upon request
---------	---------------	------------------------

Solid Surface

Pads

Soft Interface Pads




- For contours and edges

Note:
1/2" thickness

Size	sia Item #	Box qty unit
5" x 9 Hole	3665.8668.0000	5
6" x 7 Hole	3122.8833.0000	5
6" x 9 Hole	4754.6823.0000	5

Taco Pad siafast Hook 'n Loop



- For hand-finishing of coves and back splash

Size	sia Item #	Box qty unit
5"	5999.0390	1
6"	5999.0393	1

Polishing Accessories

Note: All polishing products can be used in automotive paint and finish applications

siafast Hook 'n Loop Polishing Backup Pad



Size	sia Item #	Box qty unit
3-1/2"	0020.0157	6
6"	0020.0073	6

Applications:

- Attaches to a speed adjustable rotary sander or polisher
- Backup pad is designed specifically for polishing applications

Advantages:

- Available in two different diameters and 5/8"-11 mark thread
- Made with a plastic support pad, medium density foam center and a Hook 'n Loop face

Strip Eraser siarad



Size	sia Item #	Box qty unit
3-1/2" x 19/32"	0020.0466	1

Applications:

- Removes tape coatings, decorative tapes, profile strips, stickers, and traces of adhesive tape without damaging high gloss painted surfaces

Advantages:

- Attaches to speed adjustable straight or die grinder
- Made with natural rubber, 19/32" spindle for mounting on speed adjustable die grinder

Stocked

Made to Order

Available upon request



Note: All polishing products can be used in automotive paint and finish applications

siashine Speed



Size	sia Item #	Box qty unit
1 liter	0020.3615	6

Applications:

- Silicon-free, extreme cutting performance on old paints and new paint finishes

Advantages:

- Can be completely polished out and sealed
- Removes scratches and paint damage

siashine Finish



Size	sia Item #	Box qty unit
1 liter	0020.3616	6

Applications:

- Can be used for all makes of hard-wearing paint, directly after sanding

Advantages:

- Hologram-free, long life sealing
- Polishing and sealing in a single operation

siashine Magic



Size	sia Item #	Box qty unit
1 liter	0020.3616	6

Applications:

- Spray additive for brilliant surfaces

Advantages:

- Effortless to use
- Removes and prevents holograms
- Non-streak shine on all paints

siaspray Head for siashine Magic



(sold in case quantities)

Size	sia Item #	Box qty unit
1 liter	0020.6318	6

Advantages:

- High quality spray head and Viton seal

Stocked	Made to Order	Available upon request
---------	---------------	------------------------

Solid Surface

Polishing Discs

Lambskin Disc



Size	sia Item #	Box qty unit
4"	0020.0154	1
6-11/16"	0020.0265	1

Applications:

- Lambskin disc grips to appropriate backup pad, attached to polisher or speed adjustable rotary sander in combination with siashine Speed
- Polishing out sanding scratches and sealing of new and old paints

Advantages:

- 100% natural lambskin with siafast Hook 'n Loop backing for easy change

Foam Disc Hard



Size	sia Item #	Box qty unit
6-11/16"	0020.2018	6

Applications:

- Foam disc attaches to proper backup pad, mounted to speed adjustable rotary sander or polisher in combination with siashine Speed
- Polishing out sanding scratches and other minor imperfections on old paint coats

Advantages:

- Hard foam disc with siafast Hook 'n Loop backing for easy change

Foam Disc Soft



Size	sia Item #	Box qty unit
4"	0020.0155	6
6-11/16"	0020.0264	6

Applications:

- Foam disc attaches to proper backup pad, mounted to speed adjustable rotary sander or polisher in combination with siashine Speed or siashine Finish
- Polishing out sanding scratches on new paint coats

Advantages:

- Soft foam disc with convenient siafast Hook 'n Loop backing for time saving change

Foam Disc Extra Soft



Size	sia Item #	Box qty unit
4"	0020.0261	6
6-11/16"	0020.0262	6

Applications:

- Foam polishing disc attaches to backup pad, fixed to polisher or speed adjustable rotary sander in combination with siashine Finish
- Polishing and sealing new paint coats

Advantages:


- Extra soft foam disc with siafast Hook 'n Loop backing for easy change

Stocked

Made to Order


Available upon request

Standard Pads



Sanding Pad-grey

- For use on wood, paint, dry wall and composites




Sanding Pad-white

- For use on wood, paint, dry wall and composites

Size	Grit	Description	sia Item #	Box qty unit
4-3/4" x 3-3/4" x 1/2"	coarse/36g	AO Sanding Pad	3051.2276.0036	250
4-3/4" x 3-3/4" x 1/2"	med/60g	AO Sanding Pad	3051.2276.0060	250
4-3/4" x 3-3/4" x 1/2"	80g	AO Sanding Pad	3051.2276.0080	250
4-3/4" x 3-3/4" x 1/2"	fine/100g	AO Sanding Pad	3051.2276.0100	250
4-3/4" x 3-3/4" x 1/2"	120g	AO Sanding Pad	3051.2276.0120	250
4-3/4" x 3-3/4" x 1/2"	veryfine/150g	AO Sanding Pad	3051.2276.0150	250
4-3/4" x 3-3/4" x 1/2"	superfine/180g	AO Sanding Pad	3051.2276.0180	250
4-3/4" x 3-3/4" x 1/2"	microfine/220g	AO Sanding Pad	3051.2276.0220	250
4-3/4" x 3-3/4" x 1/2"	fine/100g	AO Sanding Pad	9901.2302.0100	250
4-3/4" x 3-3/4" x 1/2"	superfine/180g	AO Sanding Pad	9901.2302.0180	250
4-3/4" x 3-3/4" x 1/2"	ultrafine/200g	AO Sanding Pad	9901.2302.0200	250

Standard Grit Sizes

Standard Pad



Stocked Made to Order Available upon request

Sponges


Sanding Blocks/Pads

Block Sponges		Size	Grit	Description	sia Item #	Box qty unit
	Half Sanding Block (3 sided) • For use on wood, paint, dry wall and composites	3-3/4" x 2-3/4" x 1/2"	med/60g	AO Sanding Pad	7049.0228.0060	500
		3-3/4" x 2-3/4" x 1/2"	80g	AO Sanding Pad	7049.0228.0080	500
		3-3/4" x 2-3/4" x 1/2"	fine/100g	AO Sanding Pad	7049.0228.0100	500
		3-3/4" x 2-3/4" x 1/2"	120g	AO Sanding Pad	7049.0228.0120	500
		3-3/4" x 2-3/4" x 1/2"	150g	AO Sanding Pad	7049.0228.0150	500
		3-3/4" x 2-3/4" x 1/2"	180g	AO Sanding Pad	7049.0228.0180	500
	Sanding Block also available in soft density foam • For use on wood, paint, dry wall and composites	3-3/4" x 2-3/4" x 1"	coarse/36g	AO Sanding Pad	9700.6965.0036	250
		3-3/4" x 2-3/4" x 1"	med/60g	AO Sanding Pad	9700.6965.0060	250
		3-3/4" x 2-3/4" x 1"	80g	AO Sanding Pad	9700.6965.0080	250
		3-3/4" x 2-3/4" x 1"	fine/100g	AO Sanding Pad	9700.6965.0100	250
		3-3/4" x 2-3/4" x 1"	120g	AO Sanding Pad	9700.6965.0120	250
		3-3/4" x 2-3/4" x 1"	150g	AO Sanding Pad	9700.6965.0150	250
		3-3/4" x 2-3/4" x 1"	180g	AO Sanding Pad	9700.6965.0180	250
		3-3/4" x 2-3/4" x 1"	36g/60g combination	AO Sanding Pad	0498.0882.0000.01	250
		3-3/4" x 2-3/4" x 1"	60g/100g combination	AO Sanding Pad	0498.0882.0000	250

Flat Pads (grit on one side)		Size	Grit	Description	sia Item #	Box qty unit
	Closed cell foam • For use on wood, paint, dry wall and composites	5-1/2" x 4-1/2" x 3/16"	med/60g	Flat Pad	9185.9761.0060	250
		5-1/2" x 4-1/2" x 3/16"	fine/100g	Flat Pad	9185.9761.0100.01	250
		5-1/2" x 4-1/2" x 3/16"	extra fine/150g	Flat Pad	9185.9761.0150.01	250
		5-1/2" x 4-1/2" x 3/16"	superfine/180g	Flat Pad	9185.9761.0180	250
		5-1/2" x 4-1/2" x 3/16"	ultrafine/220g	Flat Pad	9185.9761.0220	250
		5-1/2" x 4-1/2" x 3/16"	microfine/280g	Flat Pad	9185.9761.0280.03	250
	Open cell Z-foam • For use on wood, paint, dry wall and composites	5-1/2" x 4-1/2" x 3/16"	med/60g	Flat Pad	9185.9761.0060.02	250
		5-1/2" x 4-1/2" x 3/16"	fine/100g	Flat Pad	9185.9761.0100	250
		5-1/2" x 4-1/2" x 3/16"	extra fine/150g	Flat Pad	9185.9761.0150	250
		5-1/2" x 4-1/2" x 3/16"	superfine/180g	Flat Pad	9185.9761.0180.01	250
		5-1/2" x 4-1/2" x 3/16"	ultrafine/220g	Flat Pad	9185.9761.0220.01	250
		5-1/2" x 4-1/2" x 3/16"	microfine/280g	Flat Pad	9185.9761.0280.02	250

Standard Grit Sizes

Flat Pad



Approximate finishing grit
Comparable finish to coated abrasive grit size

Stocked	Made to Order	Available upon request
---------	---------------	------------------------

Rubber Expander Drums



Expanding Cloth Band Drums

DIA	Length	Shank	sia Item #	Box qty unit
1/2"	1/2"	1/4"	5381.1073.0000	1
1/2"	1"	1/4"	2757.0397.0000	1
3/4"	1"	1/4"	2893.1708.0000	1
3/4"	1-1/2"	1/4"	3169.4493.0000	1
1"	1"	1/4"	3042.8917.0000	1
1"	2"	1/4"	3581.8589.0000	1
1-1/2"	1"	1/4"	2658.0352.0000	1
1-1/2"	1-1/2"	1/4"	3582.5127.0000	1
2"	1"	1/4"	3583.1665.0000	1
2"	2"	1/4"	4157.3456.0000	1
3"	1"	1/4"	4132.3610.0000	1
3"	3"	3/8"	5224.5390.0000	1
1/2"	1/2"	1/4"	2454.6371.0000	1
1/2"	1"	1/4"	5644.4498.0000	1
3/4"	1"	1/4"	5780.5809.0000	1
3/4"	1-1/2"	1/4"	6051.1620.0000	1
1"	1"	1/4"	9068.3216.0000	1
1"	2"	1/4"	6469.2690.0000	1
1-1/2"	1"	1/4"	6193.6443.0000	1
1-1/2"	1-1/2"	1/4"	5774.8835.0000	1
2"	1"	1/4"	6470.5766.0000	1
2"	2"	1/4"	6086.3739.0000	1
3"	1"	1/4"	6998.1490.0000	1
3"	3"	3/8"	8111.9491.0000	1



Standard Cloth Band Drums

Conversion Pads



9089 siaklett Hook material

Note: For converting siastik PSA to siafast Hook 'n Loop

Size	sia Item #	Box qty unit
5" siafast Hook 'n Loop Conversion Pad	8211.1640.0100	2
6" siafast Hook 'n Loop Conversion Pad	8220.1900.0150	2
7" siafast Hook 'n Loop Conversion Pad	8826.6390.0000	2
8" siafast Hook 'n Loop Conversion Pad	9296.9569.0000	2

Stocked	Made to Order	Available upon request
---------	---------------	------------------------

Accessories

Backup Pads

**siafast Hook 'n Loop
SCM Backup Pads**



Size	RPM	sia Item #	Box qty unit
2" x 1/4"	22,000 RPM	9142.3894.0000	1
3" x 1/4"	18,000 RPM	9992.0470.0000	1
4" x 3/8"-24	10,000 RPM	0633.8835.0000	1
4" x 5/8"-11	10,000 RPM	7339.7610.0000	1
4-1/2" x 5/8"-11	10,000 RPM	7616.6933.0000	1
5" x 5/16"-24	10,000 RPM	7698.9791.0000	1
5" x 5/8"-11	10,000 RPM	9376.3878.0000	1
6" x 5/16"-24	10,000 RPM	1676.0923.0000	1
6" x 5/8"-11	8,000 RPM	1866.0687.0000	1
7" x 5/8"-11	6,000 RPM	2472.5177.0000	1
8" x 5/8"-11	4,800 RPM	3000.0901.0000	1

**1815 siatop siafast
Hook 'n Loop Backup Pads**





Size	Thread	RPM	sia Item #	Box qty unit
5"	5/8"-11	12,000	0319.6151.0000	1
6"	5/8"-11	10,000	0868.8096.0000	1
7"	5/8"-11	8,500	1506.2209.0000	1

Stocked Made to Order Available upon request

siafast Hook 'n Loop DA Backup Pads



Note:
Other sizes,
density and hole
configurations
are made to
order



Note:
May be used for
6" x 7 hole and
6" x 9 hole
configurations



Size	Thread	Description	sia Item #	Box qty unit
5" x NH	5/16 -24	1/2" Medium siafast - H & L	4580.8409.0000	1
5" x 5 Hole	5/16 -24	1/2" Medium siafast - H & L	0168.2848.0000	1
5" x 9 Hole	5/16 -24	1/2" Medium siafast - H & L	5849.3198.0000	1
6" x NH	5/16 -24	1/2" Medium siafast - H & L	7486.5440.0000	1
6" x 7 Hole	5/16 -24	1/2" Medium siafast - H & L	5999.2019	1
6" x 9 Hole	5/16 -24	1/2" Medium siafast - H & L	6398.5143.0000	1
6" x 15 Hole	5/16 -24	1/2" Soft siafast - H & L	0020.4092	1
6" x 15 Hole	5/16 -24	1/2" Medium siafast - H & L	6674.7928.0000	1
6" x 15 Hole	5/16 -24	1/2" Hard siafast - H & L	0020.4091	1

Stocked Made to Order Available upon request

Accessories

Backup Pads

siastik PSA Backup Pads



Note:
Other sizes,
density
and hole
configurations
are made
to order

Size	Thread	Description	sia Item #	Box qty unit
5"	5/16"-24	3/8" Firm siastik - PSA	3501.9943.0000	1
5"	5/16"-24	1/2" Medium siastik - PSA	3596.9825.0000	1
6"	5/16"-24	3/8" Firm siastik - PSA	4051.1888.0000	1
6"	5/16"-24	1/2" Medium siastik - PSA	4124.5549.0000	1
5" x 5 hole	5/16"-24	3/8" Firm siastik - PSA	0032.6796.0000	1
6" x 6 hole	5/16"-24	1/2" Medium siastik - PSA	0540.5444.0000	1



Stocked Made to Order Available upon request

Accessories

Backup Pads

siafix Locking Backup Pads



Size	Type	RPM	sia Item #	Box qty unit
1-1/2"	T-2	30,000	6434.5704.0000	1
1-1/2"	T-3	30,000	6487.1548.0000	1
2"	T-2	30,000	6706.8326.0000	1
2"	T-3	30,000	7536.4624.0000	1
3"	T-2	20,000	7234.4050.0000	1
3"	T-3	20,000	8085.6569.0000	1
4"	T-2	10,000	7783.5995.0000	1
4"	T-3	10,000	9437.0206.0000	1

Resin Fibre Disc Backup Pads



Size	Thread	RPM	Description	sia Item #	Box qty unit
4"	3/8"-24	15,000	Reinforced Polyurethane for B & D	5343.1868.0000	1
4-1/2"	5/8"-11	13,000	Reinforced Polyurethane	2611.8981.0000	1
5"	5/8"-11	12,000	Reinforced Polyurethane	2857.8681.0000	1
5"	5/8"-11	12,000	Circle Cool Rubber Pad	6013.2415.0000	1
7"	5/8"-11	6,600	Standard Rubber Pad #1500	7147.2629.0000	1
7"	5/8"-11	7,500	Circle Cool Rubber Pad	6863.1387.0000	1
7"	5/8"-11	8,500	Reinforced Polyurethane	3991.8895.0000	1
9"	5/8"-11	9,000	Reinforced Polyurethane	5121.2408.0000	1

Resin Fibre Disc Cutter

Resin Fibre Disc Cutter




Product	sia Item #	Box qty unit
Disc Cutter	5355.4689.0000	1
Replacement Upper Blades	5930.9556.0000	1
Replacement Lower Blades	6458.5280.0000	1

Stocked Made to Order Available upon request

Accessories

Miscellaneous

**Handsanding Block
siafast Hook 'n Loop**




siafast wet/dry

siafast dry
Flexible handpad for
siafast Hook 'n Loop
discs


Size	sia Item #	Box qty unit
2-3/4" x 5" x 1- 1/2"	0020.0343	1
2-3/4" x 5" x 1- 1/2"	0020.0342	1
5" x 3/8"	0020.2032	1
5" x 1/8"	0020.2033	1
6" x 3/8"	0020.2034	1
6" x 1/8"	0020.2035	1

siafast wet/dry



siafast dry

Hand Pad Holder



Face Size 3" x 5-1/2"

Note:
For use with 6" x 9"
nonwoven handpads

sia Item #	Box qty unit
6821.1206.0000	1

Body File



Size	sia Item #	Box qty unit
2-3/4" x 17-1/2"	0008.0159	1

Graphite Canvas



450 Friction Fighter

Size	sia Item #	Box qty unit
4" x 10 yards	6257.9830.0000	1
6" x 10 yards	2238.6124.0000	1
8" x 10 yards	2824.2423.0000	1
12" x 10 yards	4797.2742.0000	1


Stocked Made to Order Available upon request

Universal Unitized Wheel Mandrels



Shank	Arbor	sia Item #	Box qty unit
1/4" shank	1/4"	6456.2333.0000	1
1/4" shank	3/8"	5142.1423.0000	1

Cartridge Roll Mandrels



Arbor DIA	Pilot Length	Shank DIA	Shank Length	sia Item #	Box qty unit
1/8"	1"	1/4"	1	0608.6991.0000	1
1/8"	1-1/2"	1/4"	1	0946.0615.0000	1
1/4"	1-1/2"	1/4"	1	0998.6459.0000	1
1/8"	2"	1/4"	1	1218.3237.0000	1

J Unitized Wheel Screw Mandrel



Size	Product	sia Item #	Box qty unit
1" x 1" x 3/16"	J Unitized Wheel Screws	5895.0899.0000	1

Reducer Bushings



Arbor	sia Item #	Box qty unit
1" to 5/8"	5713.7996.0000	1 pair
1" to 1/2"	5653.3695.0000	1 pair

Belt Cleaning Sticks




Size	sia Item #	Box qty unit
1-5/8" x 1-5/8" x 8-1/4"	2710.9836.0000	1
2" x 2" x 12"	7191.1126.0000	1

Stocked	Made to Order	Available upon request
---------	---------------	------------------------

Specialties

Mounted Flapwheels

Mounted Flapwheels



Available grits: 40-320

- Long lasting
- Produces consistent finish
- For use on flat or contoured surfaces

Note:
Other widths and diameters
available upon request

Size	Grit	Item #	Box qty unit
1" x 1/2" x 1/4"	60g	1628.1184.0060	10
1" x 1/2" x 1/4"	80g	1628.1184.0080	10
1" x 1/2" x 1/4"	120g	1628.1184.0120	10
1" x 5/8" x 1/4"	60g	2385.0323.0060	10
1" x 5/8" x 1/4"	80g	2385.0323.0080	10
1" x 5/8" x 1/4"	120g	2385.0323.0120	10
1" x 1" x 1/4"	60g	3991.2182.0060	10
1" x 1" x 1/4"	80g	3991.2182.0080	10
1" x 1" x 1/4"	120g	3991.2182.0120	10
1-1/2" x 1/2" x 1/4"	60g	1905.0507.0060	10
1-1/2" x 1/2" x 1/4"	80g	1905.0507.0080	10
1-1/2" x 1/2" x 1/4"	120g	1905.0507.0120	10
1-1/2" x 1" x 1/4"	60g	8440.3435.0060	10
1-1/2" x 1" x 1/4"	80g	8440.3435.0080	10
1-1/2" x 1" x 1/4"	120g	8440.3435.0120	10
2" x 1/2" x 1/4"	60g	2155.6908.0060	10
2" x 1/2" x 1/4"	80g	2155.6908.0080	10
2" x 1/2" x 1/4"	120g	2155.6908.0120	10
2" x 1" x 1/4"	60g	7640.7938.0060	10
2" x 1" x 1/4"	80g	7640.7938.0080	10
2" x 1" x 1/4"	120g	7640.7938.0120	10
2-1/2" x 1/2" x 1/4"	60g	2458.9153.0060	10
2-1/2" x 1/2" x 1/4"	80g	2458.9153.0080	10
2-1/2" x 1/2" x 1/4"	120g	2458.9153.0120	10
2-1/2" x 1" x 1/4"	60g	5486.5709.0060	10
2-1/2" x 1" x 1/4"	80g	5486.5709.0080	10
2-1/2" x 1" x 1/4"	120g	5486.5709.0120	10
3" x 1/2" x 1/4"	60g	0385.7633.0060	10
3" x 1/2" x 1/4"	80g	0385.7633.0080	10
3" x 1/2" x 1/4"	120g	0385.7633.0120	10
3" x 1" x 1/4"	60g	0658.0255.0060	10
3" x 1" x 1/4"	80g	0658.0255.0080	10
3" x 1" x 1/4"	120g	0658.0255.0120	10


Stocked

Made to Order

Available upon request

Mounted Flapwheels

Mounted Flapwheels



Available grits: 40-320

- Long lasting
- Produces consistent finish
- For use on flat or contoured surfaces

Note:
Other widths and diameters available upon request

Size	Grit	Item #	Box qty unit
3" x 2" x 1/4"	60g	8717.5607.0060	10
3" x 2" x 1/4"	80g	8717.5607.0080	10
3" x 2" x 1/4"	120g	8717.5607.0120	10
1" x 1/2" x 1/4" - 20	60g	1485.6361.0060	10
1" x 1/2" x 1/4" - 20	80g	1485.6361.0080	10
1" x 1/2" x 1/4" - 20	120g	1485.6361.0120	10
1" x 5/8" x 1/4" - 20	60g	2242.5500.0060	10
1" x 5/8" x 1/4" - 20	80g	2242.5500.0080	10
1" x 5/8" x 1/4" - 20	120g	2242.5500.0120	10
1" x 1" x 1/4" - 20	60g	4513.2917.0060	10
1" x 1" x 1/4" - 20	80g	4513.2917.0080	10
1" x 1" x 1/4" - 20	120g	4513.2917.0120	10
1-1/2" x 1/2" x 1/4" - 20	60g	1762.5684.0060	10
1-1/2" x 1/2" x 1/4" - 20	80g	1762.5684.0080	10
1-1/2" x 1/2" x 1/4" - 20	120g	1762.5684.0120	10
1-1/2" x 1" x 1/4" - 20	60g	4790.2240.0060	10
1-1/2" x 1" x 1/4" - 20	80g	4790.2240.0080	10
1-1/2" x 1" x 1/4" - 20	120g	4790.2240.0120	10
2" x 1/2" x 1/4" - 20	60g	2034.8306.0060	10
2" x 1/2" x 1/4" - 20	80g	2034.8306.0080	10
2" x 1/2" x 1/4" - 20	120g	2034.8306.0120	10
2" x 1" x 1/4" - 20	60g	5062.4832.0060	10
2" x 1" x 1/4" - 20	80g	5062.4832.0080	10
2" x 1" x 1/4" - 20	120g	5062.4832.0120	10
2-1/2" x 1/2" x 1/4" - 20	60g	2338.0551.0060	10
2-1/2" x 1/2" x 1/4" - 20	80g	2338.0551.0080	10
2-1/2" x 1/2" x 1/4" - 20	120g	2338.0551.0120	10
2-1/2" x 1" x 1/4" - 20	60g	5365.7107.0060	10
2-1/2" x 1" x 1/4" - 20	80g	5365.7107.0080	10
2-1/2" x 1" x 1/4" - 20	120g	5365.7107.0120	10
3" x 1/2" x 1/4" - 20	60g	2562.4030.0060	10
3" x 1/2" x 1/4" - 20	80g	2562.4030.0080	10
3" x 1/2" x 1/4" - 20	120g	2562.4030.0120	10
3" x 1" x 1/4" - 20	60g	5590.0586.0060	10
3" x 1" x 1/4" - 20	80g	5590.0586.0080	10
3" x 1" x 1/4" - 20	120g	5590.0586.0120	10

Stocked Made to Order Available upon request

Specialties

Unmounted Flapwheels

Unmounted Flapwheels



Available grits: 40-320

- General purpose
- Good for light deburring
- Produces a consistent finish

Note:

Other widths and diameters available upon request

DIA	Width	Arbor	Grit	sia Item #	Box qty unit
3-1/2"	1-1/2"	5/8"	60g	9390.8109.0060	2
3-1/2"	1-1/2"	5/8"	80g	9390.8109.0080	2
3-1/2"	1-1/2"	5/8"	120g	9390.8109.0120	2
4"	1"	5/8"	60g	9610.4887.0060	2
4"	1"	5/8"	80g	9610.4887.0080	2
4"	1"	5/8"	120g	9610.4887.0120	2
4"	2"	5/8"	60g	9562.9946.0060	2
4"	2"	5/8"	80g	9562.9946.0080	2
4"	2"	5/8"	120g	9562.9946.0120	2
6"	1"	1"	60g	0900.7578.0060	2
6"	1"	1"	80g	0900.7578.0080	2
6"	1"	1"	120g	0900.7578.0120	2
6"	1-1/2"	1"	60g	0361.1368.0060	1
6"	1-1/2"	1"	80g	0361.1368.0080	1
6"	1-1/2"	1"	120g	0361.1368.0120	1
6"	2"	1"	60g	1440.3788.0060	1
6"	2"	1"	80g	1440.3788.0080	1
6"	2"	1"	120g	1440.3788.0120	1
6"	3"	1"	60g	1979.9998.0060	1
6"	3"	1"	80g	1979.9998.0080	1
6"	3"	1"	120g	1979.9998.0120	1
8"	1"	1"	60g	2087.3636.0060	1
8"	1"	1"	80g	2087.3636.0080	1
8"	1"	1"	120g	2087.3636.0120	1
8"	2"	1"	60g	2626.9846.0060	1
8"	2"	1"	80g	2626.9846.0080	1
8"	2"	1"	120g	2626.9846.0120	1
10"	1"	1-3/4"	60g	3582.8913.0060	1
10"	1"	1-3/4"	80g	3582.8913.0080	1
10"	1"	1-3/4"	120g	3582.8913.0120	1
10"	2"	1-3/4"	60g	3738.3096.0060	1
10"	2"	1-3/4"	80g	3738.3096.0080	1
10"	2"	1-3/4"	120g	3738.3096.0120	1

Stocked

Made to Order

Available upon request

Cartridge Rolls

Cartridge Rolls "Straight"



- AO
- General purpose
- Deburring and finishing

Note:
1/2 tapered and full tapered
cartridge rolls-available
upon request

DIA	Width	Arbor	Grit	sia Item #	Box qty unit
3/8"	2"	1/8"	60g	5105.1137.0060	100
3/8"	2"	1/8"	80g	5105.1137.0080	100
3/8"	2"	1/8"	120g	5105.1137.0120	100
3/8"	2"	1/8"	180g	5105.1137.0180	100
1/2"	1"	1/8"	60g	8150.2787.0060	100
1/2"	1"	1/8"	80g	8150.2787.0080	100
1/2"	1"	1/8"	120g	8150.2787.0120	100
1/2"	1"	1/8"	180g	8150.2787.0180	100
1/2"	1-1/2"	1/8"	60g	1967.0601.0060	100
1/2"	1-1/2"	1/8"	80g	1967.0601.0080	100
1/2"	1-1/2"	1/8"	120g	1967.0601.0120	100
1/2"	1-1/2"	1/8"	180g	1967.0601.0180	100
1/2"	2"	1/8"	60g	6722.0074.0060	100
1/2"	2"	1/8"	80g	6722.0074.0080	100
1/2"	2"	1/8"	120g	6722.0074.0120	100
1/2"	2"	1/8"	180g	6722.0074.0180	100
3/4"	1-1/2"	1/4"	60g	2163.6213.0060	100
3/4"	1-1/2"	1/4"	80g	2163.6213.0080	100
3/4"	1-1/2"	1/4"	120g	2163.6213.0120	100
3/4"	1-1/2"	1/4"	180g	2163.6213.0180	100
1/4"	1-1/2"	1/8"	60g	1826.2589.0060	100
1/4"	1-1/2"	1/8"	80g	1826.2589.0080	100
1/4"	1-1/2"	1/8"	120g	1826.2589.0120	100
1/4"	1-1/2"	1/8"	180g	1826.2589.0180	100
3/8"	1-1/2"	1/8"	60g	1883.5134.0060	100
3/8"	1-1/2"	1/8"	80g	1883.5134.0080	100
3/8"	1-1/2"	1/8"	120g	1883.5134.0120	100
3/8"	1-1/2"	1/8"	180g	1883.5134.0180	100

Stocked

Made to Order

Available upon request

Specialties

Cloth Bands

Cloth Bands



- AO
- X-wt cotton
- General purpose
- Deburring and finishing

Size	Grit	sia Item #	Box qty unit	Size	Grit	sia Item #	Box qty unit
1/4" x 1/2"	36g	3731.2465.0036	100	3/4" x 1-1/2"	36g	0711.3264.0036	100
1/4" x 1/2"	60g	3731.2465.0060	100	3/4" x 1-1/2"	60g	0711.3264.0060	100
1/4" x 1/2"	80g	3731.2465.0080	100	3/4" x 1-1/2"	80g	0711.3264.0080	100
1/4" x 1/2"	120g	3731.2465.0120	100	3/4" x 1-1/2"	120g	0711.3264.0120	100
1/2" x 1/2"	36g	2174.7829.0036	100	3/4" x 4-1/2"	36g	6596.0944.0036	50
1/2" x 1/2"	60g	2174.7829.0060	100	3/4" x 4-1/2"	60g	6596.0944.0060	50
1/2" x 1/2"	80g	2174.7829.0080	100	3/4" x 4-1/2"	80g	6596.0944.0080	50
1/2" x 1/2"	120g	2174.7829.0120	100	3/4" x 4-1/2"	120g	6596.0944.0120	50
1/2" x 1"	36g	2447.0451.0036	100	3/4" x 6"	36g	5711.2731.0036	50
1/2" x 1"	60g	2447.0451.0060	100	3/4" x 6"	60g	5711.2731.0060	50
1/2" x 1"	80g	2447.0451.0080	100	3/4" x 6"	80g	5711.2731.0080	50
1/2" x 1"	120g	2447.0451.0120	100	3/4" x 6"	120g	5711.2731.0120	50
1/2" x 1-1/2"	36g	2723.9774.0036	100	3/4" x 9"	36g	9282.6636.0036	25
1/2" x 1-1/2"	60g	2723.9774.0060	100	3/4" x 9"	60g	9282.6636.0060	25
1/2" x 1-1/2"	80g	2723.9774.0080	100	3/4" x 9"	80g	9282.6636.0080	25
1/2" x 1-1/2"	120g	2723.9774.0120	100	3/4" x 9"	120g	9282.6636.0120	25
1/2" x 4-1/2"	36g	0102.1319.0036	50	1" x 1"	36g	5474.7007.0036	100
1/2" x 4-1/2"	60g	0102.1319.0060	50	1" x 1"	60g	5474.7007.0060	100
1/2" x 4-1/2"	80g	0102.1319.0080	50	1" x 1"	80g	5474.7007.0080	100
1/2" x 4-1/2"	120g	0102.1319.0120	50	1" x 1"	120g	5474.7007.0120	100
1/2" x 6"	36g	5575.1420.0036	50	1" x 1-1/2"	36g	0847.4575.0036	100
1/2" x 6"	60g	5575.1420.0060	50	1" x 1-1/2"	60g	0847.4575.0060	100
1/2" x 6"	80g	5575.1420.0080	50	1" x 1-1/2"	80g	0847.4575.0080	100
1/2" x 6"	120g	5575.1420.0120	50	1" x 1-1/2"	120g	0847.4575.0120	100
1/2" x 9"	36g	9146.5325.0036	25	1" x 4-1/2"	36g	6732.2255.0036	50
1/2" x 9"	60g	9146.5325.0060	25	1" x 4-1/2"	60g	6732.2255.0060	50
1/2" x 9"	80g	9146.5325.0080	25	1" x 4-1/2"	80g	6732.2255.0080	50
1/2" x 9"	120g	9146.5325.0120	25	1" x 4-1/2"	120g	6732.2255.0120	50
3/4" x 1"	36g	0753.9622.0036	100	1" x 6"	36g	5847.4042.0036	50
3/4" x 1"	60g	0753.9622.0060	100	1" x 6"	60g	5847.4042.0060	50
3/4" x 1"	80g	0753.9622.0080	100	1" x 6"	80g	5847.4042.0080	50
3/4" x 1"	120g	0753.9622.0120	100	1" x 6"	120g	5847.4042.0120	50

Stocked

Made to Order

Available upon request

Cloth Bands



- AO
- X-wt cotton
- General purpose
- Deburring and finishing

Size	Grit	sia Item #	Box qty unit	Size	Grit	sia Item #	Box qty unit
1" x 9"	36g	9397.1726.0036	25	2" x 2"	36g	8987.2929.0036	100
1" x 9"	60g	9397.1726.0060	25	2" x 2"	60g	8987.2929.0060	100
1" x 9"	80g	9397.1726.0080	25	2" x 2"	80g	8987.2929.0080	100
1" x 9"	120g	9397.1726.0120	25	2" x 2"	120g	8987.2929.0120	100
1-1/2" x 1"	36g	1167.0256.0036	100	2" x 4-1/2"	36g	7259.7979.0036	50
1-1/2" x 1"	60g	1167.0256.0060	100	2" x 4-1/2"	60g	7259.7979.0060	50
1-1/2" x 1"	80g	1167.0256.0080	100	2" x 4-1/2"	80g	7259.7979.0080	50
1-1/2" x 1"	120g	1167.0256.0120	100	2" x 4-1/2"	120g	7259.7979.0120	50
1-1/2" x 1-1/2"	36g	5708.9972.0036	100	2" x 6"	36g	6374.9766.0036	50
1-1/2" x 1-1/2"	60g	5708.9972.0060	100	2" x 6"	60g	6374.9766.0060	50
1-1/2" x 1-1/2"	80g	5708.9972.0080	100	2" x 6"	80g	6374.9766.0080	50
1-1/2" x 1-1/2"	120g	5708.9972.0120	100	2" x 6"	120g	6374.9766.0120	50
1-1/2" x 2"	36g	4152.0454.0036	100	2" x 9"	36g	9946.3671.0036	50
1-1/2" x 2"	60g	4152.0454.0060	100	2" x 9"	60g	9946.3671.0060	50
1-1/2" x 2"	80g	4152.0454.0080	100	2" x 9"	80g	9946.3671.0080	50
1-1/2" x 2"	120g	4152.0454.0120	100	2" x 9"	120g	9946.3671.0120	50
1-1/2" x 4-1/2"	36g	7009.1578.0036	50	3" x 1"	36g	1966.8602.0036	25
1-1/2" x 4-1/2"	60g	7009.1578.0060	50	3" x 1"	60g	1966.8602.0060	25
1-1/2" x 4-1/2"	80g	7009.1578.0080	50	3" x 1"	80g	1966.8602.0080	25
1-1/2" x 4-1/2"	120g	7009.1578.0120	50	3" x 1"	120g	1966.8602.0120	25
1-1/2" x 6"	36g	6124.3365.0036	50	3" x 2"	36g	4951.8800.0036	50
1-1/2" x 6"	60g	6124.3365.0060	50	3" x 2"	60g	4951.8800.0060	50
1-1/2" x 6"	80g	6124.3365.0080	50	3" x 2"	80g	4951.8800.0080	50
1-1/2" x 6"	120g	6124.3365.0120	50	3" x 2"	120g	4951.8800.0120	50
1-1/2" x 9"	36g	9695.7270.0036	25	3" x 3"	36g	7936.8998.0036	50
1-1/2" x 9"	60g	9695.7270.0060	25	3" x 3"	60g	7936.8998.0060	50
1-1/2" x 9"	80g	9695.7270.0080	25	3" x 3"	80g	7936.8998.0080	50
1-1/2" x 9"	120g	9695.7270.0120	25	3" x 3"	120g	7936.8998.0120	50
2" x 1"	36g	1417.6657.0036	100	3" x 9"	36g	0527.7735.0036	25
2" x 1"	60g	1417.6657.0060	100	3" x 9"	60g	0527.7735.0060	25
2" x 1"	80g	1417.6657.0080	100	3" x 9"	80g	0527.7735.0080	25
2" x 1"	120g	1417.6657.0120	100	3" x 9"	120g	0527.7735.0120	25

Stocked

Made to Order

Available upon request

siastar Products



Advantages

Quick change tooling for right angle variable speed grinders

Tools for fillet welds, flat grinding and tubular polishing

Applications

The entire siastar system in a box always at your fingertips

Can be enhanced for specific requirements

Optimum protection of machine and tools

Handy and practical when you're on the move



siastar



siastar kit w/o grinder

sia Item #	Box qty unit
T6314.0011.1	1

Modul siastar



sia Item #	Box qty unit
T6316.0000.1	10

Strip siastar



Grit	Description	sia Item #	Box qty unit
Crs	4-1/2" coarse AO Strip Vlies siastar	T6325.1924.8	20

Flap siastar



Grit	Description	sia Item #	Box qty unit
40g	4-1/2" Flap siastar	T6317.0040.2	50
60g	4-1/2" Flap siastar	T6317.0060.2	50
80g	4-1/2" Flap siastar	T6317.0080.2	50

Stocked Made to Order Available upon request

Cut siastar



Description	sia Item #	Box qty unit
4-1/2" x 1/16" Cut siastar (cut-off wheel)	T6361.0000.2	50

Fibre siastar



Grit	Description	sia Item #	Box qty unit
40g	4-1/2" Fibre siastar	T6363.0040.6	200
60g	4-1/2" Fibre siastar	T6363.0060.6	200
80g	4-1/2" Fibre siastar	T6363.0080.6	200
120g	4-1/2" Fibre siastar	T6363.0120.6	200
	4-1/2" Fibrepad siastar	T6366.0000.8	20

Vlies siastar



Grit	Description	sia Item #	Box qty unit
Med S	4-1/2" SC Vlies siastar	T6324.4721.8	40
SD Fine A	4-1/2" AO Vlies siastar	T6330.5911.8	40

Form siastar



Grit	Description	sia Item #	Box qty unit
50g	3" R4 (5/32") Form siastar	T6319.0050.3	50
80g	3" R4 (5/32") Form siastar	T6319.0080.3	50
180g	3" R4 (5/32") Form siastar	T6319.0180.3	50
400g	3" R4 (5/32") Form siastar	T6319.0400.3	50
50g	4-1/2" R2 (5/64") Form siastar	T6320.0050.2	50
80g	4-1/2" R2 (5/64") Form siastar	T6320.0080.2	50
180g	4-1/2" R2 (5/64") Form siastar	T6320.0180.2	50
400g	4-1/2" R2 (5/64") Form siastar	T6320.0400.2	50
50g	4-1/2" R4 (5/32") Form siastar	T6321.0050.2	50
80g	4-1/2" R4 (5/32") Form siastar	T6321.0080.2	50
180g	4-1/2" R4 (5/32") Form siastar	T6321.0180.2	50
400g	4-1/2" R4 (5/32") Form siastar	T6321.0400.2	50

Stocked Made to Order Available upon request

Belt siastar



Grit	Description	sia Item #	Box qty unit
Crs (SCM)	1" x 26" Hyperflex Belt siastar	T6358.2921.2	5
Med (SCM)	1" x 26" Hyperflex Belt siastar	T6358.4921.2	5
Fin (SCM)	1" x 26" Hyperflex Belt siastar	T6358.5921.2	5

Belt Wheel siastar



Grit	Description	sia Item #	Box qty unit
	Drive Wheel Belt siastar	T6365.0000.1	1

Shaft siastar



Grit	Description	sia Item #	Box qty unit
	6" Wing Shaft siastar	T6355.0000.1	1

Wing siastar



Grit	Description	sia Item #	Box qty unit
80g	1-3/16" ZA Wing siastar	T6346.0080.6	200
80g	2" ZA Wing siastar	T6347.0080.5	200
80g	2-3/4" ZA Wing siastar	T6348.0080.5	200
Crs (SCM)	1-3/16" AO Wing siastar	T6349.2922.6	200
Crs (SCM)	2" AO Wing siastar	T6350.2922.5	200
Crs (SCM)	2-3/4" AO Wing siastar	T6351.2922.5	200
Med (SCM)	1-3/16" AO Wing siastar	T6349.4922.6	200
Med (SCM)	2" AO Wing siastar	T6350.4922.5	200
Med (SCM)	2-3/4" AO Wing siastar	T6351.4922.5	200

Stocked Made to Order Available upon request

sia Abrasives - Your Key to a Perfect Surface

The sia Group is based in Frauenfeld, Switzerland, and is one of the world's top three suppliers of innovative abrasives. sia Abrasives develops, manufactures and sells complete sanding systems tailored to specific requirements and applications of all kinds, transforming sanding into surface technology. sia Abrasives employs about 1150 people and is represented in more than 80 countries.



sia Abrasives Industries AG, Frauenfeld/Switzerland



Coated Abrasives

Traditional coated abrasives and complete abrasive systems for conventional surface finishing on all types of materials.



Nonwoven Abrasives

Products for preparatory work, cleaning and shaping, usually without modifying the work piece geometry.



Microabrasives

Products on special polyester film to give defined surface structures in the areas of graphics, optics and the auto industry.



Foam Abrasives

Foam sanding pads in the widest possible range of shapes and grades for precision sanding on wood, fillers, paintwork and varnish.

Australia

sia Abrasives Australia Pty. Ltd.
Rowville, Vic.3178
Phone +61 3 9753 4333

Austria

sia Abrasives GmbH
6130 Schwaz
Phone +43 5242 73 666

Belgium

sia Abrasives Belgium NV SA
1730 Mollem (Asse)
Phone +32 2 454 00 20

Brazil

sia Abrasives Industriais Ltda
Sao Jose dos Pinhais, PR, CEP 83065-190
Phone +55 41 338 25 33

China

sia Abrasives Company, Ltd.
Guangzhou, China
Phone +86 20 8222 1328

France

sia Abrasives France Sarl
95972 Roissy Charles de Gaulle Cedex
Phone +33 1 48 17 80 90

Germany

sia Abrasives Deutschland GmbH
42699 Solingen
Phone +49 212 258 19 0

part GmbH

72574 Bad Urach
Phone +49 (71) 25 96 96 5-00

Mexico

sia Abrasives Mexico S.A. de C.V.
01050 Mexico, D.F.
Phone +52 55 5446 9394

Singapore

sia Abrasives Industries AG
Representative Office Singapore
No. 9 Kaki Bukit Road 1
Singapore 415938
Phone +65 6743 7350

Spain

sia Abrasives Espana SA
28830 Pol. Ind. San Fernando de Henares
(Madrid)
Phone +34 91 678 41 50

Switzerland

sia Abrasives Industries AG
8501 Frauenfeld
+41 52 724 41 11

United Kingdom

sia Abrasives (G.B.) Ltd.
Greetland, Halifax HX4 8NJ West Yorkshire
Phone +44 1422 31 33 00

sia Fibril Ltd.

Greetland, Halifax HX4 8NJ West Yorkshire
Phone +44 1422 31 30 00

sia Abrafoam, Ltd.

Alfreton, Derbyshire DE55 7FQ
Phone +44 1773 83 25 24

United States

sia Abrasives, Inc. USA
Charlotte, NC
Phone +800 459 3534